



2026/1740

31.7.2026

**COMMISSION IMPLEMENTING REGULATION (EU) 2026/1740**  
**of 20 July 2026**  
**correcting Implementing Regulation (EU) 2025/2621 as regards Annexes I and IV thereto**  
**(Text with EEA relevance)**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Regulation (EU) 2023/956 of the European Parliament and of the Council of 10 May 2023 establishing a carbon border adjustment mechanism <sup>(1)</sup>, and in particular Article 7(7) thereof,

Whereas:

- (1) Commission Implementing Regulation (EU) 2025/2621 <sup>(2)</sup> lays down rules for the application of Regulation (EU) 2023/956 as regards the establishment of default values in the field of the carbon border adjustment mechanism ('CBAM').
- (2) Some production route indicators in some of the tables in Annexes I and IV to Implementing Regulation (EU) 2025/2621 are missing or incorrect. This makes it impossible to correctly calculate the free allocation adjustment in accordance with the rules laid down in Commission Implementing Regulation (EU) 2025/2620 <sup>(3)</sup>. Those missing or incorrect production route indicators should therefore be added or corrected.
- (3) While Annexes I and IV to Implementing Regulation (EU) 2025/2621 provide some default values for a group of Combined Nomenclature (CN) codes at Harmonised System (HS) code level (that is, with 4 or 6 digits) with an underlying production route indicator to determine the CBAM benchmark, as defined in Implementing Regulation (EU) 2025/2620, Implementing Regulation (EU) 2025/2620 does not define any production route for the benchmark of one or more of the CN codes at 8-digit level in that group. It should therefore be clarified that, in such case, the CBAM benchmark for the concerned CN code at 8-digit level is independent of the production route.
- (4) To ensure legal clarity, the units of the default values in Annexes I and IV to Implementing Regulation (EU) 2025/2621 should be specified.
- (5) As regards CN code 2523 10 00 in all the tables in Annexes I and IV to Implementing Regulation (EU) 2025/2621, different default values apply to white clinker and grey clinker. The same applies to the default values for white hydraulic cement and grey hydraulic cements under CN code 2523 90 00 in those Annexes. In order to reflect those differences more clearly, TARIC codes should be used to distinguish between those goods.
- (6) As regards CN code 2507 00 80 in all the tables in Annexes I and IV to Implementing Regulation (EU) 2025/2621, Regulation (EU) 2023/956 was amended by Regulation (EU) 2025/2083 of the European Parliament and of the Council <sup>(4)</sup>, with the result that only calcined kaolinic clay now falls within the scope of the CBAM. To ensure alignment with the scope of the CBAM, CN code 2507 00 80 should be replaced with TARIC code 2507 00 80 80.

<sup>(1)</sup> OJ L 130, 16.5.2023, p. 52, ELI: <http://data.europa.eu/eli/reg/2023/956/oj>.

<sup>(2)</sup> Commission Implementing Regulation (EU) 2025/2621 of 16 December 2025 laying down rules for the application of Regulation (EU) 2023/956 of the European Parliament and the Council as regards the establishment of default values (OJ L, 2025/2621, 31.12.2025, ELI: [http://data.europa.eu/eli/reg\\_impl/2025/2621/oj](http://data.europa.eu/eli/reg_impl/2025/2621/oj)).

<sup>(3)</sup> Commission Implementing Regulation (EU) 2025/2620 of 16 December 2025 laying down rules for the application of Regulation (EU) 2023/956 of the European Parliament and of the Council as regards the calculation of the free allocation adjustment to the number of CBAM certificates to be surrendered (OJ L, 2025/2620, 22.12.2025, ELI: [http://data.europa.eu/eli/reg\\_impl/2025/2620/oj](http://data.europa.eu/eli/reg_impl/2025/2620/oj)).

<sup>(4)</sup> Regulation (EU) 2025/2083 of the European Parliament and of the Council of 8 October 2025 amending Regulation (EU) 2023/956 as regards simplifying and strengthening the carbon border adjustment mechanism (OJ L, 2025/2083, 17.10.2025, ELI: <http://data.europa.eu/eli/reg/2025/2083/oj>).

- (7) Some default values in some of the tables in Annex I to Implementing Regulation (EU) 2025/2621 are erroneous as a result of transcription mistakes that were made when the tables were consolidated within a short time frame to ensure that Implementing Regulation (EU) 2025/2621 could apply from 1 January 2026. This is the case for the default values of Taiwan – CN codes 7218 to 7223, and for ‘Other countries and territories’ – CN code 7226 20 00. Those erroneous default values should be corrected.
- (8) The default value for indirect emissions for CN code 2601 12 00 for Angola in one of the tables in Annex I to Implementing Regulation (EU) 2025/2621 is stated as being not applicable as a result of a transcription mistake. However, it is clear that indirect emissions for this CN code are within the CBAM’s scope, in accordance with Article 7(1) of Regulation (EU) 2023/956. Moreover, the default values provided for direct and total emissions for CN code 2601 12 00 for Angola are the result of a transcription mistake, as they are the numerical values of the default values in the table ‘Other countries and territories’. Those errors should be corrected.
- (9) Some default values in some of the tables in Annex I to Implementing Regulation (EU) 2025/2621 have been inadvertently omitted as a result of transcription mistakes that were made when the tables were consolidated. This has resulted in the application of the default values in the table ‘Other countries and territories’ which are higher than or equal to the missing default values. This is the case for the default values of Albania – CN code 7202 41, Gabon – CN code 2804 10 00, Guatemala – CN code 7202 60 00, Liberia – CN code 2804 10 00, New Caledonia – CN code 7202 60 00, Zambia – CN code 7202 11 and Zimbabwe – CN codes 7202 11 and 7202 41. Those missing default values should be added.
- (10) Rounding rules have been applied when determining the default values. In order to avoid potential inconsistencies as a result of rounding, the columns with default values that include mark-ups in all the tables for 2026, 2027 and 2028 in Annexes I and IV to Implementing Regulation (EU) 2025/2621 should be deleted. The methodology for calculating the default values with the mark-ups should be stated separately in opening paragraphs in Annexes I and IV. The final default values that include the mark-ups should then be calculated within the CBAM Registry and this calculation should be based on the default values for total emissions as provided for in Annex I. The default values for direct emissions and indirect emissions in Annex I have only been provided for information.
- (11) Some CN codes in one of the tables in Annex I to Implementing Regulation (EU) 2025/2621 are erroneous as a result of transcription mistakes that were made when the tables were consolidated. This is the case for CN codes 7615 10 10, 7615 10 30, 7615 10 80 and 7615 20 00 for Tunisia. Those erroneous CN codes should be corrected.
- (12) The names of some countries listed in some of the tables set out in Annex I to Implementing Regulation (EU) 2025/2621 are not consistent with the names used in Annexes II and III to that Regulation, which use the nomenclature of Commission Implementing Regulation (EU) 2020/1470<sup>(9)</sup>. To ensure consistency, the names of those countries in Annex I should be corrected.
- (13) The default values for precursors in Annex IV to Implementing Regulation (EU) 2025/2621 for CN codes 7616 99 10 and 7616 99 90 do not correspond to the default values of the third country with the highest emission intensity given in Annex I to Implementing Regulation (EU) 2025/2621. This is due to a transcription mistake. Those erroneous default values should be corrected so that they correspond to the default values of the third country with the highest emission intensity.
- (14) To ensure legal certainty with respect to the accurate calculation of the CBAM number of certificates to be surrendered, this Regulation should apply retroactively from the date of entry into force of Implementing Regulation (EU) 2025/2621. Furthermore, in the interests of legal clarity and legal certainty, the corrections set out in this Regulation should enter into force quickly. This Regulation should therefore enter into force on the third day following that of its publication in the *Official Journal of the European Union*.

<sup>(9)</sup> Commission Implementing Regulation (EU) 2020/1470 of 12 October 2020 on the nomenclature of countries and territories for the European statistics on international trade in goods and on the geographical breakdown for other business statistics (OJ L 334, 13.10.2020, p. 2, ELI: [http://data.europa.eu/eli/reg\\_impl/2020/1470/oj](http://data.europa.eu/eli/reg_impl/2020/1470/oj)).

(15) The measures provided for in this Regulation are in accordance with the opinion of the CBAM Committee,

HAS ADOPTED THIS REGULATION:

*Article 1*

1. Annex I to Implementing Regulation (EU) 2025/2621 is replaced by the text in Annex I to this Regulation.
2. Annex IV to Implementing Regulation (EU) 2025/2621 is replaced by the text in Annex II to this Regulation.

*Article 2*

This Regulation shall enter into force on the third day following that of its publication in the *Official Journal of the European Union*.

It shall apply from 1 January 2026.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 20 July 2026.

*For the Commission*  
*The President*  
Ursula VON DER LEYEN

### Default values for goods imported into the customs territory of the Union, except for electricity

For the calculation of the number of CBAM certificates, the default values of the column ‘total emissions’ shall be selected and increased as follows:

For goods in the cement, iron and steel, aluminium and hydrogen sectors, the mark-up shall be 10 % for the year 2026, 20 % for the year 2027 and 30 % for the year 2028 and onwards.

For goods in the fertiliser sector, the mark-up shall be 1 % for the year 2026 and onwards.

Where a country or territory is not explicitly listed, the default value for the respective good from the table “Other countries and territories” needs to be selected. Where a country or territory is explicitly listed but no value is provided or the relevant field shows “–”, the default value for the respective good from the table “Other countries and territories” needs to be selected.

Where default values are used to determine the specific embedded emissions of a final good or of a precursor, the specific embedded free allocation shall be based on the corresponding underlying production route determining the CBAM benchmark (BM) as defined in Commission Implementing Regulation (EU) 2025/2620. The meaning of the indicators is as follows:

- (A) grey clinker / cementw
- (B) white clinker / cement
- (C) Carbon Steel based on BF/BOF
- (D) Carbon Steel based on DRI/EAF
- (E) Carbon Steel based on Scrap/EAF
- (F) Low alloy Steel based on BF/BOF
- (G) Low alloy Steel based on DRI/EAF
- (H) Low alloy Steel based on scrap/EAF
- (J) High alloy Steel (based on EAF)
- (K) primary Aluminium
- (L) secondary Aluminium

If no production route is indicated for a CN code, the CBAM benchmark (BM) is independent of the production route.

If a production route is indicated for a group of CN codes at HS code level (i.e. with 4 or 6 digits) and the CBAM BM as defined in Implementing Regulation (EU) 2025/2620 for one or more of the CN codes at 8-digit level in that group has no production route, the CBAM BM for the concerned CN code is independent of the production route.



| Albania                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,870                                                                   | 0,000                                                                        | 0,870                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,900                                                                   | 0,030                                                                        | 0,930                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,860                                                                   | 0,030                                                                        | 0,890                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,730                                                                   | 0,040                                                                        | 2,760                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,190                                                                   | 0,050                                                                        | 2,240                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,440                                                                   | 0,030                                                                        | 0,470                                                                  |                                                       |

| Albania                         |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,730                                                                   | 0,030                                                                        | 0,760                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,330                                                                   | 0,080                                                                        | 1,420                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,300                                                                   | 0,080                                                                        | 1,390                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,600                                                                   | 0,060                                                                        | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,380                                                                   | 0,070                                                                        | 1,460                                                                  |                                                       |

| Albania                         |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,650                                                                   | 0,050                                                                        | 1,700                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,540                                                                   | 0,080                                                                        | 2,620                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,150                                                                   | 0,080                                                                        | 2,220                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,150                                                                   | 0,080                                                                        | 2,220                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 4,260                                                                   | 0,060                                                                        | 4,310                                                                  |                                                       |

| Albania                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,130                                                                   | 0,070                                                                        | 2,200                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,560                                                                   | 0,070                                                                        | 1,620                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,570                                                                   | 0,080                                                                        | 1,640                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Albania                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg                                                                                                     | 0,800                                                                   | 0,060                                                                        | 0,860                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)           | 1,050                                                                   | 0,080                                                                        | 1,120                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,710                                                                   | 0,060                                                                        | 0,770                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,500                                                                   | 0,050                                                                        | 0,550                                                                  |                                                       |

| Albania                         |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,320                                                                   | 0,040                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,450                                                                   | 0,090                                                                        | 1,540                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,560                                                                   | 0,080                                                                        | 0,640                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,430                                                                   | 0,060                                                                        | 1,490                                                                  |                                                       |

| Albania                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,730                                                                   | 0,040                                                                        | 0,770                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                                                                                                                                                                                                                                                | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |

| Algeria                         |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | 1,290                                                                   | 0,060                                                                        | 1,340                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker | 1,240                                                                   | 0,040                                                                        | 1,280                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                | 1,230                                                                   | 0,140                                                                        | 1,370                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,230                                                                   | 0,060                                                                        | 1,300                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,280                                                                   | 0,170                                                                        | 1,440                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,170                                                                   | 0,070                                                                        | 1,240                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,490                                                                   | 0,040                                                                        | 2,530                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,960                                                                   | 0,120                                                                        | 2,080                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,590                                                                   | 0,040                                                                        | 0,620                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,000                                                                   | 0,060                                                                        | 2,060                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,440                                                                   | 0,030                                                                        | 0,470                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,720                                                                   | 0,030                                                                        | 0,760                                                                  |                                                       |



| Algeria                         |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,320                                                                   | 0,100                                                                        | 1,410                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,290                                                                   | 0,090                                                                        | 1,380                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,560                                                                   | 0,070                                                                        | 0,630                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,270                                                                   | 0,080                                                                        | 1,360                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,510                                                                   | 0,060                                                                        | 1,570                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 2,330                                                                   | 0,090                                                                        | 2,420                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,980                                                                   | 0,090                                                                        | 2,070                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,980                                                                   | 0,090                                                                        | 2,070                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,880                                                                   | 0,060                                                                        | 3,940                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,950                                                                   | 0,080                                                                        | 2,030                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,460                                                                   | 0,080                                                                        | 1,530                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,490                                                                   | 0,090                                                                        | 1,580                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,730                                                                   | 0,080                                                                        | 0,810                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,970                                                                   | 0,090                                                                        | 1,060                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,660                                                                   | 0,070                                                                        | 0,720                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,460                                                                   | 0,050                                                                        | 0,510                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,290                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,330                                                                   | 0,110                                                                        | 1,440                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,520                                                                   | 0,090                                                                        | 0,610                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,310                                                                   | 0,070                                                                        | 1,380                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,670                                                                   | 0,050                                                                        | 0,720                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,920                                                                   | N/A                                                                          | 0,920                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,140                                                                   | N/A                                                                          | 1,140                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,140                                                                   | N/A                                                                          | 1,140                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 1,140                                                                   | N/A                                                                          | 1,140                                                                  | (L)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,140                                                                   | N/A                                                                          | 1,140                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,920                                                                   | N/A                                                                          | 0,920                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,600                                                                   | N/A                                                                          | 1,600                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,180                                                                   | 0,030                                                                        | 0,210                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 2,870                                                                   | N/A                                                                          | 2,870                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | 0,810                                                                   | N/A                                                                          | 0,810                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |



| Algeria                         |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |



| Algeria                         |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm      | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                      | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Algeria                         |                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked                    | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm                | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm                 | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"                              | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                                                         | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                                                                                                  | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                      | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                    | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                            | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s. | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                             | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                                                                                                     | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                                                                                                                 | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)                                                   |



| Algeria                         |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |

| Algeria                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other<br>than stainless, angles, shapes and<br>sections of alloy steel other than<br>stainless, n.e.s.; hollow drill bars and<br>rods, of alloy or non-alloy steel                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Algeria                         |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,410                                                                   | N/A                                                                          | 3,410                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,190                                                                   | N/A                                                                          | 3,190                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,870                                                                   | N/A                                                                          | 2,870                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,910                                                                   | N/A                                                                          | 2,910                                                                  | (F)                                                   |



| Algeria                         |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,910                                                                   | N/A                                                                          | 2,910                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Algeria                         |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,930                                                                   | N/A                                                                          | 2,930                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,930                                                                   | N/A                                                                          | 2,930                                                                  | (F)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,930                                                                   | N/A                                                                          | 2,930                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,020                                                                   | N/A                                                                          | 3,020                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |



| Algeria                         |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                              | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

## Algeria

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel (excl. wood screws)                                                                                                                                                                              | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel other than stainless                                                                                                                                                                               | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)                                                                                                                                   | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Algeria                         |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Angola                          |                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                           | 0,220                                                                   | 0,040                                                                        | 0,250                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                    | 1,240                                                                   | 0,020                                                                        | 1,260                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                    | 1,240                                                                   | 0,030                                                                        | 1,270                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements             | 1,180                                                                   | 0,040                                                                        | 1,220                                                                  | (A)                                                   |
| <b>Hydrogen</b>                 |                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites) | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                 | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 60 00                      | Ferro-nickel                                                            | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,870                                                                   | 0,030                                                                        | 0,900                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,870                                                                   | 0,050                                                                        | 0,920                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,900                                                                   | 0,030                                                                        | 1,930                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,260                                                                   | 0,100                                                                        | 2,360                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,030                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,680                                                                   | 0,050                                                                        | 1,730                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,020                                                                        | 0,530                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,840                                                                   | 0,020                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,530                                                                   | 0,080                                                                        | 1,600                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,500                                                                   | 0,070                                                                        | 1,570                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,660                                                                   | 0,050                                                                        | 0,720                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,190                                                                   | 0,060                                                                        | 1,250                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,280                                                                   | 0,050                                                                        | 1,320                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,970                                                                   | 0,070                                                                        | 2,040                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,700                                                                   | 0,070                                                                        | 1,760                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,700                                                                   | 0,070                                                                        | 1,760                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,970                                                                   | 0,050                                                                        | 3,020                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 1,650                                                                   | 0,060                                                                        | 1,710                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution (excl. those in packages with a<br>gross weight of <= 10 kg)                                                                                                                                   | 1,360                                                                   | 0,060                                                                        | 1,420                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,490                                                                   | 0,070                                                                        | 1,560                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,060                                                                        | 0,760                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,860                                                                   | 0,060                                                                        | 0,920                                                                  |                                                       |



| Argentina                       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,580                                                                   | 0,050                                                                        | 0,630                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,040                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,340                                                                   | 0,030                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,160                                                                   | 0,080                                                                        | 1,240                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,610                                                                   | 0,080                                                                        | 0,690                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,130                                                                   | 0,050                                                                        | 1,180                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,580                                                                   | 0,040                                                                        | 0,620                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,140                                                                   | 0,050                                                                        | 0,200                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 2,300                                                                   | N/A                                                                          | 2,300                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | 1,030                                                                   | N/A                                                                          | 1,030                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |



| Argentina                       |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,590                                                                   | N/A                                                                          | 2,590                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,590                                                                   | N/A                                                                          | 2,590                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,590                                                                   | N/A                                                                          | 2,590                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,590                                                                   | N/A                                                                          | 2,590                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |

## Argentina

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                          | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                         | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                           | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |



| Argentina                       |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |

| Argentina                       |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                          | 4,360                                                                   | N/A                                                                          | 4,360                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                              | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                          | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)       | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)   | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel) | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |

| Argentina                       |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,360                                                                   | N/A                                                                          | 4,360                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                      | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                    | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,340                                                                   | N/A                                                                          | 3,340                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (C)/(F)                                               |

| Argentina                       |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |



| Argentina                       |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,140                                                                   | N/A                                                                          | 3,140                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,980                                                                   | N/A                                                                          | 2,980                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (F)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |

| Argentina                       |                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of ≤ 406,4 mm                                                   | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron) | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                 | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                         | 2,590                                                                   | N/A                                                                          | 2,590                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                       | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,430                                                                   | N/A                                                                          | 3,430                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,630                                                                   | N/A                                                                          | 2,630                                                                  | (F)                                                   |



| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,340                                                                   | N/A                                                                          | 2,340                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,340                                                                   | N/A                                                                          | 2,340                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,410                                                                   | N/A                                                                          | 2,410                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,010                                                                   | N/A                                                                          | 3,010                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,010                                                                   | N/A                                                                          | 3,010                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | 2,630                                                                   | N/A                                                                          | 2,630                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                    | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                              | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                           | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                            | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel (excl. wood screws)                                                                                                                                                                              | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel other than stainless                                                                                                                                                                               | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)                                                                                                                                   | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |

| Argentina                       |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                     | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| Armenia                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,360                                                                   | 0,010                                                                        | 1,370                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,320                                                                   | 0,020                                                                        | 1,350                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,260                                                                   | 0,030                                                                        | 1,280                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,750                                                                   | 0,020                                                                        | 2,770                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,020                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,220                                                                   | 0,020                                                                        | 2,250                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,490                                                                   | 0,010                                                                        | 0,500                                                                  |                                                       |



| Armenia                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,810                                                                   | 0,010                                                                        | 0,820                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,470                                                                   | 0,040                                                                        | 1,510                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,440                                                                   | 0,040                                                                        | 1,480                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,640                                                                   | 0,030                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,420                                                                   | 0,030                                                                        | 1,460                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,680                                                                   | 0,030                                                                        | 1,710                                                                  |                                                       |

| Armenia                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,590                                                                   | 0,040                                                                        | 2,620                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,220                                                                   | 0,040                                                                        | 2,250                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,220                                                                   | 0,040                                                                        | 2,250                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 4,300                                                                   | 0,030                                                                        | 4,330                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 2,170                                                                   | 0,030                                                                        | 2,200                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,620                                                                   | 0,030                                                                        | 1,650                                                                  |                                                       |

| Armenia                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,660                                                                   | 0,040                                                                        | 1,700                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,820                                                                   | 0,030                                                                        | 0,850                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,080                                                                   | 0,040                                                                        | 1,120                                                                  |                                                       |

| Armenia                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,740                                                                   | 0,030                                                                        | 0,760                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,510                                                                   | 0,020                                                                        | 0,530                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,320                                                                   | 0,020                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,490                                                                   | 0,040                                                                        | 1,540                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,590                                                                   | 0,060                                                                        | 0,650                                                                  |                                                       |

| Armenia                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,460                                                                   | 0,030                                                                        | 1,480                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,750                                                                   | 0,020                                                                        | 0,770                                                                  |                                                       |

| Australia                       |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | 1,380                                                                   | 0,040                                                                        | 1,420                                                                  | (A)                                                   |

| Australia                       |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,100                                                                   | 0,070                                                                        | 1,170                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,040                                                                   | 0,080                                                                        | 1,120                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,370                                                                   | 0,050                                                                        | 1,420                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,770                                                                   | 0,150                                                                        | 1,920                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,530                                                                   | 0,040                                                                        | 0,580                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,240                                                                   | 0,080                                                                        | 1,320                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,410                                                                   | 0,040                                                                        | 0,450                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,690                                                                   | 0,040                                                                        | 0,730                                                                  |                                                       |

| Australia                       |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,250                                                                   | 0,120                                                                        | 1,370                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,220                                                                   | 0,120                                                                        | 1,340                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,540                                                                   | 0,100                                                                        | 0,630                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 0,910                                                                   | 0,110                                                                        | 1,020                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 0,950                                                                   | 0,080                                                                        | 1,030                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 1,460                                                                   | 0,120                                                                        | 1,590                                                                  |                                                       |

| Australia                       |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,280                                                                   | 0,120                                                                        | 1,390                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,280                                                                   | 0,120                                                                        | 1,390                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,140                                                                   | 0,080                                                                        | 2,210                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,230                                                                   | 0,110                                                                        | 1,340                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,050                                                                   | 0,100                                                                        | 1,140                                                                  |                                                       |



| Australia                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,170                                                                   | 0,120                                                                        | 1,290                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,550                                                                   | 0,100                                                                        | 0,650                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,650                                                                   | 0,120                                                                        | 0,770                                                                  |                                                       |

| Australia                       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,450                                                                   | 0,090                                                                        | 0,540                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,420                                                                   | 0,070                                                                        | 0,490                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,270                                                                   | 0,060                                                                        | 0,330                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 0,880                                                                   | 0,150                                                                        | 1,030                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,500                                                                   | 0,120                                                                        | 0,620                                                                  |                                                       |

| Australia                       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 0,840                                                                   | 0,090                                                                        | 0,930                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,440                                                                   | 0,060                                                                        | 0,500                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles                                                                                                                                                                     | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                                                                                                                                                                                             | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                                                | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                                             | 0,070                                                                   | 0,020                                                                        | 0,090                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                                                                                | 2,790                                                                   | N/A                                                                          | 2,790                                                                  |                                                       |

| Australia                       |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |



| Australia                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,970                                                                   | N/A                                                                          | 2,970                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,970                                                                   | N/A                                                                          | 2,970                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,970                                                                   | N/A                                                                          | 2,970                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,970                                                                   | N/A                                                                          | 2,970                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |

| Australia                       |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |

| Australia                       |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |



| Australia                       |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |

| Australia                       |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |

| Australia                       |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,760                                                                   | N/A                                                                          | 4,760                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |

| Australia                       |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,760                                                                   | N/A                                                                          | 4,760                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,610                                                                   | N/A                                                                          | 3,610                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Australia                       |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,320                                                                   | N/A                                                                          | 3,320                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,790                                                                   | N/A                                                                          | 2,790                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Australia                       |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                              | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,830                                                                   | N/A                                                                          | 2,830                                                                  | (F)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,830                                                                   | N/A                                                                          | 2,830                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |

| Australia                       |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,970                                                                   | N/A                                                                          | 2,970                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |



| Australia                       |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,600                                                                   | N/A                                                                          | 3,600                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,970                                                                   | N/A                                                                          | 2,970                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,930                                                                   | N/A                                                                          | 2,930                                                                  | (F)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,970                                                                   | N/A                                                                          | 2,970                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,790                                                                   | N/A                                                                          | 2,790                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,790                                                                   | N/A                                                                          | 2,790                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,200                                                                   | N/A                                                                          | 3,200                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,170                                                                   | N/A                                                                          | 3,170                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,090                                                                   | N/A                                                                          | 3,090                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |

| Australia                       |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                         | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel            | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die forged, n.e.s.                                                                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die forged, n.e.s.                                                                               | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                         | 2,920                                                                   | N/A                                                                          | 2,920                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |



| Azerbaijan                      |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,870                                                                   | 0,030                                                                        | 0,890                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,890                                                                   | 0,050                                                                        | 0,940                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,850                                                                   | 0,050                                                                        | 0,900                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,670                                                                   | 0,030                                                                        | 2,700                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,160                                                                   | 0,090                                                                        | 2,250                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,160                                                                   | 0,040                                                                        | 2,210                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,490                                                                   | 0,020                                                                        | 0,510                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,800                                                                   | 0,020                                                                        | 0,830                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,460                                                                   | 0,070                                                                        | 1,530                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,430                                                                   | 0,070                                                                        | 1,500                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,630                                                                   | 0,050                                                                        | 0,690                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,400                                                                   | 0,060                                                                        | 1,450                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,640                                                                   | 0,040                                                                        | 1,680                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,520                                                                   | 0,070                                                                        | 2,590                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,160                                                                   | 0,060                                                                        | 2,220                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,160                                                                   | 0,060                                                                        | 2,220                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 4,160                                                                   | 0,050                                                                        | 4,210                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 2,110                                                                   | 0,060                                                                        | 2,170                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution (excl. those in packages with a<br>gross weight of <= 10 kg)                                                                                                                                   | 1,590                                                                   | 0,060                                                                        | 1,640                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,640                                                                   | 0,060                                                                        | 1,700                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,810                                                                   | 0,060                                                                        | 0,860                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,060                                                                   | 0,060                                                                        | 1,120                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,720                                                                   | 0,050                                                                        | 0,770                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,510                                                                   | 0,040                                                                        | 0,550                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,030                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,460                                                                   | 0,080                                                                        | 1,540                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,580                                                                   | 0,080                                                                        | 0,660                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,420                                                                   | 0,050                                                                        | 1,470                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,730                                                                   | 0,030                                                                        | 0,760                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 1,890                                                                   | N/A                                                                          | 1,890                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,120                                                                   | N/A                                                                          | 2,120                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,120                                                                   | N/A                                                                          | 2,120                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 2,120                                                                   | N/A                                                                          | 2,120                                                                  | (K)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,120                                                                   | N/A                                                                          | 2,120                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,890                                                                   | N/A                                                                          | 1,890                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,070                                                                   | 0,050                                                                        | 0,120                                                                  |                                                       |



| Azerbaijan                      |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (E)/(H)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                   | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |



| Azerbaijan                      |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (E)                                                   |



| Azerbaijan                      |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (E)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)/(H)                                               |
| 7228                            | Other bars and rods of alloy steel other<br>than stainless, angles, shapes and<br>sections of alloy steel other than<br>stainless, n.e.s.; hollow drill bars and<br>rods, of alloy or non-alloy steel                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)/(H)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)/(H)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (H)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)/(H)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 0,190                                                                   | N/A                                                                          | 0,190                                                                  | (E)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 1,850                                                                   | N/A                                                                          | 1,850                                                                  | (E)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 1,500                                                                   | N/A                                                                          | 1,500                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of iron or steel<br>(excl. products of stainless steel or of<br>cast iron)                                                                                                                                                                        | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of<br>a kind used in drilling for oil or gas                                                                                                                                                                                                                            | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in<br>drilling for oil or gas, of iron or steel<br>(excl. products of stainless steel or of<br>cast iron)                                                                                                                                                                    | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind<br>used for drilling for oil or gas, of<br>stainless steel                                                                                                                                                                                                                 | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or<br>steel, of a kind used in drilling for oil or<br>gas (excl. products of cast iron)                                                                                                                                                                                      | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, cold-drawn or<br>cold-rolled "cold-reduced" (excl. cast<br>iron products and line pipe of a kind<br>used for oil or gas pipelines or casing<br>and tubing of a kind used for drilling<br>for oil or gas) | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (H)                                                   |



| Azerbaijan                      |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)/(H)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |

| Azerbaijan                      |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (H)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (H)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (H)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 1,500                                                                   | N/A                                                                          | 1,500                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 1,500                                                                   | N/A                                                                          | 1,500                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 1,890                                                                   | N/A                                                                          | 1,890                                                                  | (E)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 1,770                                                                   | N/A                                                                          | 1,770                                                                  | (E)                                                   |



| Azerbaijan                      |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 0,240                                                                   | N/A                                                                          | 0,240                                                                  | (E)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 1,770                                                                   | N/A                                                                          | 1,770                                                                  | (E)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 2,570                                                                   | N/A                                                                          | 2,570                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,140                                                                   | N/A                                                                          | 2,140                                                                  | (E)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (E)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 1,030                                                                   | N/A                                                                          | 1,030                                                                  | (E)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (E)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Azerbaijan                      |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 0,130                                                                   | N/A                                                                          | 0,130                                                                  | (E)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 0,140                                                                   | N/A                                                                          | 0,140                                                                  | (E)                                                   |

| Bahrain                         |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                   | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |

| Bahrain                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |

| Bahrain                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| Bangladesh                      |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,360                                                                   | 0,030                                                                        | 1,390                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | 1,280                                                                   | 0,130                                                                        | 1,410                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,210                                                                   | 0,060                                                                        | 1,270                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | 1,310                                                                   | 0,170                                                                        | 1,480                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,150                                                                   | 0,070                                                                        | 1,210                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,820                                                                   | 0,050                                                                        | 1,870                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,340                                                                   | 0,160                                                                        | 2,510                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,700                                                                   | 0,050                                                                        | 0,750                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,640                                                                   | 0,080                                                                        | 1,720                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Bangladesh                      |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,520                                                                   | 0,040                                                                        | 0,560                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,860                                                                   | 0,040                                                                        | 0,910                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,570                                                                   | 0,120                                                                        | 1,700                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,540                                                                   | 0,120                                                                        | 1,660                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,680                                                                   | 0,090                                                                        | 0,770                                                                  |                                                       |

| Bangladesh                      |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,180                                                                   | 0,100                                                                        | 1,280                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,250                                                                   | 0,080                                                                        | 1,320                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,920                                                                   | 0,120                                                                        | 2,040                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,660                                                                   | 0,110                                                                        | 1,770                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,660                                                                   | 0,110                                                                        | 1,770                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,830                                                                   | 0,080                                                                        | 2,920                                                                  |                                                       |



| Bangladesh                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,610                                                                   | 0,110                                                                        | 1,710                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,360                                                                   | 0,100                                                                        | 1,450                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,500                                                                   | 0,110                                                                        | 1,620                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,090                                                                        | 0,800                                                                  |                                                       |

| Bangladesh                      |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,840                                                                   | 0,110                                                                        | 0,950                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,570                                                                   | 0,080                                                                        | 0,650                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,550                                                                   | 0,070                                                                        | 0,620                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,350                                                                   | 0,050                                                                        | 0,400                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                     | 1,140                                                                   | 0,130                                                                        | 1,270                                                                  |                                                       |

| Bangladesh                      |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,630                                                                   | 0,110                                                                        | 0,740                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,100                                                                   | 0,080                                                                        | 1,190                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,570                                                                   | 0,060                                                                        | 0,630                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                                            | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                                                   | 1,690                                                                   | N/A                                                                          | 1,690                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                                                  | 1,910                                                                   | N/A                                                                          | 1,910                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                                                       | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |

| Bangladesh                      |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                        | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                          | 1,910                                                                   | N/A                                                                          | 1,910                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 1,910                                                                   | N/A                                                                          | 1,910                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |

| Bangladesh                      |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,910                                                                   | N/A                                                                          | 1,910                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,690                                                                   | N/A                                                                          | 1,690                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Belarus                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,340                                                                   | 0,030                                                                        | 1,370                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,340                                                                   | 0,050                                                                        | 1,390                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,270                                                                   | 0,050                                                                        | 1,330                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,690                                                                   | 0,030                                                                        | 2,720                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,160                                                                   | 0,090                                                                        | 2,250                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,170                                                                   | 0,040                                                                        | 2,220                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,470                                                                   | 0,020                                                                        | 0,490                                                                  |                                                       |

| Belarus                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,780                                                                   | 0,020                                                                        | 0,800                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,410                                                                   | 0,070                                                                        | 1,480                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,380                                                                   | 0,070                                                                        | 1,450                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,620                                                                   | 0,050                                                                        | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,390                                                                   | 0,060                                                                        | 1,450                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,640                                                                   | 0,040                                                                        | 1,690                                                                  |                                                       |

| Belarus                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,530                                                                   | 0,070                                                                        | 2,600                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,150                                                                   | 0,060                                                                        | 2,220                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,150                                                                   | 0,060                                                                        | 2,220                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 4,200                                                                   | 0,050                                                                        | 4,250                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 2,120                                                                   | 0,060                                                                        | 2,180                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,580                                                                   | 0,060                                                                        | 1,630                                                                  |                                                       |



| Belarus                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,610                                                                   | 0,060                                                                        | 1,670                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,800                                                                   | 0,050                                                                        | 0,860                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,050                                                                   | 0,060                                                                        | 1,120                                                                  |                                                       |

| Belarus                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,710                                                                   | 0,050                                                                        | 0,760                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,500                                                                   | 0,040                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,320                                                                   | 0,030                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,450                                                                   | 0,080                                                                        | 1,530                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,570                                                                   | 0,080                                                                        | 0,650                                                                  |                                                       |

| Belarus                         |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,430                                                                   | 0,050                                                                        | 1,470                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,730                                                                   | 0,030                                                                        | 0,760                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                                                       | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |

**Benin**

| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,860                                                                   | 0,040                                                                        | 0,900                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,920                                                                   | 0,070                                                                        | 0,990                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,880                                                                   | 0,070                                                                        | 0,960                                                                  | (A)                                                   |

**Bolivia**

| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,030                                                                        | 0,900                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,870                                                                   | 0,060                                                                        | 0,930                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,830                                                                   | 0,060                                                                        | 0,890                                                                  | (A)                                                   |

| Bolivia                         |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |

| Bolivia                         |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles                                                                                                                                                                     | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                                                                                                                                                                                             | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |

| Bolivia                         |             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 99 10                      | Cast        | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7616 99 90                      | Other       | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Bosnia and Herzegovina          |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,860                                                                   | 0,060                                                                        | 0,920                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,880                                                                   | 0,100                                                                        | 0,980                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,840                                                                   | 0,100                                                                        | 0,940                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,670                                                                   | 0,060                                                                        | 2,730                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,650                                                                   | 0,060                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 2,160                                                                   | 0,090                                                                        | 2,260                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,490                                                                   | 0,050                                                                        | 0,540                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,810                                                                   | 0,050                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,470                                                                   | 0,150                                                                        | 1,620                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,440                                                                   | 0,150                                                                        | 1,590                                                                  |                                                       |



| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                             | 0,640                                                                   | 0,110                                                                        | 0,750                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,400                                                                   | 0,130                                                                        | 1,520                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,640                                                                   | 0,100                                                                        | 1,740                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,520                                                                   | 0,150                                                                        | 2,670                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,160                                                                   | 0,140                                                                        | 2,300                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,160                                                                   | 0,140                                                                        | 2,300                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 4,160                                                                   | 0,100                                                                        | 4,260                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,110                                                                   | 0,130                                                                        | 2,240                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,590                                                                   | 0,120                                                                        | 1,710                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,640                                                                   | 0,140                                                                        | 1,780                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,810                                                                   | 0,120                                                                        | 0,920                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 1,060                                                                   | 0,140                                                                        | 1,200                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,720                                                                   | 0,110                                                                        | 0,820                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,510                                                                   | 0,080                                                                        | 0,590                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,070                                                                        | 0,390                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,460                                                                   | 0,170                                                                        | 1,630                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,590                                                                   | 0,130                                                                        | 0,720                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,420                                                                   | 0,100                                                                        | 1,530                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,730                                                                   | 0,070                                                                        | 0,800                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 3,279                                                                   | N/A                                                                          | 3,279                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 3,059                                                                   | N/A                                                                          | 3,059                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 3,059                                                                   | N/A                                                                          | 3,059                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 3,059                                                                   | N/A                                                                          | 3,059                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 3,059                                                                   | N/A                                                                          | 3,059                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 3,059                                                                   | N/A                                                                          | 3,059                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 3,703                                                                   | N/A                                                                          | 3,703                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 3,721                                                                   | N/A                                                                          | 3,721                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 3,721                                                                   | N/A                                                                          | 3,721                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 3,721                                                                   | N/A                                                                          | 3,721                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 3,721                                                                   | N/A                                                                          | 3,721                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                | 3,721                                                                   | N/A                                                                          | 3,721                                                                  | (K)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                          | 3,721                                                                   | N/A                                                                          | 3,721                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 3,703                                                                   | N/A                                                                          | 3,703                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 3,279                                                                   | N/A                                                                          | 3,279                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 4,532                                                                   | N/A                                                                          | 4,532                                                                  | (K)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                             | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                                                              | 0,090                                                                   | 0,090                                                                        | 0,190                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                 | 2,160                                                                   | N/A                                                                          | 2,160                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (C)/(F)                                               |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                   | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |



| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                     | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                   | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                                                | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                                         | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                                            | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                                         | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                  | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                         | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                           | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                        | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                                                           | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                                                                | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                                                                                                                  | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                               | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                                                        | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")               | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon  | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated             | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                        | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                 | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                                                                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                                                                                                    | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                                                                                                            | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel) | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                         | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                           | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                           | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                                                                                                                                                              | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                                                                                                                                                       | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                            | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                           | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                             | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting    | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                              | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |



| Bosnia and Herzegovina          |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219                            | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of > 10 mm                     | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 4,7 mm and <= 10 mm      | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

## Bosnia and Herzegovina

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                     | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm                  | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                                  | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                      | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                                               | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                                            | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                                          | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                                                  | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s.                       | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                                                                                                                                                                                                                      | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                          | 4,590                                                                   | N/A                                                                          | 4,590                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                              | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                          | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)       | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)   | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel) | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,590                                                                   | N/A                                                                          | 4,590                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)                                                   |



| Bosnia and Herzegovina          |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                      | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                    | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (C)/(F)                                               |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,880                                                                   | N/A                                                                          | 2,880                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,270                                                                   | N/A                                                                          | 2,270                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (F)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of ≤ 406,4 mm                                                   | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron) | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                 | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                         | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                       | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |



| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (F)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)                                     | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                                                           | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                                                                | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                                                                 | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7307                            | Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel                                                                                                                                                                                                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable cast iron                                                                                                                                                                                                                                                                                                                                                                                           | 2,180                                                                   | N/A                                                                          | 2,180                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl. of non-malleable)                                                                                                                                                                                                                                                                                                                                                                                | 2,180                                                                   | N/A                                                                          | 2,180                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                                                                                                                                                                                                                                                                                                                        | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 21 00                      | Flanges of stainless steel (excl. cast products)                                                                                                          | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of stainless steel (excl. cast products)                                                                               | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of stainless steel (excl. cast products)                                                                               | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)                    | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or stainless products)                                                                                               | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)                                                                 | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)                                                         | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings) | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,020                                                                   | N/A                                                                          | 3,020                                                                  | (C)                                                   |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                                                                                                              | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7311 00                         | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | 3,080                                                                   | N/A                                                                          | 3,080                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw<br>hooks, rivets, cotters, cotter pins,<br>washers, incl. spring washers, and<br>similar articles, of iron or steel (excl. lag<br>screws, stoppers, plugs and the like,<br>threaded) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                 | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl.<br>coach screws)                                                                                                                                                                        | 3,170                                                                   | N/A                                                                          | 3,170                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                     | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                              | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                | 3,170                                                                   | N/A                                                                          | 3,170                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                 | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                  | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Bosnia and Herzegovina          |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                  | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                                                                                                                               | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |



| Bosnia and Herzegovina          |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel            | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die forged, n.e.s.                                                                                 | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die forged, n.e.s.                                                                               | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                         | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                  | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,220                                                                   | 0,120                                                                        | 1,340                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | 1,910                                                                   | 0,070                                                                        | 1,980                                                                  |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,040                                                                   | 0,020                                                                        | 2,070                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 3,120                                                                   | 0,080                                                                        | 3,210                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,940                                                                   | 0,020                                                                        | 0,960                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,930                                                                   | 0,040                                                                        | 1,960                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,670                                                                   | 0,020                                                                        | 0,690                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 1,110                                                                   | 0,020                                                                        | 1,130                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 2,020                                                                   | 0,060                                                                        | 2,070                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,970                                                                   | 0,050                                                                        | 2,030                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,890                                                                   | 0,040                                                                        | 0,930                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,440                                                                   | 0,040                                                                        | 1,480                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,470                                                                   | 0,030                                                                        | 1,500                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,260                                                                   | 0,050                                                                        | 2,310                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,940                                                                   | 0,040                                                                        | 1,990                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,940                                                                   | 0,040                                                                        | 1,990                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,190                                                                   | 0,040                                                                        | 3,230                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,890                                                                   | 0,040                                                                        | 1,940                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,650                                                                   | 0,040                                                                        | 1,690                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,860                                                                   | 0,050                                                                        | 1,910                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,870                                                                   | 0,040                                                                        | 0,910                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,990                                                                   | 0,040                                                                        | 1,030                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,680                                                                   | 0,030                                                                        | 0,710                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,730                                                                   | 0,030                                                                        | 0,750                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,460                                                                   | 0,020                                                                        | 0,480                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,340                                                                   | 0,050                                                                        | 1,390                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,820                                                                   | 0,070                                                                        | 0,900                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,310                                                                   | 0,030                                                                        | 1,340                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,680                                                                   | 0,020                                                                        | 0,700                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,820                                                                   | N/A                                                                          | 1,820                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |



| Brazil                          |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles                                                                                                                                                                     | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                                                                                                                                                                                             | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                                                | 1,820                                                                   | N/A                                                                          | 1,820                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                                             | 0,190                                                                   | 0,010                                                                        | 0,200                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                                                                                | 1,478                                                                   | N/A                                                                          | 1,478                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,430                                                                   | N/A                                                                          | 1,430                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 1,620                                                                   | N/A                                                                          | 1,620                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 1,620                                                                   | N/A                                                                          | 1,620                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 1,620                                                                   | N/A                                                                          | 1,620                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 1,620                                                                   | N/A                                                                          | 1,620                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                                                                            | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                       | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                                                                                | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                    | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                            | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling) | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |



| Brazil                          |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                                                  | 1,640                                                                   | N/A                                                                          | 1,640                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 1,640                                                                   | N/A                                                                          | 1,640                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 1,640                                                                   | N/A                                                                          | 1,640                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 1,640                                                                   | N/A                                                                          | 1,640                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,940                                                                   | N/A                                                                          | 3,940                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                      | 3,940                                                                   | N/A                                                                          | 3,940                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,940                                                                   | N/A                                                                          | 3,940                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |

| Brazil                          |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm   | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm            | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                                                                                     | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                                                         | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                                                                                                  | 3,340                                                                   | N/A                                                                          | 3,340                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                      | 3,340                                                                   | N/A                                                                          | 3,340                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                    | 3,340                                                                   | N/A                                                                          | 3,340                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                            | 3,340                                                                   | N/A                                                                          | 3,340                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s. | 3,940                                                                   | N/A                                                                          | 3,940                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 3,340                                                                   | N/A                                                                          | 3,340                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 4,380                                                                   | N/A                                                                          | 4,380                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                             | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 05                      | Semi-finished products of steel containing by weight ≤ 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight ≥ 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                          | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring ≥ twice the thickness (excl. of tool steel)                                                                                                                                                                                  | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                                                                                                   | 4,380                                                                   | N/A                                                                          | 4,380                                                                  | (F)                                                   |



| Brazil                          |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 4,380                                                                   | N/A                                                                          | 4,380                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,760                                                                   | N/A                                                                          | 4,760                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                                                                                                                 | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                                     | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                                                  | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                                              | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (F)                                                   |

| Brazil                          |                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel) | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                         | 4,760                                                                   | N/A                                                                          | 4,760                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                               | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                  | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                                      | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)                                                                          | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)                                                                 | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                                                                                      | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (F)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 4,380                                                                   | N/A                                                                          | 4,380                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (F)                                                   |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)      | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                 | 4,380                                                                   | N/A                                                                          | 4,380                                                                  | (F)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (F)                                                   |
| 7228 70                         | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or non-alloy steel                                                                                                                                                                                                                                                          | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless, in coils (excl. bars and rods)                                                                                                                                                                                                                                         | 3,810                                                                   | N/A                                                                          | 3,810                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                                                             | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7302                            | Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | 2,900                                                                   | N/A                                                                          | 2,900                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)                                                                                                                                                                                                                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                       | 3,150                                                                   | N/A                                                                          | 3,150                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                     | 1,670                                                                   | N/A                                                                          | 1,670                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                                                                                                   | 3,150                                                                   | N/A                                                                          | 3,150                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                 | 1,670                                                                   | N/A                                                                          | 1,670                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 24 00                      | Casing and tubing, seamless, of a kind<br>used for drilling for oil or gas, of<br>stainless steel                                                                                                                                                                                                                 | 3,150                                                                   | N/A                                                                          | 3,150                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or<br>steel, of a kind used in drilling for oil or<br>gas (excl. products of cast iron)                                                                                                                                                                                      | 1,670                                                                   | N/A                                                                          | 1,670                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, cold-drawn or<br>cold-rolled "cold-reduced" (excl. cast<br>iron products and line pipe of a kind<br>used for oil or gas pipelines or casing<br>and tubing of a kind used for drilling<br>for oil or gas) | 1,670                                                                   | N/A                                                                          | 1,670                                                                  | (C)                                                   |
| 7304 39                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, not cold-drawn<br>or cold-rolled "cold-reduced" (excl. cast<br>iron products, line pipe of a kind used<br>for oil or gas pipelines, casing and<br>tubing of a kind used for drilling for oil<br>or gas)  | 1,670                                                                   | N/A                                                                          | 1,670                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>stainless steel, cold-drawn or cold-rolled<br>"cold-reduced" (excl. line pipe of a kind<br>used for oil or gas pipelines, casing and<br>tubing of a kind used for drilling for oil<br>or gas)                                     | 3,150                                                                   | N/A                                                                          | 3,150                                                                  |                                                       |



| Brazil                          |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                           | 3,150                                                                   | N/A                                                                          | 3,150                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)     | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (F)                                                   |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 1,670                                                                   | N/A                                                                          | 1,670                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                    | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                                  | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                          | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                        | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                        | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                | 1,630                                                                   | N/A                                                                          | 1,630                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                                                                                                                                                                              | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                              | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                              | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe") | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")           | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                       | 1,830                                                                   | N/A                                                                          | 1,830                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                               | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (F)                                                   |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 1,830                                                                   | N/A                                                                          | 1,830                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,320                                                                   | N/A                                                                          | 2,320                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,320                                                                   | N/A                                                                          | 2,320                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,770                                                                   | N/A                                                                          | 2,770                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,770                                                                   | N/A                                                                          | 2,770                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,770                                                                   | N/A                                                                          | 2,770                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,770                                                                   | N/A                                                                          | 2,770                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,910                                                                   | N/A                                                                          | 2,910                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,120                                                                   | N/A                                                                          | 3,120                                                                  | (C)                                                   |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                                                                                                               | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |



| Brazil                          |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7311                            | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw<br>hooks, rivets, cotters, cotter pins,<br>washers, incl. spring washers, and<br>similar articles, of iron or steel (excl. lag<br>screws, stoppers, plugs and the like,<br>threaded) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                 | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl.<br>coach screws)                                                                                                                                                                        | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                     | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                              | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                 | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                  | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 2,960                                                                   | N/A                                                                          | 2,960                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 1,880                                                                   | N/A                                                                          | 1,880                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 1,780                                                                   | N/A                                                                          | 1,780                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                  | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                                                                                                                               | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)                                                                                                       | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |

| Brazil                          |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                        | 1,640                                                                   | N/A                                                                          | 1,640                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                           | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                         | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                    | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                         | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                       | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                    | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                             | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (C)                                                   |

| Brunei                          |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Brunei                          |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 29 00                      | Grey Portland cement                                        | 1,040                                                                   | 0,070                                                                        | 1,110                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| Cambodia                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,030                                                                        | 0,900                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,870                                                                   | 0,060                                                                        | 0,920                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,830                                                                   | 0,060                                                                        | 0,890                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,260                                                                   | 0,050                                                                        | 2,320                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Cambodia                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,720                                                                   | 0,050                                                                        | 0,770                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,940                                                                   | 0,070                                                                        | 2,020                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,870                                                                   | 0,040                                                                        | 0,910                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 1,440                                                                   | 0,040                                                                        | 1,480                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 2,610                                                                   | 0,120                                                                        | 2,730                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 2,550                                                                   | 0,120                                                                        | 2,670                                                                  |                                                       |

| Cambodia                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,700                                                                   | 0,080                                                                        | 0,780                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,330                                                                   | 0,100                                                                        | 1,430                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,470                                                                   | 0,070                                                                        | 1,550                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,270                                                                   | 0,110                                                                        | 2,380                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,950                                                                   | 0,100                                                                        | 2,050                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,950                                                                   | 0,100                                                                        | 2,050                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 3,530                                                                   | 0,080                                                                        | 3,610                                                                  |                                                       |

| Cambodia                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,900                                                                   | 0,100                                                                        | 2,000                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,850                                                                   | 0,090                                                                        | 1,940                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 2,150                                                                   | 0,110                                                                        | 2,260                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,780                                                                   | 0,080                                                                        | 0,870                                                                  |                                                       |

| Cambodia                        |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,970                                                                   | 0,100                                                                        | 1,070                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,660                                                                   | 0,070                                                                        | 0,730                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,560                                                                   | 0,060                                                                        | 0,620                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,360                                                                   | 0,050                                                                        | 0,410                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                     | 1,330                                                                   | 0,120                                                                        | 1,450                                                                  |                                                       |



| Cambodia                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,640                                                                   | 0,110                                                                        | 0,750                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,290                                                                   | 0,080                                                                        | 1,370                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,660                                                                   | 0,050                                                                        | 0,720                                                                  |                                                       |

| Cameroon                        |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | 0,180                                                                   | 0,080                                                                        | 0,260                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,810                                                                   | 0,060                                                                        | 1,870                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,690                                                                   | 0,060                                                                        | 0,750                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,630                                                                   | 0,080                                                                        | 1,710                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,520                                                                   | 0,040                                                                        | 0,560                                                                  |                                                       |

| Cameroon                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,850                                                                   | 0,040                                                                        | 0,900                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,550                                                                   | 0,130                                                                        | 1,680                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,520                                                                   | 0,130                                                                        | 1,650                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,670                                                                   | 0,080                                                                        | 0,750                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,170                                                                   | 0,090                                                                        | 1,260                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,240                                                                   | 0,070                                                                        | 1,310                                                                  |                                                       |

| Cameroon                        |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,900                                                                   | 0,110                                                                        | 2,010                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,640                                                                   | 0,100                                                                        | 1,740                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,640                                                                   | 0,100                                                                        | 1,740                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,820                                                                   | 0,100                                                                        | 2,920                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,600                                                                   | 0,100                                                                        | 1,690                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,340                                                                   | 0,090                                                                        | 1,440                                                                  |                                                       |

| Cameroon                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,490                                                                   | 0,110                                                                        | 1,600                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,070                                                                        | 0,770                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,830                                                                   | 0,080                                                                        | 0,910                                                                  |                                                       |

| Cameroon                        |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,570                                                                   | 0,060                                                                        | 0,620                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,540                                                                   | 0,060                                                                        | 0,600                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,340                                                                   | 0,040                                                                        | 0,390                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,130                                                                   | 0,100                                                                        | 1,230                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,620                                                                   | 0,100                                                                        | 0,720                                                                  |                                                       |

| Cameroon                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,100                                                                   | 0,070                                                                        | 1,170                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,040                                                                        | 0,610                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |

## Cameroon

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |



| Cameroon                        |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Canada                          |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | 0,210                                                                   | 0,030                                                                        | 0,240                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,280                                                                   | 0,020                                                                        | 1,290                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,240                                                                   | 0,120                                                                        | 1,360                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,290                                                                   | 0,130                                                                        | 1,420                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,510                                                                   | 0,020                                                                        | 1,540                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,910                                                                   | 0,070                                                                        | 1,980                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,570                                                                   | 0,020                                                                        | 0,590                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,360                                                                   | 0,030                                                                        | 1,400                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,440                                                                   | 0,020                                                                        | 0,460                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,720                                                                   | 0,020                                                                        | 0,740                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,310                                                                   | 0,060                                                                        | 1,370                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,280                                                                   | 0,060                                                                        | 1,340                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,570                                                                   | 0,040                                                                        | 0,610                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 0,980                                                                   | 0,050                                                                        | 1,030                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,040                                                                   | 0,040                                                                        | 1,070                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,600                                                                   | 0,060                                                                        | 1,650                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,390                                                                   | 0,050                                                                        | 1,440                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,390                                                                   | 0,050                                                                        | 1,440                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,360                                                                   | 0,040                                                                        | 2,400                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,340                                                                   | 0,050                                                                        | 1,390                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,130                                                                   | 0,040                                                                        | 1,170                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,250                                                                   | 0,050                                                                        | 1,300                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,590                                                                   | 0,050                                                                        | 0,630                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,700                                                                   | 0,050                                                                        | 0,760                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,480                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,450                                                                   | 0,030                                                                        | 0,480                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,290                                                                   | 0,030                                                                        | 0,320                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 0,950                                                                   | 0,070                                                                        | 1,020                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,530                                                                   | 0,070                                                                        | 0,600                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 0,920                                                                   | 0,040                                                                        | 0,960                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,480                                                                   | 0,030                                                                        | 0,500                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |



| Canada                          |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles                                                                                                                                                                     | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                                                                                                                                                                                             | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                                                | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                                             | 0,080                                                                   | 0,010                                                                        | 0,090                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                                                                                | 1,110                                                                   | N/A                                                                          | 1,110                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | 0,760                                                                   | N/A                                                                          | 0,760                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 1,430                                                                   | N/A                                                                          | 1,430                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 1,430                                                                   | N/A                                                                          | 1,430                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 1,430                                                                   | N/A                                                                          | 1,430                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 1,430                                                                   | N/A                                                                          | 1,430                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                                                                            | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                       | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                                                                                | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                    | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                            | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling) | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |



| Canada                          |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                                                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                      | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |

| Canada                          |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |

| Canada                          |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |

| Canada                          |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                                                                                     | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                                                         | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                                                                                                  | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                      | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                    | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                            | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s. | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                             | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 05                      | Semi-finished products of steel containing by weight ≤ 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight ≥ 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                          | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring ≥ twice the thickness (excl. of tool steel)                                                                                                                                                                                  | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                                                                                                   | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |



| Canada                          |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,700                                                                   | N/A                                                                          | 4,700                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                                                                                                                 | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

## Canada

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                                     | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                                                  | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                                              | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (F)                                                   |

| Canada                          |                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel) | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                         | 4,700                                                                   | N/A                                                                          | 4,700                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                               | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                  | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                                      | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)                                                                          | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)                                                                 | 3,660                                                                   | N/A                                                                          | 3,660                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                                                                                      | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 50                      | Bars and rods of high-speed steel,<br>forged (excl. semi-finished products,<br>flat-rolled products and hot-rolled bars<br>and rods in irregularly wound coils)                                                                                                                                              | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not<br>further worked than cold-formed or<br>cold-finished, whether or not further<br>worked, or hot-formed and further<br>worked (excl. forged products, semi-<br>finished products, flat-rolled products<br>and hot-rolled bars and rods in<br>irregularly wound coils) | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel<br>(excl. semi-finished products, flat-rolled<br>products and hot-rolled bars and rods<br>in irregularly wound coils)                                                                                                                                                | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 30                         | Bars and rods of alloy steel other than<br>stainless, not further worked than hot-<br>rolled, hot-drawn or extruded (excl.<br>products of high-speed steel or silico-<br>manganese steel, semi-finished<br>products, flat-rolled products and hot-<br>rolled bars and rods in irregularly<br>wound coils)    | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than<br>stainless, not further worked than<br>forged (excl. products of high-speed<br>steel or silico-manganese steel, semi-<br>finished products, flat-rolled products<br>and hot-rolled bars and rods in<br>irregularly wound coils)                                    | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 70                         | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or non-alloy steel                                                                                                                                                                                                                                                          | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless, in coils (excl. bars and rods)                                                                                                                                                                                                                                         | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                                                             | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7302                            | Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails | 2,600                                                                   | N/A                                                                          | 2,600                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | 1,590                                                                   | N/A                                                                          | 1,590                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)                                                                                                                                                                                                                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                       | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                     | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                                                                                                   | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                 | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 24 00                      | Casing and tubing, seamless, of a kind<br>used for drilling for oil or gas, of<br>stainless steel                                                                                                                                                                                                                 | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or<br>steel, of a kind used in drilling for oil or<br>gas (excl. products of cast iron)                                                                                                                                                                                      | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, cold-drawn or<br>cold-rolled "cold-reduced" (excl. cast<br>iron products and line pipe of a kind<br>used for oil or gas pipelines or casing<br>and tubing of a kind used for drilling<br>for oil or gas) | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (C)                                                   |
| 7304 39                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, not cold-drawn<br>or cold-rolled "cold-reduced" (excl. cast<br>iron products, line pipe of a kind used<br>for oil or gas pipelines, casing and<br>tubing of a kind used for drilling for oil<br>or gas)  | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>stainless steel, cold-drawn or cold-rolled<br>"cold-reduced" (excl. line pipe of a kind<br>used for oil or gas pipelines, casing and<br>tubing of a kind used for drilling for oil<br>or gas)                                     | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |



| Canada                          |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                           | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)     | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (F)                                                   |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                    | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                                  | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                          | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                        | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                       | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                               | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                                                                                                                                                                             | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                             | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                              | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe") | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")            | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                       | 1,580                                                                   | N/A                                                                          | 1,580                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                               | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (F)                                                   |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 1,580                                                                   | N/A                                                                          | 1,580                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 1,110                                                                   | N/A                                                                          | 1,110                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 1,110                                                                   | N/A                                                                          | 1,110                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,660                                                                   | N/A                                                                          | 2,660                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,660                                                                   | N/A                                                                          | 2,660                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,660                                                                   | N/A                                                                          | 2,660                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,660                                                                   | N/A                                                                          | 2,660                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,910                                                                   | N/A                                                                          | 2,910                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,180                                                                   | N/A                                                                          | 3,180                                                                  | (C)                                                   |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                                                                                                               | 1,520                                                                   | N/A                                                                          | 1,520                                                                  | (C)                                                   |



| Canada                          |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7311                            | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | 3,010                                                                   | N/A                                                                          | 3,010                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw<br>hooks, rivets, cotters, cotter pins,<br>washers, incl. spring washers, and<br>similar articles, of iron or steel (excl. lag<br>screws, stoppers, plugs and the like,<br>threaded) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl.<br>coach screws)                                                                                                                                                                        | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                     | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                              | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,910                                                                   | N/A                                                                          | 2,910                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 1,610                                                                   | N/A                                                                          | 1,610                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                                                                                                                                           | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |

| Canada                          |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel            | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die forged, n.e.s.                                                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die forged, n.e.s.                                                                               | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                         | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                  | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,870                                                                   | 0,050                                                                        | 0,920                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,940                                                                   | 0,070                                                                        | 1,010                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,900                                                                   | 0,070                                                                        | 0,970                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,850                                                                   | 0,060                                                                        | 1,900                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,050                                                                        | 0,730                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,640                                                                   | 0,080                                                                        | 1,730                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,040                                                                        | 0,550                                                                  |                                                       |

| Chile                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,840                                                                   | 0,040                                                                        | 0,880                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,530                                                                   | 0,140                                                                        | 1,660                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,500                                                                   | 0,130                                                                        | 1,630                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,660                                                                   | 0,100                                                                        | 0,760                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,170                                                                   | 0,110                                                                        | 1,280                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,250                                                                   | 0,090                                                                        | 1,340                                                                  |                                                       |

| Chile                           |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,920                                                                   | 0,130                                                                        | 2,060                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,660                                                                   | 0,120                                                                        | 1,780                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,660                                                                   | 0,120                                                                        | 1,780                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,880                                                                   | 0,090                                                                        | 2,970                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,610                                                                   | 0,120                                                                        | 1,730                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,340                                                                   | 0,100                                                                        | 1,450                                                                  |                                                       |

| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,480                                                                   | 0,120                                                                        | 1,600                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,100                                                                        | 0,800                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,840                                                                   | 0,120                                                                        | 0,960                                                                  |                                                       |

| Chile                           |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,570                                                                   | 0,090                                                                        | 0,660                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,530                                                                   | 0,070                                                                        | 0,600                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,340                                                                   | 0,060                                                                        | 0,400                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,140                                                                   | 0,150                                                                        | 1,290                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,610                                                                   | 0,120                                                                        | 0,730                                                                  |                                                       |



| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,100                                                                   | 0,090                                                                        | 1,200                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,570                                                                   | 0,060                                                                        | 0,630                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,060                                                                   | 0,030                                                                        | 0,100                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 1,960                                                                   | N/A                                                                          | 1,960                                                                  |                                                       |

| Chile                           |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |



| Chile                           |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                       | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                    | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                                 | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                      | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |

| Chile                           |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm             | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm                            | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |

| Chile                           |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |

| Chile                           |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm     | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm              | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                 | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                     | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm                             | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm                              | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |

| Chile                           |                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                                                                                     | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                                                         | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                                                                                                  | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                      | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                    | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                            | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s. | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |



| Chile                           |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                             | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 05                      | Semi-finished products of steel containing by weight ≤ 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight ≥ 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                          | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring ≥ twice the thickness (excl. of tool steel)                                                                                                                                                                                  | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                                                                                                   | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                    | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                             | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                         | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                       | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel) | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |

| Chile                           |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 3,780                                                                   | N/A                                                                          | 3,780                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Chile                           |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |



| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 2,850                                                                   | N/A                                                                          | 2,850                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 1,960                                                                   | N/A                                                                          | 1,960                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Chile                           |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                              | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 1,990                                                                   | N/A                                                                          | 1,990                                                                  | (F)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 1,990                                                                   | N/A                                                                          | 1,990                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |

| Chile                           |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (F)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)                                     | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                                                           | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |



| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7307                            | Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel                                                                                                                                                                                                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable cast iron                                                                                                                                                                                                                                                                                                                                                                                           | 1,960                                                                   | N/A                                                                          | 1,960                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl. of non-malleable)                                                                                                                                                                                                                                                                                                                                                                                | 1,960                                                                   | N/A                                                                          | 1,960                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                                                                                                                                                                                                                                                                                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings)                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                                    | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel<br>(excl. cast iron or stainless steel<br>products; flanges; threaded elbows,<br>bends and sleeves; butt welding fittings) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,540                                                                   | N/A                                                                          | 2,540                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 2,540                                                                   | N/A                                                                          | 2,540                                                                  | (C)                                                   |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7311                            | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw<br>hooks, rivets, cotters, cotter pins,<br>washers, incl. spring washers, and<br>similar articles, of iron or steel (excl. lag<br>screws, stoppers, plugs and the like,<br>threaded) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl.<br>coach screws)                                                                                                                                                                        | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                | 2,950                                                                   | N/A                                                                          | 2,950                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,180                                                                   | N/A                                                                          | 2,180                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| Chile                           |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die forged, n.e.s.                                                                                 | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die forged, n.e.s.                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                         | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | 0,210                                                                   | 0,110                                                                        | 0,320                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,240                                                                   | 0,060                                                                        | 1,300                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,350                                                                   | 0,040                                                                        | 1,390                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,250                                                                   | 0,140                                                                        | 1,390                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,350                                                                   | 0,070                                                                        | 1,420                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | 1,980                                                                   | 0,200                                                                        | 2,180                                                                  |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,290                                                                   | 0,180                                                                        | 1,460                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,280                                                                   | 0,080                                                                        | 1,360                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 3,020                                                                   | 0,060                                                                        | 3,080                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 4,170                                                                   | 0,190                                                                        | 4,360                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 1,250                                                                   | 0,060                                                                        | 1,310                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,770                                                                   | 0,090                                                                        | 2,850                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,900                                                                   | 0,050                                                                        | 0,940                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 1,490                                                                   | 0,050                                                                        | 1,540                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 2,700                                                                   | 0,140                                                                        | 2,850                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 2,640                                                                   | 0,140                                                                        | 2,780                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 1,190                                                                   | 0,100                                                                        | 1,290                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 2,010                                                                   | 0,120                                                                        | 2,130                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 2,100                                                                   | 0,090                                                                        | 2,190                                                                  |                                                       |



| China                           |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 3,230                                                                   | 0,140                                                                        | 3,370                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,780                                                                   | 0,130                                                                        | 2,900                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,780                                                                   | 0,130                                                                        | 2,900                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 4,720                                                                   | 0,100                                                                        | 4,810                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 2,710                                                                   | 0,120                                                                        | 2,830                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution (excl. those in packages with a<br>gross weight of <= 10 kg)                                                                                                                                   | 2,300                                                                   | 0,110                                                                        | 2,410                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 2,560                                                                   | 0,130                                                                        | 2,690                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 1,200                                                                   | 0,100                                                                        | 1,310                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,410                                                                   | 0,120                                                                        | 1,530                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,960                                                                   | 0,090                                                                        | 1,050                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,970                                                                   | 0,080                                                                        | 1,040                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,610                                                                   | 0,060                                                                        | 0,670                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,920                                                                   | 0,150                                                                        | 2,070                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 1,100                                                                   | 0,140                                                                        | 1,240                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,860                                                                   | 0,100                                                                        | 1,960                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,960                                                                   | 0,060                                                                        | 1,020                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 4,148                                                                   | N/A                                                                          | 4,148                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 4,881                                                                   | N/A                                                                          | 4,881                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 4,881                                                                   | N/A                                                                          | 4,881                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 4,881                                                                   | N/A                                                                          | 4,881                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 4,881                                                                   | N/A                                                                          | 4,881                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 4,881                                                                   | N/A                                                                          | 4,881                                                                  | (K)                                                   |

| China                           |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 4,881                                                                   | N/A                                                                          | 4,881                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 4,120                                                                   | N/A                                                                          | 4,120                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 5,559                                                                   | N/A                                                                          | 5,559                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 4,896                                                                   | N/A                                                                          | 4,896                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 4,896                                                                   | N/A                                                                          | 4,896                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 4,896                                                                   | N/A                                                                          | 4,896                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 4,896                                                                   | N/A                                                                          | 4,896                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 4,896                                                                   | N/A                                                                          | 4,896                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 4,896                                                                   | N/A                                                                          | 4,896                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 5,559                                                                   | N/A                                                                          | 5,559                                                                  | (K)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 5,559                                                                   | N/A                                                                          | 5,559                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 5,559                                                                   | N/A                                                                          | 5,559                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 4,881                                                                   | N/A                                                                          | 4,881                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 5,559                                                                   | N/A                                                                          | 5,559                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 5,559                                                                   | N/A                                                                          | 5,559                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 4,542                                                                   | N/A                                                                          | 4,542                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 5,559                                                                   | N/A                                                                          | 5,559                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 26,640                                                                  | N/A                                                                          | 26,640                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,200                                                                   | 0,060                                                                        | 0,260                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 1,660                                                                   | N/A                                                                          | 1,660                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | 2,870                                                                   | N/A                                                                          | 2,870                                                                  |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 6,150                                                                   | N/A                                                                          | 6,150                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,802                                                                   | N/A                                                                          | 2,802                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |



| China                           |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 3,314                                                                   | N/A                                                                          | 3,314                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 3,314                                                                   | N/A                                                                          | 3,314                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 3,314                                                                   | N/A                                                                          | 3,314                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 3,314                                                                   | N/A                                                                          | 3,314                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 3,314                                                                   | N/A                                                                          | 3,314                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 3,314                                                                   | N/A                                                                          | 3,314                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 3,187                                                                   | N/A                                                                          | 3,187                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 3,205                                                                   | N/A                                                                          | 3,205                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 3,205                                                                   | N/A                                                                          | 3,205                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 3,187                                                                   | N/A                                                                          | 3,187                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 3,187                                                                   | N/A                                                                          | 3,187                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 3,187                                                                   | N/A                                                                          | 3,187                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 3,205                                                                   | N/A                                                                          | 3,205                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 3,205                                                                   | N/A                                                                          | 3,205                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                                                                            | 3,205                                                                   | N/A                                                                          | 3,205                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                       | 3,205                                                                   | N/A                                                                          | 3,205                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                                                                                | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                    | 3,314                                                                   | N/A                                                                          | 3,314                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                            | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling) | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                                                  | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 3,169                                                                   | N/A                                                                          | 3,169                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 5,650                                                                   | N/A                                                                          | 5,650                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                                 | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                      | 5,650                                                                   | N/A                                                                          | 5,650                                                                  |                                                       |

| China                           |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 5,650                                                                   | N/A                                                                          | 5,650                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm             | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm                            | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |



| China                           |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                     | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm     | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm       | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                      | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |

| China                           |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm     | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm              | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                 | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                     | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm                             | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm                              | 5,580                                                                   | N/A                                                                          | 5,580                                                                  |                                                       |

| China                           |                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                                                                                     | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                                                         | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                                                                                                  | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                      | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                    | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                            | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s. | 5,650                                                                   | N/A                                                                          | 5,650                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 6,180                                                                   | N/A                                                                          | 6,180                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                             | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 05                      | Semi-finished products of steel containing by weight ≤ 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight ≥ 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                          | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring ≥ twice the thickness (excl. of tool steel)                                                                                                                                                                                  | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                                                                                                   | 6,180                                                                   | N/A                                                                          | 6,180                                                                  | (F)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 6,180                                                                   | N/A                                                                          | 6,180                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 8,090                                                                   | N/A                                                                          | 8,090                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                                                                                                                 | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                                     | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                                                  | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                                              | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |

| China                           |                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel) | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                         | 8,090                                                                   | N/A                                                                          | 8,090                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                               | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                  | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                                      | 6,110                                                                   | N/A                                                                          | 6,110                                                                  | (F)                                                   |



| China                           |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)                                                                          | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)                                                                 | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                                                                                      | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |

| China                           |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 6,180                                                                   | N/A                                                                          | 6,180                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)      | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                 | 6,180                                                                   | N/A                                                                          | 6,180                                                                  | (F)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7228 70                         | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or non-alloy steel                                                                                                                                                                                                                                                          | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless, in coils (excl. bars and rods)                                                                                                                                                                                                                                         | 6,120                                                                   | N/A                                                                          | 6,120                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                                                             | 2,275                                                                   | N/A                                                                          | 2,275                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7302                            | Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails | 6,205                                                                   | N/A                                                                          | 6,205                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | 2,191                                                                   | N/A                                                                          | 2,191                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)                                                                                                                                                                                                                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                       | 7,005                                                                   | N/A                                                                          | 7,005                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                     | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                                                                                                   | 7,005                                                                   | N/A                                                                          | 7,005                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                 | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 24 00                      | Casing and tubing, seamless, of a kind<br>used for drilling for oil or gas, of<br>stainless steel                                                                                                                                                                                                                 | 7,005                                                                   | N/A                                                                          | 7,005                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or<br>steel, of a kind used in drilling for oil or<br>gas (excl. products of cast iron)                                                                                                                                                                                      | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, cold-drawn or<br>cold-rolled "cold-reduced" (excl. cast<br>iron products and line pipe of a kind<br>used for oil or gas pipelines or casing<br>and tubing of a kind used for drilling<br>for oil or gas) | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7304 39                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, not cold-drawn<br>or cold-rolled "cold-reduced" (excl. cast<br>iron products, line pipe of a kind used<br>for oil or gas pipelines, casing and<br>tubing of a kind used for drilling for oil<br>or gas)  | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>stainless steel, cold-drawn or cold-rolled<br>"cold-reduced" (excl. line pipe of a kind<br>used for oil or gas pipelines, casing and<br>tubing of a kind used for drilling for oil<br>or gas)                                     | 7,005                                                                   | N/A                                                                          | 7,005                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                           | 7,005                                                                   | N/A                                                                          | 7,005                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)     | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (F)                                                   |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,585                                                                   | N/A                                                                          | 2,585                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                    | 7,025                                                                   | N/A                                                                          | 7,025                                                                  |                                                       |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                                  | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                          | 7,025                                                                   | N/A                                                                          | 7,025                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                        | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                       | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                               | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                                                                                                                                                                             | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                             | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                              | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe") | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |



| China                           |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")           | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 7,025                                                                   | N/A                                                                          | 7,025                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 7,015                                                                   | N/A                                                                          | 7,015                                                                  |                                                       |

| China                           |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                       | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                               | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (F)                                                   |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 7,025                                                                   | N/A                                                                          | 7,025                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 7,025                                                                   | N/A                                                                          | 7,025                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 3,565                                                                   | N/A                                                                          | 3,565                                                                  | (C)                                                   |

| China                           |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 3,252                                                                   | N/A                                                                          | 3,252                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 3,252                                                                   | N/A                                                                          | 3,252                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 3,252                                                                   | N/A                                                                          | 3,252                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 5,035                                                                   | N/A                                                                          | 5,035                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 5,035                                                                   | N/A                                                                          | 5,035                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 5,035                                                                   | N/A                                                                          | 5,035                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 5,035                                                                   | N/A                                                                          | 5,035                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 3,252                                                                   | N/A                                                                          | 3,252                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 3,252                                                                   | N/A                                                                          | 3,252                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 3,252                                                                   | N/A                                                                          | 3,252                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 3,252                                                                   | N/A                                                                          | 3,252                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 6,035                                                                   | N/A                                                                          | 6,035                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 6,655                                                                   | N/A                                                                          | 6,655                                                                  | (C)                                                   |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                                                                                                              | 4,312                                                                   | N/A                                                                          | 4,312                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7311                            | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | 6,645                                                                   | N/A                                                                          | 6,645                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw<br>hooks, rivets, cotters, cotter pins,<br>washers, incl. spring washers, and<br>similar articles, of iron or steel (excl. lag<br>screws, stoppers, plugs and the like,<br>threaded) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                 | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl.<br>coach screws)                                                                                                                                                                        | 7,005                                                                   | N/A                                                                          | 7,005                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                     | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                              | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                | 7,005                                                                   | N/A                                                                          | 7,005                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                 | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                  | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |

| China                           |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 6,375                                                                   | N/A                                                                          | 6,375                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 5,045                                                                   | N/A                                                                          | 5,045                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 4,555                                                                   | N/A                                                                          | 4,555                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                  | 2,738                                                                   | N/A                                                                          | 2,738                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                                                                                                                               | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)                                                                                                       | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |

| China                           |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                        | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                           | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                         | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                    | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                         | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                       | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                    | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                             | 3,076                                                                   | N/A                                                                          | 3,076                                                                  | (C)                                                   |



| Colombia                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,090                                                                   | 0,020                                                                        | 1,110                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | 1,210                                                                   | 0,120                                                                        | 1,330                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,090                                                                   | 0,030                                                                        | 1,120                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,900                                                                   | 0,020                                                                        | 1,930                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,260                                                                   | 0,080                                                                        | 2,340                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,680                                                                   | 0,020                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,680                                                                   | 0,030                                                                        | 1,720                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,510                                                                   | 0,020                                                                        | 0,520                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,840                                                                   | 0,020                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,530                                                                   | 0,050                                                                        | 1,580                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,500                                                                   | 0,050                                                                        | 1,550                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                             | 0,660                                                                   | 0,040                                                                        | 0,700                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,190                                                                   | 0,040                                                                        | 1,230                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,280                                                                   | 0,030                                                                        | 1,310                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,970                                                                   | 0,050                                                                        | 2,020                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,700                                                                   | 0,040                                                                        | 1,740                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,700                                                                   | 0,040                                                                        | 1,740                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                                          | 2,970                                                                   | 0,040                                                                        | 3,010                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                      | 1,650                                                                   | 0,040                                                                        | 1,690                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                | 1,360                                                                   | 0,040                                                                        | 1,400                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages ≤ 10 kg) | 1,490                                                                   | 0,050                                                                        | 1,540                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,700                                                                   | 0,040                                                                        | 0,740                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,850                                                                   | 0,040                                                                        | 0,900                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,580                                                                   | 0,030                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,030                                                                        | 0,560                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,340                                                                   | 0,020                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,160                                                                   | 0,050                                                                        | 1,220                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,610                                                                   | 0,070                                                                        | 0,680                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,130                                                                   | 0,030                                                                        | 1,160                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,580                                                                   | 0,020                                                                        | 0,600                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,030                                                                   | N/A                                                                          | 1,030                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,250                                                                   | N/A                                                                          | 1,250                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,250                                                                   | N/A                                                                          | 1,250                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 1,250                                                                   | N/A                                                                          | 1,250                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                           | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |



| Colombia                        |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                         | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 1,250                                                                   | N/A                                                                          | 1,250                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 1,030                                                                   | N/A                                                                          | 1,030                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 1,710                                                                   | N/A                                                                          | 1,710                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                         | 0,300                                                                   | 0,010                                                                        | 0,310                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                            | 1,930                                                                   | N/A                                                                          | 1,930                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                        | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled<br>bars or other primary forms (excl.<br>ingots, remelted scrap ingots,<br>continuous cast products, iron of<br>heading 7203)                                                                                                   | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |



| Colombia                        |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |

| Colombia                        |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                       | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |



| Colombia                        |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Colombia                        |                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                | 5,300                                                                   | N/A                                                                          | 5,300                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                    | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                             | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                         | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                       | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel) | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (F)                                                   |

| Colombia                        |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 5,300                                                                   | N/A                                                                          | 5,300                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 4,180                                                                   | N/A                                                                          | 4,180                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)      | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |

| Colombia                        |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 70                         | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or non-alloy steel                                                                                                                                                                                                                                                          | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless, in coils (excl. bars and rods)                                                                                                                                                                                                                                         | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7301                            | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                                                                                                                  | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | 1,950                                                                   | N/A                                                                          | 1,950                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)                                                                                                                                                                                                                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                       | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                     | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of<br>a kind used in drilling for oil or gas                                                                                                                                                                                                                            | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in<br>drilling for oil or gas, of iron or steel<br>(excl. products of stainless steel or of<br>cast iron)                                                                                                                                                                    | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind<br>used for drilling for oil or gas, of<br>stainless steel                                                                                                                                                                                                                 | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or<br>steel, of a kind used in drilling for oil or<br>gas (excl. products of cast iron)                                                                                                                                                                                      | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, cold-drawn or<br>cold-rolled "cold-reduced" (excl. cast<br>iron products and line pipe of a kind<br>used for oil or gas pipelines or casing<br>and tubing of a kind used for drilling<br>for oil or gas) | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7304 39                         | Tubes, pipes and hollow profiles,<br>seamless, of circular cross-section, of<br>iron or non-alloy steel, not cold-drawn<br>or cold-rolled "cold-reduced" (excl. cast<br>iron products, line pipe of a kind used<br>for oil or gas pipelines, casing and<br>tubing of a kind used for drilling for oil<br>or gas)  | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |



| Colombia                        |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)               | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                           | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (F)                                                   |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                     | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                    | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                                  | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                          | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron)                                                                                          | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                          | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                                                                                                                  | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                                                                                                                | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)      | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,820                                                                   | N/A                                                                          | 3,820                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 3,120                                                                   | N/A                                                                          | 3,120                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,790                                                                   | N/A                                                                          | 2,790                                                                  | (F)                                                   |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)        | 3,120                                                                   | N/A                                                                          | 3,120                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                              | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                                                                                         | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                                                                                          | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm) | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7307                            | Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel                                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable cast iron                                                                                                                                                                                                                           | 1,940                                                                   | N/A                                                                          | 1,940                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl. of non-malleable)                                                                                                                                                                                                                | 1,940                                                                   | N/A                                                                          | 1,940                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                                                                                                                                                        | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast products)                                                                                                                                                                                                                           | 2,730                                                                   | N/A                                                                          | 2,730                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of stainless steel (excl. cast products)                                                                                                                                                                                                | 2,730                                                                   | N/A                                                                          | 2,730                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of stainless steel (excl. cast products)                                                                                                                                                                                                | 2,730                                                                   | N/A                                                                          | 2,730                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)                                                                                                                                     | 2,730                                                                   | N/A                                                                          | 2,730                                                                  |                                                       |

| Colombia                        |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or stainless products)                                                                                                                                                                                                                                                                                                                                                                   | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)                                                                                                                                                                                                                                                                                                                                     | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)                                                                                                                                                                                                                                                                                                                             | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,760                                                                   | N/A                                                                          | 3,760                                                                  | (C)                                                   |



| Colombia                        |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | 2,990                                                                   | N/A                                                                          | 2,990                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                    | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                              | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                           | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                            | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel (excl. wood screws)                                                                                                                                                                              | 3,080                                                                   | N/A                                                                          | 3,080                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel other than stainless                                                                                                                                                                               | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)                                                                                                                                   | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 2,680                                                                   | N/A                                                                          | 2,680                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 2,160                                                                   | N/A                                                                          | 2,160                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Colombia                        |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                     | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |

| Colombia                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                  | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                           | 2,890                                                                   | N/A                                                                          | 2,890                                                                  | (C)                                                   |
| Congo                           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,850                                                                   | 0,040                                                                        | 0,890                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,850                                                                   | 0,070                                                                        | 0,930                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,820                                                                   | 0,070                                                                        | 0,890                                                                  | (A)                                                   |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Congo, Democratic Republic of   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,240                                                                   | 0,000                                                                        | 1,250                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,240                                                                   | 0,010                                                                        | 1,250                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Costa Rica                      |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,850                                                                   | 0,000                                                                        | 0,850                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,850                                                                   | 0,000                                                                        | 0,860                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,810                                                                   | 0,010                                                                        | 0,820                                                                  | (A)                                                   |

| Costa Rica                      |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,820                                                                   | 0,030                                                                        | 1,850                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,680                                                                   | 0,030                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,630                                                                   | 0,050                                                                        | 1,670                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,510                                                                   | 0,030                                                                        | 0,530                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,840                                                                   | 0,030                                                                        | 0,870                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,530                                                                   | 0,080                                                                        | 1,610                                                                  |                                                       |

| Costa Rica                      |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,500                                                                   | 0,080                                                                        | 1,570                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,660                                                                   | 0,060                                                                        | 0,720                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,160                                                                   | 0,060                                                                        | 1,230                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,240                                                                   | 0,050                                                                        | 1,290                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,900                                                                   | 0,070                                                                        | 1,980                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,650                                                                   | 0,070                                                                        | 1,710                                                                  |                                                       |

| Costa Rica                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,650                                                                   | 0,070                                                                        | 1,710                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,840                                                                   | 0,050                                                                        | 2,890                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,600                                                                   | 0,060                                                                        | 1,660                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,340                                                                   | 0,060                                                                        | 1,400                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,070                                                                        | 1,550                                                                  |                                                       |



| Costa Rica                      |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,690                                                                   | 0,060                                                                        | 0,750                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,830                                                                   | 0,070                                                                        | 0,900                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,570                                                                   | 0,050                                                                        | 0,620                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,040                                                                        | 0,570                                                                  |                                                       |

| Costa Rica                      |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,340                                                                   | 0,030                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,130                                                                   | 0,080                                                                        | 1,210                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,610                                                                   | 0,080                                                                        | 0,690                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,100                                                                   | 0,050                                                                        | 1,150                                                                  |                                                       |

| Costa Rica                      |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,040                                                                        | 0,600                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,630                                                                   | N/A                                                                          | 1,630                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,630                                                                   | N/A                                                                          | 1,630                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 1,630                                                                   | N/A                                                                          | 1,630                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |

| Costa Rica                      |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                           | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |

| Costa Rica                      |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 1,630                                                                   | N/A                                                                          | 1,630                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| Cuba                            |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                   | 1,320                                                                   | 0,070                                                                        | 1,400                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                            | 1,090                                                                   | 0,050                                                                        | 1,140                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                           | 1,320                                                                   | 0,160                                                                        | 1,480                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                            | 1,090                                                                   | 0,090                                                                        | 1,180                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Cuba                            |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,820                                                                   | 0,060                                                                        | 1,880                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,680                                                                   | 0,060                                                                        | 0,740                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,620                                                                   | 0,090                                                                        | 1,710                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,490                                                                   | 0,050                                                                        | 0,530                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,810                                                                   | 0,050                                                                        | 0,850                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,460                                                                   | 0,140                                                                        | 1,600                                                                  |                                                       |

| Cuba                            |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing ≤ 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of ≤ 10 kg)                                     | 1,430                                                                   | 0,140                                                                        | 1,570                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                | 0,650                                                                   | 0,100                                                                        | 0,750                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                      | 1,150                                                                   | 0,120                                                                        | 1,260                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                             | 1,230                                                                   | 0,090                                                                        | 1,320                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,890                                                                   | 0,140                                                                        | 2,030                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,620                                                                   | 0,120                                                                        | 1,750                                                                  |                                                       |

| Cuba                            |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,620                                                                   | 0,120                                                                        | 1,750                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,840                                                                   | 0,090                                                                        | 2,940                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,590                                                                   | 0,120                                                                        | 1,710                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,310                                                                   | 0,110                                                                        | 1,420                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,430                                                                   | 0,130                                                                        | 1,560                                                                  |                                                       |



| Cuba                            |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,680                                                                   | 0,100                                                                        | 0,790                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,820                                                                   | 0,120                                                                        | 0,940                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,560                                                                   | 0,090                                                                        | 0,650                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,530                                                                   | 0,080                                                                        | 0,600                                                                  |                                                       |

| Cuba                            |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,330                                                                   | 0,060                                                                        | 0,400                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,110                                                                   | 0,150                                                                        | 1,270                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,600                                                                   | 0,120                                                                        | 0,720                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,090                                                                   | 0,090                                                                        | 1,180                                                                  |                                                       |

| Cuba                            |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,560                                                                   | 0,060                                                                        | 0,620                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Curaçao                         |             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Dominican Republic              |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | 1,030                                                                   | 0,050                                                                        | 1,070                                                                  | (A)                                                   |

| Dominican Republic              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,210                                                                   | 0,150                                                                        | 1,360                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,040                                                                   | 0,080                                                                        | 1,120                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,260                                                                   | 0,190                                                                        | 1,450                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,990                                                                   | 0,080                                                                        | 1,070                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,800                                                                   | 0,050                                                                        | 1,850                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,050                                                                        | 0,730                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,610                                                                   | 0,080                                                                        | 1,690                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,040                                                                        | 0,550                                                                  |                                                       |

| Dominican Republic              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,840                                                                   | 0,040                                                                        | 0,880                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,530                                                                   | 0,120                                                                        | 1,650                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,500                                                                   | 0,120                                                                        | 1,620                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,660                                                                   | 0,090                                                                        | 0,750                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,160                                                                   | 0,100                                                                        | 1,260                                                                  |                                                       |

| Dominican Republic              |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,230                                                                   | 0,080                                                                        | 1,300                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,880                                                                   | 0,120                                                                        | 2,000                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,630                                                                   | 0,110                                                                        | 1,740                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,630                                                                   | 0,110                                                                        | 1,740                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,800                                                                   | 0,080                                                                        | 2,880                                                                  |                                                       |

| Dominican Republic              |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,580                                                                   | 0,110                                                                        | 1,690                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,330                                                                   | 0,100                                                                        | 1,420                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,110                                                                        | 1,580                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Dominican Republic              |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg                                                                                                     | 0,690                                                                   | 0,090                                                                        | 0,780                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)           | 0,820                                                                   | 0,110                                                                        | 0,930                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,560                                                                   | 0,080                                                                        | 0,640                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,530                                                                   | 0,070                                                                        | 0,600                                                                  |                                                       |



| Dominican Republic              |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,340                                                                   | 0,050                                                                        | 0,390                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,120                                                                   | 0,140                                                                        | 1,260                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,610                                                                   | 0,110                                                                        | 0,720                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,080                                                                   | 0,080                                                                        | 1,170                                                                  |                                                       |

| Dominican Republic              |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,060                                                                        | 0,620                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                                                                                                                                        | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| Ecuador                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                                                                                                                                                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                                                                                                                                                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                                                                                                                                                                                | 1,090                                                                   | 0,010                                                                        | 1,110                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                                                                                                                                                                                | 1,090                                                                   | 0,020                                                                        | 1,110                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Ecuador                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,040                                                                   | 0,030                                                                        | 1,070                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,880                                                                   | 0,020                                                                        | 1,910                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,020                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,670                                                                   | 0,040                                                                        | 1,700                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,020                                                                        | 0,530                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,840                                                                   | 0,020                                                                        | 0,860                                                                  |                                                       |

| Ecuador                         |                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg, or in aqueous solution containing ≥ 31,8 % but ≤ 55% by weight of urea) | 1,530                                                                   | 0,060                                                                        | 1,590                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing ≤ 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of ≤ 10 kg)                                                            | 1,500                                                                   | 0,060                                                                        | 1,560                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                       | 0,660                                                                   | 0,050                                                                        | 0,710                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                             | 1,180                                                                   | 0,060                                                                        | 1,240                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                    | 1,270                                                                   | 0,040                                                                        | 1,310                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 1,950                                                                   | 0,060                                                                        | 2,010                                                                  |                                                       |

| Ecuador                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,680                                                                   | 0,060                                                                        | 1,740                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,680                                                                   | 0,060                                                                        | 1,740                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 2,940                                                                   | 0,040                                                                        | 2,980                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 1,640                                                                   | 0,060                                                                        | 1,690                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,360                                                                   | 0,050                                                                        | 1,410                                                                  |                                                       |

| Ecuador                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,490                                                                   | 0,060                                                                        | 1,550                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,050                                                                        | 0,750                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,850                                                                   | 0,060                                                                        | 0,910                                                                  |                                                       |

| Ecuador                         |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,580                                                                   | 0,050                                                                        | 0,620                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,040                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,340                                                                   | 0,030                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,160                                                                   | 0,080                                                                        | 1,230                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,610                                                                   | 0,080                                                                        | 0,690                                                                  |                                                       |

| Ecuador                         |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,120                                                                   | 0,040                                                                        | 1,160                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,580                                                                   | 0,030                                                                        | 0,610                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,190                                                                   | N/A                                                                          | 2,190                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,190                                                                   | N/A                                                                          | 2,190                                                                  | (L)                                                   |



| Ecuador                         |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,190                                                                   | N/A                                                                          | 2,190                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |

| Ecuador                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,190                                                                   | N/A                                                                          | 2,190                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Ecuador                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Iron and steel</b>           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon    | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| Egypt                           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | 1,290                                                                   | 0,040                                                                        | 1,330                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,240                                                                   | 0,030                                                                        | 1,270                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | 1,250                                                                   | 0,130                                                                        | 1,390                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,240                                                                   | 0,050                                                                        | 1,290                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | 1,300                                                                   | 0,160                                                                        | 1,450                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,180                                                                   | 0,060                                                                        | 1,240                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,460                                                                   | 0,030                                                                        | 2,490                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 1,960                                                                   | 0,100                                                                        | 2,050                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,590                                                                   | 0,030                                                                        | 0,620                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,990                                                                   | 0,050                                                                        | 2,040                                                                  |                                                       |

| Egypt                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,440                                                                   | 0,020                                                                        | 0,460                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,720                                                                   | 0,020                                                                        | 0,750                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,320                                                                   | 0,080                                                                        | 1,390                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,290                                                                   | 0,070                                                                        | 1,360                                                                  |                                                       |

| Egypt                           |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                             | 0,570                                                                   | 0,060                                                                        | 0,630                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,280                                                                   | 0,060                                                                        | 1,340                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,510                                                                   | 0,050                                                                        | 1,560                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,320                                                                   | 0,080                                                                        | 2,390                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,980                                                                   | 0,070                                                                        | 2,050                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,980                                                                   | 0,070                                                                        | 2,050                                                                  |                                                       |

| Egypt                           |                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                                          | 3,840                                                                   | 0,050                                                                        | 3,890                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                      | 1,940                                                                   | 0,070                                                                        | 2,010                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                | 1,450                                                                   | 0,060                                                                        | 1,510                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages ≤ 10 kg) | 1,490                                                                   | 0,070                                                                        | 1,560                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Egypt                           |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,740                                                                   | 0,060                                                                        | 0,800                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,970                                                                   | 0,070                                                                        | 1,040                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,050                                                                        | 0,710                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,460                                                                   | 0,040                                                                        | 0,500                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)   | 0,290                                                                   | 0,040                                                                        | 0,330                                                                  |                                                       |

| Egypt                           |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,340                                                                   | 0,090                                                                        | 1,430                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,530                                                                   | 0,080                                                                        | 0,620                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,310                                                                   | 0,050                                                                        | 1,360                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,670                                                                   | 0,040                                                                        | 0,710                                                                  |                                                       |



| Egypt                           |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 2,698                                                                   | N/A                                                                          | 2,698                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 2,997                                                                   | N/A                                                                          | 2,997                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 2,997                                                                   | N/A                                                                          | 2,997                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 2,997                                                                   | N/A                                                                          | 2,997                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |

| Egypt                           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                          | 3,025                                                                   | N/A                                                                          | 3,025                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,997                                                                   | N/A                                                                          | 2,997                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 2,698                                                                   | N/A                                                                          | 2,698                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 3,624                                                                   | N/A                                                                          | 3,624                                                                  | (K)                                                   |

| Egypt                           |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                 | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                             | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| El Salvador                     |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,040                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,870                                                                   | 0,070                                                                        | 0,940                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,830                                                                   | 0,080                                                                        | 0,910                                                                  | (A)                                                   |

## El Salvador

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,820                                                                   | 0,050                                                                        | 1,870                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,680                                                                   | 0,040                                                                        | 0,730                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,620                                                                   | 0,070                                                                        | 1,690                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,490                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,800                                                                   | 0,040                                                                        | 0,840                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,460                                                                   | 0,120                                                                        | 1,580                                                                  |                                                       |

| El Salvador                     |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,430                                                                   | 0,110                                                                        | 1,540                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,650                                                                   | 0,080                                                                        | 0,730                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,150                                                                   | 0,090                                                                        | 1,240                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,230                                                                   | 0,070                                                                        | 1,300                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,890                                                                   | 0,110                                                                        | 2,000                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,620                                                                   | 0,100                                                                        | 1,720                                                                  |                                                       |

| El Salvador                     |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,620                                                                   | 0,100                                                                        | 1,720                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,850                                                                   | 0,080                                                                        | 2,920                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,590                                                                   | 0,100                                                                        | 1,680                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,310                                                                   | 0,090                                                                        | 1,400                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,430                                                                   | 0,100                                                                        | 1,540                                                                  |                                                       |

| El Salvador                     |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,680                                                                   | 0,080                                                                        | 0,770                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,820                                                                   | 0,100                                                                        | 0,920                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,560                                                                   | 0,080                                                                        | 0,630                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,530                                                                   | 0,060                                                                        | 0,590                                                                  |                                                       |

| El Salvador                     |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,330                                                                   | 0,050                                                                        | 0,380                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,110                                                                   | 0,120                                                                        | 1,240                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,600                                                                   | 0,100                                                                        | 0,700                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,090                                                                   | 0,080                                                                        | 1,160                                                                  |                                                       |



| El Salvador                     |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,050                                                                        | 0,610                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |

| El Salvador                     |                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                          | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                            | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)                                                                                                                                                                            | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and thresholds for doors                                                                                                                                                                                             | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and lattice masts                                                                                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |

| El Salvador                     |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Equatorial Guinea               |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| Eritrea                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,850                                                                   | 0,060                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,850                                                                   | 0,110                                                                        | 0,960                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Eswatini                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,170                                                                   | 0,080                                                                        | 1,250                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,120                                                                   | 0,080                                                                        | 1,200                                                                  | (A)                                                   |

| Ethiopia                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,850                                                                   | 0,000                                                                        | 0,850                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,850                                                                   | 0,000                                                                        | 0,850                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |

## Ethiopia

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,830                                                                   | 0,050                                                                        | 1,880                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,830                                                                   | 0,050                                                                        | 0,880                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,720                                                                   | 0,070                                                                        | 1,800                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,600                                                                   | 0,040                                                                        | 0,640                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 1,000                                                                   | 0,040                                                                        | 1,030                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,810                                                                   | 0,120                                                                        | 1,930                                                                  |                                                       |

| Ethiopia                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,770                                                                   | 0,120                                                                        | 1,890                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,790                                                                   | 0,070                                                                        | 0,860                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,280                                                                   | 0,080                                                                        | 1,370                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,310                                                                   | 0,060                                                                        | 1,380                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,020                                                                   | 0,100                                                                        | 2,120                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,740                                                                   | 0,090                                                                        | 1,830                                                                  |                                                       |

| Ethiopia                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,740                                                                   | 0,090                                                                        | 1,830                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,860                                                                   | 0,080                                                                        | 2,940                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,690                                                                   | 0,090                                                                        | 1,780                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,480                                                                   | 0,080                                                                        | 1,560                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,670                                                                   | 0,100                                                                        | 1,770                                                                  |                                                       |



| Ethiopia                        |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,770                                                                   | 0,070                                                                        | 0,840                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,890                                                                   | 0,080                                                                        | 0,970                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,600                                                                   | 0,060                                                                        | 0,660                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,640                                                                   | 0,060                                                                        | 0,700                                                                  |                                                       |

| Ethiopia                        |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,400                                                                   | 0,040                                                                        | 0,450                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,200                                                                   | 0,100                                                                        | 1,300                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,720                                                                   | 0,100                                                                        | 0,820                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,170                                                                   | 0,070                                                                        | 1,230                                                                  |                                                       |

| Ethiopia                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,600                                                                   | 0,040                                                                        | 0,640                                                                  |                                                       |

| Gabon                           |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                     | 1,240                                                                   | 0,040                                                                        | 1,280                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                     | 1,130                                                                   | 0,060                                                                        | 1,190                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey hydraulic cements | 1,070                                                                   | 0,060                                                                        | 1,140                                                                  | (A)                                                   |

| Gabon                           |             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Georgia                         |                                                             |                                                                         |                                                                           |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                           |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                         | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                         | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey<br>clinker                     | 1,360                                                                   | 0,010                                                                     | 1,360                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                         | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,190                                                                   | 0,020                                                                     | 1,200                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                         | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                         | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including<br>grey hydraulic cements | -                                                                       | -                                                                         | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                           |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,780                                                                   | 0,010                                                                     | 2,780                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,160                                                                   | 0,030                                                                     | 2,190                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,650                                                                   | 0,010                                                                     | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 2,240                                                                   | 0,020                                                                     | 2,250                                                                  |                                                       |

| Georgia                         |                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                           |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                          | see below                                                               | see below                                                                 | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution,<br>containing >45% nitrogen in<br>relation to the weight of the dry<br>product and containing =>31,8 %<br>but <=33,2 % by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,490                                                                   | 0,010                                                                     | 0,500                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution,<br>containing >45% nitrogen in<br>relation to the weight of the dry<br>product and containing >33,2 %<br>but <=55% by weight of urea (excl.<br>that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,810                                                                   | 0,010                                                                     | 0,820                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45%<br>nitrogen in relation to the weight<br>of the dry product (excl. that in<br>tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg, or in aqueous solution<br>containing =>31,8 % but <=55%<br>by weight of urea) | 1,470                                                                   | 0,030                                                                     | 1,500                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by<br>weight of nitrogen on the dry<br>anhydrous product (excl. goods of<br>this chapter in tablets or similar<br>forms or in packages of a gross<br>weight of <= 10 kg)                                                                 | 1,440                                                                   | 0,030                                                                     | 1,470                                                                  |                                                       |

| Georgia                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                           |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,640                                                                   | 0,040                                                                     | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,430                                                                   | 0,040                                                                     | 1,470                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,690                                                                   | 0,030                                                                     | 1,720                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,600                                                                   | 0,040                                                                     | 2,640                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,230                                                                   | 0,040                                                                     | 2,270                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 2,230                                                                   | 0,040                                                                     | 2,270                                                                  |                                                       |

| Georgia                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                           |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 4,330                                                                   | 0,010                                                                     | 4,340                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,180                                                                   | 0,040                                                                     | 2,220                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,630                                                                   | 0,030                                                                     | 1,660                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,660                                                                   | 0,040                                                                     | 1,700                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                 | see below                                                              |                                                       |

| Georgia                         |                                                                                                                                                                                                                                                 |                                                                         |                                                                           |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                      | 0,820                                                                   | 0,040                                                                     | 0,860                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)            | 1,090                                                                   | 0,050                                                                     | 1,140                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 0,740                                                                   | 0,040                                                                     | 0,780                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                               | 0,510                                                                   | 0,020                                                                     | 0,530                                                                  |                                                       |



| Georgia                         |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                           |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,320                                                                   | 0,020                                                                     | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,500                                                                   | 0,060                                                                     | 1,570                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,590                                                                   | 0,060                                                                     | 0,650                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,470                                                                   | 0,030                                                                     | 1,500                                                                  |                                                       |

| Georgia                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                           |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,750                                                                   | 0,030                                                                     | 0,780                                                                  |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                           |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                                                                                               | 1,690                                                                   | N/A                                                                       | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                                                                                                                                                                                                                                                 | -                                                                       | N/A                                                                       | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                                                                                                                                                                                                                                                | 2,350                                                                   | N/A                                                                       | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                                                                                                                                                                                                                                               | -                                                                       | N/A                                                                       | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                                                                                                                                        | 3,480                                                                   | N/A                                                                       | 3,480                                                                  |                                                       |

| Ghana                           |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | 0,180                                                                   | 0,100                                                                        | 0,280                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,850                                                                   | 0,030                                                                        | 0,880                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,050                                                                   | 0,050                                                                        | 1,100                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,000                                                                   | 0,050                                                                        | 1,060                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,800                                                                   | 0,050                                                                        | 1,850                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,700                                                                   | 0,040                                                                        | 0,750                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,630                                                                   | 0,060                                                                        | 1,690                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 1,190                                                                   | 0,030                                                                        | 1,220                                                                  |                                                       |

| Ghana                           |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 1,970                                                                   | 0,030                                                                        | 2,000                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 3,570                                                                   | 0,100                                                                        | 3,680                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 3,500                                                                   | 0,100                                                                        | 3,600                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,680                                                                   | 0,060                                                                        | 0,750                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,180                                                                   | 0,080                                                                        | 1,250                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,240                                                                   | 0,060                                                                        | 1,300                                                                  |                                                       |

| Ghana                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,910                                                                   | 0,090                                                                        | 2,000                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,650                                                                   | 0,080                                                                        | 1,730                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,650                                                                   | 0,080                                                                        | 1,730                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 2,810                                                                   | 0,070                                                                        | 2,890                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 1,600                                                                   | 0,080                                                                        | 1,680                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 2,000                                                                   | 0,080                                                                        | 2,080                                                                  |                                                       |

## Ghana

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 2,530                                                                   | 0,090                                                                        | 2,620                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,060                                                                        | 0,770                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,840                                                                   | 0,070                                                                        | 0,910                                                                  |                                                       |

| Ghana                           |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,570                                                                   | 0,050                                                                        | 0,620                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,550                                                                   | 0,050                                                                        | 0,600                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,350                                                                   | 0,040                                                                        | 0,390                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,130                                                                   | 0,090                                                                        | 1,220                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,630                                                                   | 0,090                                                                        | 0,720                                                                  |                                                       |

| Ghana                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,100                                                                   | 0,060                                                                        | 1,160                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,570                                                                   | 0,040                                                                        | 0,610                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |



| Ghana                           |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Ghana                           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Guatemala                       |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,870                                                                   | 0,070                                                                        | 0,940                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,870                                                                   | 0,110                                                                        | 0,980                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,830                                                                   | 0,120                                                                        | 0,950                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,820                                                                   | 0,080                                                                        | 1,890                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,070                                                                        | 0,750                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,620                                                                   | 0,110                                                                        | 1,730                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,060                                                                        | 0,570                                                                  |                                                       |

| Guatemala                       |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,840                                                                   | 0,060                                                                        | 0,900                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,530                                                                   | 0,180                                                                        | 1,710                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,500                                                                   | 0,180                                                                        | 1,670                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,660                                                                   | 0,130                                                                        | 0,790                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,160                                                                   | 0,150                                                                        | 1,310                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,240                                                                   | 0,110                                                                        | 1,350                                                                  |                                                       |

| Guatemala                       |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,900                                                                   | 0,170                                                                        | 2,070                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,640                                                                   | 0,160                                                                        | 1,800                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,640                                                                   | 0,160                                                                        | 1,800                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,830                                                                   | 0,120                                                                        | 2,950                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,590                                                                   | 0,150                                                                        | 1,740                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,330                                                                   | 0,140                                                                        | 1,470                                                                  |                                                       |

## Guatemala

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,160                                                                        | 1,640                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,690                                                                   | 0,130                                                                        | 0,820                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,830                                                                   | 0,160                                                                        | 0,990                                                                  |                                                       |

| Guatemala                       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,560                                                                   | 0,120                                                                        | 0,680                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,100                                                                        | 0,630                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,340                                                                   | 0,080                                                                        | 0,420                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,130                                                                   | 0,200                                                                        | 1,320                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,610                                                                   | 0,150                                                                        | 0,760                                                                  |                                                       |

| Guatemala                       |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,090                                                                   | 0,120                                                                        | 1,210                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,560                                                                   | 0,080                                                                        | 0,650                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |



| Guatemala                       |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |

| Guatemala                       |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                                                                   | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| Haiti                           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,090                                                                   | 0,060                                                                        | 1,160                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,110                                                                   | 0,100                                                                        | 1,200                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,050                                                                   | 0,100                                                                        | 1,150                                                                  | (A)                                                   |

| Honduras                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,040                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,880                                                                   | 0,070                                                                        | 0,940                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,840                                                                   | 0,070                                                                        | 0,910                                                                  | (A)                                                   |

| Honduras                        |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,800                                                                   | 0,040                                                                        | 1,850                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,040                                                                        | 0,720                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,620                                                                   | 0,060                                                                        | 1,680                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 1,500                                                                   | 0,040                                                                        | 1,540                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 2,490                                                                   | 0,040                                                                        | 2,530                                                                  |                                                       |

| Honduras                        |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 4,530                                                                   | 0,110                                                                        | 4,640                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 4,430                                                                   | 0,100                                                                        | 4,530                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,660                                                                   | 0,080                                                                        | 0,740                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,160                                                                   | 0,090                                                                        | 1,250                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,230                                                                   | 0,070                                                                        | 1,300                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 1,890                                                                   | 0,100                                                                        | 1,990                                                                  |                                                       |

| Honduras                        |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,630                                                                   | 0,100                                                                        | 1,730                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,630                                                                   | 0,100                                                                        | 1,730                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,810                                                                   | 0,070                                                                        | 2,880                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,590                                                                   | 0,090                                                                        | 1,680                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 2,310                                                                   | 0,080                                                                        | 2,390                                                                  |                                                       |

| Honduras                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 3,010                                                                   | 0,100                                                                        | 3,110                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,690                                                                   | 0,080                                                                        | 0,770                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,830                                                                   | 0,090                                                                        | 0,920                                                                  |                                                       |

| Honduras                        |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 0,560                                                                   | 0,070                                                                        | 0,630                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                               | 0,530                                                                   | 0,060                                                                        | 0,590                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)         | 0,340                                                                   | 0,050                                                                        | 0,380                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                 | 1,120                                                                   | 0,120                                                                        | 1,240                                                                  |                                                       |



| Honduras                        |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,610                                                                   | 0,100                                                                        | 0,710                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,090                                                                   | 0,070                                                                        | 1,160                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,560                                                                   | 0,050                                                                        | 0,610                                                                  |                                                       |

## Hong Kong

| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,050                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,900                                                                   | 0,080                                                                        | 0,980                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,860                                                                   | 0,080                                                                        | 0,940                                                                  | (A)                                                   |

## India

| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | 1,350                                                                   | 0,070                                                                        | 1,410                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,390                                                                   | 0,050                                                                        | 1,440                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | 1,330                                                                   | 0,140                                                                        | 1,470                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,390                                                                   | 0,090                                                                        | 1,480                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | 2,050                                                                   | 0,240                                                                        | 2,290                                                                  |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |

| India                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,940                                                                   | 0,070                                                                        | 2,010                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 3,060                                                                   | 0,220                                                                        | 3,280                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,920                                                                   | 0,070                                                                        | 0,990                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,860                                                                   | 0,100                                                                        | 1,960                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,680                                                                   | 0,060                                                                        | 0,740                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 1,130                                                                   | 0,060                                                                        | 1,180                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 2,050                                                                   | 0,170                                                                        | 2,220                                                                  |                                                       |

| India                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 2,000                                                                   | 0,160                                                                        | 2,170                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,890                                                                   | 0,120                                                                        | 1,010                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,410                                                                   | 0,140                                                                        | 1,550                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,420                                                                   | 0,110                                                                        | 1,520                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,180                                                                   | 0,160                                                                        | 2,340                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,890                                                                   | 0,150                                                                        | 2,040                                                                  |                                                       |

| India                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,890                                                                   | 0,150                                                                        | 2,040                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 3,030                                                                   | 0,110                                                                        | 3,140                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,830                                                                   | 0,140                                                                        | 1,970                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,620                                                                   | 0,130                                                                        | 1,750                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,850                                                                   | 0,150                                                                        | 2,010                                                                  |                                                       |

| India                           |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,850                                                                   | 0,120                                                                        | 0,980                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,970                                                                   | 0,150                                                                        | 1,120                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,110                                                                        | 0,770                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,720                                                                   | 0,090                                                                        | 0,810                                                                  |                                                       |

| India                           |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,450                                                                   | 0,070                                                                        | 0,530                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,310                                                                   | 0,180                                                                        | 1,490                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,820                                                                   | 0,150                                                                        | 0,970                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,270                                                                   | 0,110                                                                        | 1,380                                                                  |                                                       |

| India                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,660                                                                   | 0,080                                                                        | 0,730                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 3,071                                                                   | N/A                                                                          | 3,071                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 3,413                                                                   | N/A                                                                          | 3,413                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 3,413                                                                   | N/A                                                                          | 3,413                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,594                                                                   | N/A                                                                          | 2,594                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |



| India                           |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                           | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 3,444                                                                   | N/A                                                                          | 3,444                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 3,413                                                                   | N/A                                                                          | 3,413                                                                  | (K)                                                   |

| India                           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 3,071                                                                   | N/A                                                                          | 3,071                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 4,126                                                                   | N/A                                                                          | 4,126                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                               | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                   | 0,290                                                                   | 0,050                                                                        | 0,340                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                      | 2,530                                                                   | N/A                                                                          | 2,530                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                           | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| India                           |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7203                            | Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms                             | 4,200                                                                   | N/A                                                                          | 4,200                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings) | 2,540                                                                   | N/A                                                                          | 2,540                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                  | 2,640                                                                   | N/A                                                                          | 2,640                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                             | 2,640                                                                   | N/A                                                                          | 2,640                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| India                           |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                    | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                               | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                        | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                           | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                        | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                                          | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                  | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                                            | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                    | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)         | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                              | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                           | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                    | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| India                           |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |



| India                           |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 6,530                                                                   | N/A                                                                          | 6,530                                                                  |                                                       |

| India                           |                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                          | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                         | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                           | 6,530                                                                   | N/A                                                                          | 6,530                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | 6,530                                                                   | N/A                                                                          | 6,530                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |

| India                           |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |

| India                           |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |

| India                           |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 6,480                                                                   | N/A                                                                          | 6,480                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 6,480                                                                   | N/A                                                                          | 6,480                                                                  |                                                       |

| India                           |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 6,480                                                                   | N/A                                                                          | 6,480                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 6,480                                                                   | N/A                                                                          | 6,480                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 6,530                                                                   | N/A                                                                          | 6,530                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 6,480                                                                   | N/A                                                                          | 6,480                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 6,480                                                                   | N/A                                                                          | 6,480                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 7,350                                                                   | N/A                                                                          | 7,350                                                                  | (F)                                                   |



| India                           |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 7,350                                                                   | N/A                                                                          | 7,350                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 7,350                                                                   | N/A                                                                          | 7,350                                                                  | (F)                                                   |

| India                           |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                          | 8,580                                                                   | N/A                                                                          | 8,580                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                              | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                          | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)       | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)   | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel) | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |

| India                           |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 8,580                                                                   | N/A                                                                          | 8,580                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 19 80                      | Flat-rolled products of silicon-electrical<br>steel, of a width of < 600 mm, cold-<br>rolled "cold-reduced", whether or not<br>further worked, or hot-rolled and<br>further worked, non-grain-oriented                        | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 7,320                                                                   | N/A                                                                          | 7,320                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (C)/(F)                                               |

| India                           |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 7,350                                                                   | N/A                                                                          | 7,350                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (F)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 7,350                                                                   | N/A                                                                          | 7,350                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (F)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 7,300                                                                   | N/A                                                                          | 7,300                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 4,300                                                                   | N/A                                                                          | 4,300                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 5,450                                                                   | N/A                                                                          | 5,450                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,840                                                                   | N/A                                                                          | 2,840                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |



| India                           |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (F)                                                   |

| India                           |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |

| India                           |                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron)           | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of ≤ 406,4 mm                                                   | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron) | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                 | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                         | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                       | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 6,490                                                                   | N/A                                                                          | 6,490                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 4,330                                                                   | N/A                                                                          | 4,330                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (F)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 4,330                                                                   | N/A                                                                          | 4,330                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 6,500                                                                   | N/A                                                                          | 6,500                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |



| India                           |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 3,859                                                                   | N/A                                                                          | 3,859                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 3,859                                                                   | N/A                                                                          | 3,859                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 4,320                                                                   | N/A                                                                          | 4,320                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 5,930                                                                   | N/A                                                                          | 5,930                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 6,650                                                                   | N/A                                                                          | 6,650                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 4,310                                                                   | N/A                                                                          | 4,310                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 6,640                                                                   | N/A                                                                          | 6,640                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 5,770                                                                   | N/A                                                                          | 5,770                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |

| India                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 5,770                                                                   | N/A                                                                          | 5,770                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 5,720                                                                   | N/A                                                                          | 5,720                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 5,140                                                                   | N/A                                                                          | 5,140                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 5,140                                                                   | N/A                                                                          | 5,140                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 4,280                                                                   | N/A                                                                          | 4,280                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 4,270                                                                   | N/A                                                                          | 4,270                                                                  | (C)                                                   |

| India                           |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 4,910                                                                   | N/A                                                                          | 4,910                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 2,060                                                                   | 0,070                                                                        | 2,130                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 2,050                                                                   | 0,230                                                                        | 2,280                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,620                                                                   | 0,070                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,740                                                                   | 0,110                                                                        | 1,860                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,460                                                                   | 0,060                                                                        | 0,520                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,770                                                                   | 0,060                                                                        | 0,830                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,400                                                                   | 0,180                                                                        | 1,580                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,370                                                                   | 0,180                                                                        | 1,540                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,600                                                                   | 0,140                                                                        | 0,740                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,180                                                                   | 0,150                                                                        | 1,330                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,320                                                                   | 0,120                                                                        | 1,440                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,040                                                                   | 0,180                                                                        | 2,220                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,760                                                                   | 0,160                                                                        | 1,920                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,760                                                                   | 0,160                                                                        | 1,920                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 3,220                                                                   | 0,120                                                                        | 3,330                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,710                                                                   | 0,160                                                                        | 1,870                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,350                                                                   | 0,140                                                                        | 1,490                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,440                                                                   | 0,170                                                                        | 1,610                                                                  |                                                       |



| Indonesia                       |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,690                                                                   | 0,140                                                                        | 0,830                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,870                                                                   | 0,160                                                                        | 1,040                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,600                                                                   | 0,130                                                                        | 0,720                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,480                                                                   | 0,100                                                                        | 0,580                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,310                                                                   | 0,080                                                                        | 0,390                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,200                                                                   | 0,200                                                                        | 1,400                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,560                                                                   | 0,150                                                                        | 0,710                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,160                                                                   | 0,120                                                                        | 1,280                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,600                                                                   | 0,090                                                                        | 0,680                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,830                                                                   | N/A                                                                          | 1,830                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                                                                           | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (K)                                                   |

| Indonesia                       |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 1,830                                                                   | N/A                                                                          | 1,830                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                               | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                      | 7,920                                                                   | N/A                                                                          | 7,920                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                           | 6,150                                                                   | N/A                                                                          | 6,150                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7203                            | Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings) | 7,900                                                                   | N/A                                                                          | 7,900                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                  | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                             | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |



| Indonesia                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |



| Indonesia                       |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |

| Indonesia                       |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 9,960                                                                   | N/A                                                                          | 9,960                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 9,960                                                                   | N/A                                                                          | 9,960                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 9,960                                                                   | N/A                                                                          | 9,960                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 13,240                                                                  | N/A                                                                          | 13,240                                                                 | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 13,240                                                                  | N/A                                                                          | 13,240                                                                 | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 10,000                                                                  | N/A                                                                          | 10,000                                                                 | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Indonesia                       |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 9,960                                                                   | N/A                                                                          | 9,960                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 9,960                                                                   | N/A                                                                          | 9,960                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 10,020                                                                  | N/A                                                                          | 10,020                                                                 | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 7,890                                                                   | N/A                                                                          | 7,890                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 8,630                                                                   | N/A                                                                          | 8,630                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 7,860                                                                   | N/A                                                                          | 7,860                                                                  | (F)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 7,860                                                                   | N/A                                                                          | 7,860                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |

| Indonesia                       |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |



| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 8,670                                                                   | N/A                                                                          | 8,670                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 7,960                                                                   | N/A                                                                          | 7,960                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 7,940                                                                   | N/A                                                                          | 7,940                                                                  | (F)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 7,960                                                                   | N/A                                                                          | 7,960                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 8,690                                                                   | N/A                                                                          | 8,690                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 7,890                                                                   | N/A                                                                          | 7,890                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 7,890                                                                   | N/A                                                                          | 7,890                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 7,940                                                                   | N/A                                                                          | 7,940                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 7,940                                                                   | N/A                                                                          | 7,940                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 7,940                                                                   | N/A                                                                          | 7,940                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 7,940                                                                   | N/A                                                                          | 7,940                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 10,010                                                                  | N/A                                                                          | 10,010                                                                 | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 9,980                                                                   | N/A                                                                          | 9,980                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 8,650                                                                   | N/A                                                                          | 8,650                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 8,650                                                                   | N/A                                                                          | 8,650                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 8,540                                                                   | N/A                                                                          | 8,540                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 8,540                                                                   | N/A                                                                          | 8,540                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |

| Indonesia                       |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 8,230                                                                   | N/A                                                                          | 8,230                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 8,210                                                                   | N/A                                                                          | 8,210                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 8,250                                                                   | N/A                                                                          | 8,250                                                                  | (C)                                                   |



| Iran, Islamic Republic of       |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,320                                                                   | 0,050                                                                        | 1,380                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,320                                                                   | 0,140                                                                        | 1,460                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,350                                                                   | 0,180                                                                        | 1,530                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,450                                                                   | 0,040                                                                        | 2,490                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,960                                                                   | 0,120                                                                        | 2,080                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,590                                                                   | 0,040                                                                        | 0,620                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,980                                                                   | 0,060                                                                        | 2,040                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,450                                                                   | 0,030                                                                        | 0,480                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,740                                                                   | 0,030                                                                        | 0,780                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,350                                                                   | 0,100                                                                        | 1,450                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,320                                                                   | 0,100                                                                        | 1,420                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,580                                                                   | 0,080                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,280                                                                   | 0,080                                                                        | 1,370                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,500                                                                   | 0,060                                                                        | 1,570                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,310                                                                   | 0,100                                                                        | 2,410                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,990                                                                   | 0,090                                                                        | 2,080                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,990                                                                   | 0,090                                                                        | 2,080                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 3,820                                                                   | 0,060                                                                        | 3,880                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 1,940                                                                   | 0,090                                                                        | 2,030                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,460                                                                   | 0,080                                                                        | 1,540                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,510                                                                   | 0,090                                                                        | 1,600                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,740                                                                   | 0,080                                                                        | 0,820                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,980                                                                   | 0,090                                                                        | 1,070                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,070                                                                        | 0,730                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,460                                                                   | 0,060                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,300                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,340                                                                   | 0,120                                                                        | 1,460                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,540                                                                   | 0,100                                                                        | 0,640                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,310                                                                   | 0,070                                                                        | 1,380                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,670                                                                   | 0,050                                                                        | 0,720                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 1,860                                                                   | N/A                                                                          | 1,860                                                                  |                                                       |



| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |



| Iran, Islamic Republic of       |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 3,980                                                                   | N/A                                                                          | 3,980                                                                  | (C)                                                   |



| Iran, Islamic Republic of       |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 3,980                                                                   | N/A                                                                          | 3,980                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other<br>than stainless, angles, shapes and<br>sections of alloy steel other than<br>stainless, n.e.s.; hollow drill bars and<br>rods, of alloy or non-alloy steel                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,790                                                                   | N/A                                                                          | 2,790                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 1,860                                                                   | N/A                                                                          | 1,860                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 1,900                                                                   | N/A                                                                          | 1,900                                                                  | (F)                                                   |



| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 1,900                                                                   | N/A                                                                          | 1,900                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |

| Iran, Islamic Republic of       |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (F)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 1,860                                                                   | N/A                                                                          | 1,860                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 1,860                                                                   | N/A                                                                          | 1,860                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 1,950                                                                   | N/A                                                                          | 1,950                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 1,950                                                                   | N/A                                                                          | 1,950                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 1,950                                                                   | N/A                                                                          | 1,950                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 1,950                                                                   | N/A                                                                          | 1,950                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,550                                                                   | N/A                                                                          | 2,550                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 2,550                                                                   | N/A                                                                          | 2,550                                                                  | (C)                                                   |



| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 2,380                                                                   | N/A                                                                          | 2,380                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,200                                                                   | N/A                                                                          | 3,200                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,000                                                                   | N/A                                                                          | 2,000                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iran, Islamic Republic of       |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |

| Iraq                            |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,280                                                                   | 0,050                                                                        | 1,330                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,260                                                                   | 0,090                                                                        | 1,350                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,190                                                                   | 0,090                                                                        | 1,290                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,460                                                                   | 0,050                                                                        | 2,520                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,960                                                                   | 0,160                                                                        | 2,120                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,590                                                                   | 0,050                                                                        | 0,640                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,990                                                                   | 0,080                                                                        | 2,070                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,450                                                                   | 0,040                                                                        | 0,490                                                                  |                                                       |

| Iraq                            |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,740                                                                   | 0,040                                                                        | 0,780                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,340                                                                   | 0,130                                                                        | 1,470                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,320                                                                   | 0,120                                                                        | 1,440                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,580                                                                   | 0,100                                                                        | 0,680                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,280                                                                   | 0,110                                                                        | 1,390                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,510                                                                   | 0,080                                                                        | 1,590                                                                  |                                                       |

| Iraq                            |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,330                                                                   | 0,130                                                                        | 2,450                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,000                                                                   | 0,120                                                                        | 2,110                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,000                                                                   | 0,120                                                                        | 2,110                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,850                                                                   | 0,080                                                                        | 3,930                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,950                                                                   | 0,110                                                                        | 2,060                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,460                                                                   | 0,100                                                                        | 1,560                                                                  |                                                       |

| Iraq                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers<br>(excl. urea; ammonium sulphate;<br>ammonium nitrate; sodium nitrate;<br>double salts and mixtures of<br>ammonium nitrate with ammonium<br>sulphate or calcium; mixtures of urea<br>and ammonium nitrate in aqueous or<br>ammoniacal solution; mixtures of<br>ammonium nitrate and calcium<br>carbonate or other non-fertilising<br>inorganic elements; in tablets or similar<br>in packages <= 10 kg) | 1,510                                                                   | 0,120                                                                        | 1,620                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                                                                                                                                                                                                               | 0,740                                                                   | 0,100                                                                        | 0,840                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)                                                                                                                                                                                            | 0,980                                                                   | 0,120                                                                        | 1,100                                                                  |                                                       |

| Iraq                            |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,090                                                                        | 0,760                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,460                                                                   | 0,070                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,300                                                                   | 0,060                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,350                                                                   | 0,150                                                                        | 1,500                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,540                                                                   | 0,120                                                                        | 0,660                                                                  |                                                       |



| Iraq                            |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,310                                                                   | 0,090                                                                        | 1,400                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,670                                                                   | 0,060                                                                        | 0,740                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| Israel                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                                                                                                                                                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                                                                                                                                                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Israel                          |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,280                                                                   | 0,030                                                                        | 1,310                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,260                                                                   | 0,060                                                                        | 1,320                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,200                                                                   | 0,070                                                                        | 1,260                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,530                                                                   | 0,030                                                                        | 2,560                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,610                                                                   | 0,030                                                                        | 0,640                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,040                                                                   | 0,050                                                                        | 2,080                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,430                                                                   | 0,030                                                                        | 0,450                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,710                                                                   | 0,030                                                                        | 0,730                                                                  |                                                       |

| Israel                          |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,280                                                                   | 0,080                                                                        | 1,360                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,250                                                                   | 0,080                                                                        | 1,330                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,580                                                                   | 0,060                                                                        | 0,640                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,300                                                                   | 0,070                                                                        | 1,370                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,540                                                                   | 0,050                                                                        | 1,590                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 2,370                                                                   | 0,080                                                                        | 2,440                                                                  |                                                       |

| Israel                          |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,010                                                                   | 0,070                                                                        | 2,080                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,010                                                                   | 0,070                                                                        | 2,080                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,940                                                                   | 0,050                                                                        | 3,990                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,980                                                                   | 0,070                                                                        | 2,050                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,470                                                                   | 0,060                                                                        | 1,530                                                                  |                                                       |

| Israel                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,480                                                                   | 0,070                                                                        | 1,560                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,750                                                                   | 0,060                                                                        | 0,810                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,980                                                                   | 0,070                                                                        | 1,060                                                                  |                                                       |

| Israel                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,060                                                                        | 0,720                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,480                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,300                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,350                                                                   | 0,090                                                                        | 1,440                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,540                                                                   | 0,080                                                                        | 0,620                                                                  |                                                       |

| Israel                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,340                                                                   | 0,060                                                                        | 1,390                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,680                                                                   | 0,040                                                                        | 0,720                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,620                                                                   | N/A                                                                          | 0,620                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |

| Israel                          |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |



| Israel                          |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,620                                                                   | N/A                                                                          | 0,620                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                          | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                                                                                                                                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Israel                          |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon     | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| Ivory Coast                     |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,130                                                                   | 0,050                                                                        | 1,180                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,760                                                                   | 0,050                                                                        | 1,800                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,670                                                                   | 0,040                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,580                                                                   | 0,060                                                                        | 1,640                                                                  |                                                       |

| Ivory Coast                     |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,500                                                                   | 0,030                                                                        | 0,540                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,830                                                                   | 0,030                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,510                                                                   | 0,100                                                                        | 1,610                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,480                                                                   | 0,100                                                                        | 1,580                                                                  |                                                       |

| Ivory Coast                     |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                | 0,650                                                                   | 0,070                                                                        | 0,720                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                      | 1,140                                                                   | 0,080                                                                        | 1,210                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                             | 1,200                                                                   | 0,060                                                                        | 1,260                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,850                                                                   | 0,090                                                                        | 1,940                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,600                                                                   | 0,080                                                                        | 1,680                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,600                                                                   | 0,080                                                                        | 1,680                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,740                                                                   | 0,070                                                                        | 2,810                                                                  |                                                       |

| Ivory Coast                     |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,550                                                                   | 0,080                                                                        | 1,630                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,300                                                                   | 0,080                                                                        | 1,380                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,440                                                                   | 0,090                                                                        | 1,540                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,680                                                                   | 0,070                                                                        | 0,750                                                                  |                                                       |

| Ivory Coast                     |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,810                                                                   | 0,080                                                                        | 0,890                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,550                                                                   | 0,060                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,520                                                                   | 0,050                                                                        | 0,580                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,330                                                                   | 0,040                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                     | 1,100                                                                   | 0,100                                                                        | 1,200                                                                  |                                                       |

| Ivory Coast                     |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,600                                                                   | 0,090                                                                        | 0,700                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,060                                                                   | 0,060                                                                        | 1,130                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,550                                                                   | 0,040                                                                        | 0,590                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Jamaica                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,090                                                                   | 0,050                                                                        | 1,130                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,090                                                                   | 0,080                                                                        | 1,170                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,030                                                                   | 0,090                                                                        | 1,120                                                                  | (A)                                                   |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Japan                           |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | 0,820                                                                   | 0,030                                                                        | 0,850                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                 | 0,830                                                                   | 0,060                                                                        | 0,890                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                     | 1,800                                                                   | 0,150                                                                        | 1,940                                                                  |                                                       |
| 2523 90 00 10                   | White hydraulic cement               | -                                                                       | -                                                                            | -                                                                      |                                                       |



| Japan                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                                                                                           | 0,790                                                                   | 0,060                                                                        | 0,850                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 2,130                                                                   | 0,060                                                                        | 2,190                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 2,050                                                                   | 0,140                                                                        | 2,190                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,620                                                                   | 0,040                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,790                                                                   | 0,080                                                                        | 1,870                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,470                                                                   | 0,040                                                                        | 0,500                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,770                                                                   | 0,040                                                                        | 0,810                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,410                                                                   | 0,110                                                                        | 1,520                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,380                                                                   | 0,110                                                                        | 1,480                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,610                                                                   | 0,080                                                                        | 0,690                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,210                                                                   | 0,090                                                                        | 1,300                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,360                                                                   | 0,080                                                                        | 1,440                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,100                                                                   | 0,120                                                                        | 2,210                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,810                                                                   | 0,110                                                                        | 1,910                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,810                                                                   | 0,110                                                                        | 1,910                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 3,330                                                                   | 0,090                                                                        | 3,420                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,760                                                                   | 0,100                                                                        | 1,860                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,380                                                                   | 0,090                                                                        | 1,470                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,100                                                                        | 1,570                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,710                                                                   | 0,080                                                                        | 0,790                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,900                                                                   | 0,100                                                                        | 1,000                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,610                                                                   | 0,080                                                                        | 0,690                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,480                                                                   | 0,060                                                                        | 0,540                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,310                                                                   | 0,050                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,230                                                                   | 0,120                                                                        | 1,350                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,560                                                                   | 0,100                                                                        | 0,660                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,190                                                                   | 0,080                                                                        | 1,270                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,610                                                                   | 0,050                                                                        | 0,670                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,050                                                                   | N/A                                                                          | 1,050                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                                                                           | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |

| Japan                           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 1,050                                                                   | N/A                                                                          | 1,050                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                               | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                   | 0,160                                                                   | 0,040                                                                        | 0,200                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                      | 1,960                                                                   | N/A                                                                          | 1,960                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                           | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |



| Japan                           |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7203                            | Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings) | 1,990                                                                   | N/A                                                                          | 1,990                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                  | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                             | 2,070                                                                   | N/A                                                                          | 2,070                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,143                                                                   | N/A                                                                          | 2,143                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |



| Japan                           |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |

| Japan                           |                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                          | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                         | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                           | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |

| Japan                           |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |

| Japan                           |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |

| Japan                           |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,520                                                                   | N/A                                                                          | 3,520                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,690                                                                   | N/A                                                                          | 3,690                                                                  | (F)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,690                                                                   | N/A                                                                          | 3,690                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,690                                                                   | N/A                                                                          | 3,690                                                                  | (F)                                                   |



| Japan                           |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                          | 4,620                                                                   | N/A                                                                          | 4,620                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                              | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                          | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)       | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)   | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |

| Japan                           |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,620                                                                   | N/A                                                                          | 4,620                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                      | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                    | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |

| Japan                           |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,690                                                                   | N/A                                                                          | 3,690                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,690                                                                   | N/A                                                                          | 3,690                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,150                                                                   | N/A                                                                          | 2,150                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,320                                                                   | N/A                                                                          | 3,320                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (F)                                                   |



| Japan                           |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |

| Japan                           |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,330                                                                   | N/A                                                                          | 3,330                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,140                                                                   | N/A                                                                          | 2,140                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (F)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,140                                                                   | N/A                                                                          | 2,140                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,220                                                                   | N/A                                                                          | 2,220                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,220                                                                   | N/A                                                                          | 2,220                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,860                                                                   | N/A                                                                          | 2,860                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,110                                                                   | N/A                                                                          | 2,110                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,160                                                                   | N/A                                                                          | 3,160                                                                  | (C)                                                   |



| Japan                           |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,130                                                                   | N/A                                                                          | 3,130                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,800                                                                   | N/A                                                                          | 2,800                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |

| Japan                           |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,100                                                                   | N/A                                                                          | 2,100                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (C)                                                   |

| Jordan                          |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,290                                                                   | 0,040                                                                        | 1,330                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,270                                                                   | 0,140                                                                        | 1,410                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,490                                                                   | 0,040                                                                        | 2,520                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,610                                                                   | 0,030                                                                        | 0,650                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,020                                                                   | 0,050                                                                        | 2,070                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,460                                                                   | 0,030                                                                        | 0,490                                                                  |                                                       |

| Jordan                          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,760                                                                   | 0,030                                                                        | 0,780                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,370                                                                   | 0,090                                                                        | 1,460                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,340                                                                   | 0,080                                                                        | 1,430                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,600                                                                   | 0,060                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,310                                                                   | 0,070                                                                        | 1,380                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,530                                                                   | 0,060                                                                        | 1,580                                                                  |                                                       |

| Jordan                          |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,350                                                                   | 0,080                                                                        | 2,440                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,020                                                                   | 0,080                                                                        | 2,090                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,020                                                                   | 0,080                                                                        | 2,090                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,880                                                                   | 0,060                                                                        | 3,940                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,970                                                                   | 0,070                                                                        | 2,050                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,490                                                                   | 0,070                                                                        | 1,550                                                                  |                                                       |

| Jordan                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,530                                                                   | 0,080                                                                        | 1,610                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,760                                                                   | 0,070                                                                        | 0,820                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,990                                                                   | 0,080                                                                        | 1,070                                                                  |                                                       |

| Jordan                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,670                                                                   | 0,060                                                                        | 0,730                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,480                                                                   | 0,050                                                                        | 0,530                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,310                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,360                                                                   | 0,100                                                                        | 1,460                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,550                                                                   | 0,090                                                                        | 0,640                                                                  |                                                       |



| Jordan                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,330                                                                   | 0,060                                                                        | 1,390                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,680                                                                   | 0,040                                                                        | 0,720                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |

| Jordan                          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |

| Jordan                          |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |

| Jordan                          |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                               | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                           | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,350                                                                   | 0,040                                                                        | 1,390                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,350                                                                   | 0,070                                                                        | 1,420                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,280                                                                   | 0,070                                                                        | 1,350                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,730                                                                   | 0,040                                                                        | 2,770                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,160                                                                   | 0,140                                                                        | 2,300                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,040                                                                        | 0,690                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,200                                                                   | 0,070                                                                        | 2,270                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,490                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,810                                                                   | 0,040                                                                        | 0,840                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,470                                                                   | 0,110                                                                        | 1,580                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,440                                                                   | 0,110                                                                        | 1,540                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,640                                                                   | 0,080                                                                        | 0,720                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,420                                                                   | 0,090                                                                        | 1,510                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,670                                                                   | 0,070                                                                        | 1,740                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,570                                                                   | 0,110                                                                        | 2,670                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,200                                                                   | 0,100                                                                        | 2,300                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,200                                                                   | 0,100                                                                        | 2,300                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 4,260                                                                   | 0,070                                                                        | 4,330                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,150                                                                   | 0,090                                                                        | 2,250                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,610                                                                   | 0,080                                                                        | 1,700                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,650                                                                   | 0,100                                                                        | 1,750                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,820                                                                   | 0,080                                                                        | 0,900                                                                  |                                                       |



| Kazakhstan                      |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 1,080                                                                   | 0,100                                                                        | 1,180                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,730                                                                   | 0,080                                                                        | 0,800                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,510                                                                   | 0,060                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,320                                                                   | 0,050                                                                        | 0,370                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,480                                                                   | 0,120                                                                        | 1,600                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,590                                                                   | 0,100                                                                        | 0,690                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,450                                                                   | 0,070                                                                        | 1,520                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,740                                                                   | 0,050                                                                        | 0,790                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 1,990                                                                   | N/A                                                                          | 1,990                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles                                                                                                                                                                     | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                                                                                               | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                  | 1,990                                                                   | N/A                                                                          | 1,990                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                 | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                              | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                               | 0,170                                                                   | 0,170                                                                        | 0,340                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                  | 4,960                                                                   | N/A                                                                          | 4,960                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                              | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                               | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                              | 2,870                                                                   | N/A                                                                          | 2,870                                                                  |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                          | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7205                            | Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings) | 4,990                                                                   | N/A                                                                          | 4,990                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                  | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                             | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                   | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                    | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                               | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                        | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                           | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                        | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |



| Kazakhstan                      |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                                          | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                  | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                                            | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                    | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)         | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                              | 5,290                                                                   | N/A                                                                          | 5,290                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                           | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                    | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 5,290                                                                   | N/A                                                                          | 5,290                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 5,290                                                                   | N/A                                                                          | 5,290                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 5,290                                                                   | N/A                                                                          | 5,290                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon           | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                                                                                                            | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                       | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Kazakhstan                      |                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                 | 4,600                                                                   | N/A                                                                          | 4,600                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                               | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                              | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                   | 4,600                                                                   | N/A                                                                          | 4,600                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless<br>steel, of circular cross-section or of<br>cross-section other than square or<br>rectangular, rolled or obtained by<br>continuous casting | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless<br>steel, forged (excl. products of square or<br>rectangular cross-section)                                                                 | 4,600                                                                   | N/A                                                                          | 4,600                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of > 10 mm                              | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm      | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm       | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm                      | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm                 | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm   | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |



| Kazakhstan                      |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                      | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked     | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of >= 4,75 mm | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than hot-rolled, of a thickness of < 4,75 mm  | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced"               | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked      | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-rolled, in irregularly wound coils                                                          | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 11                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section                                                                                                   | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 4,600                                                                   | N/A                                                                          | 4,600                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                                                                                                                                                                                                                  | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                     | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                               | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight ≤ 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight ≥ 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                          | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |

| Kazakhstan                      |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                          | 6,780                                                                   | N/A                                                                          | 6,780                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                              | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                          | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)       | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)   | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel) | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 6,780                                                                   | N/A                                                                          | 6,780                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                      | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                    | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (C)/(F)                                               |



| Kazakhstan                      |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 5,170                                                                   | N/A                                                                          | 5,170                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 4,960                                                                   | N/A                                                                          | 4,960                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                              | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 5,120                                                                   | N/A                                                                          | 5,120                                                                  | (F)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 5,120                                                                   | N/A                                                                          | 5,120                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |

| Kazakhstan                      |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 5,290                                                                   | N/A                                                                          | 5,290                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |



| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 4,780                                                                   | N/A                                                                          | 4,780                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (F)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 5,420                                                                   | N/A                                                                          | 5,420                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 4,860                                                                   | N/A                                                                          | 4,860                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 4,960                                                                   | N/A                                                                          | 4,960                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 4,960                                                                   | N/A                                                                          | 4,960                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 5,150                                                                   | N/A                                                                          | 5,150                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 5,150                                                                   | N/A                                                                          | 5,150                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 5,150                                                                   | N/A                                                                          | 5,150                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 5,150                                                                   | N/A                                                                          | 5,150                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                                                                                                              | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7311                            | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for<br>compressed or liquefied gas (excl.<br>containers specifically constructed or<br>equipped for one or more types of<br>transport)                                                           | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw<br>hooks, rivets, cotters, cotter pins,<br>washers, incl. spring washers, and<br>similar articles, of iron or steel (excl. lag<br>screws, stoppers, plugs and the like,<br>threaded) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                 | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl.<br>coach screws)                                                                                                                                                                        | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                     | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                              | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                | 4,610                                                                   | N/A                                                                          | 4,610                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                 | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                  | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

| Kazakhstan                      |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                  | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                                                                                                                               | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)                                                                                                       | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |

**Kazakhstan**

| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                        | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                           | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                         | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                    | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                         | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                       | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                    | 5,180                                                                   | N/A                                                                          | 5,180                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                             | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |

**Kenya**

| Product CN Code /<br>TARIC Code | Description                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|---------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Fertilisers</b>              |                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids | 1,700                                                                   | 0,040                                                                        | 1,740                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution     | 0,600                                                                   | 0,040                                                                        | 0,650                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium            | 1,500                                                                   | 0,060                                                                        | 1,560                                                                  |                                                       |



| Kenya                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,460                                                                   | 0,040                                                                        | 0,490                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,760                                                                   | 0,040                                                                        | 0,800                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,380                                                                   | 0,100                                                                        | 1,490                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,350                                                                   | 0,100                                                                        | 1,460                                                                  |                                                       |

| Kenya                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,600                                                                   | 0,070                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,060                                                                   | 0,080                                                                        | 1,140                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,140                                                                   | 0,060                                                                        | 1,200                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,760                                                                   | 0,090                                                                        | 1,850                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,520                                                                   | 0,080                                                                        | 1,610                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,520                                                                   | 0,080                                                                        | 1,610                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 2,650                                                                   | 0,070                                                                        | 2,720                                                                  |                                                       |

| Kenya                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,480                                                                   | 0,080                                                                        | 1,560                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,220                                                                   | 0,080                                                                        | 1,300                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,340                                                                   | 0,090                                                                        | 1,440                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,630                                                                   | 0,070                                                                        | 0,700                                                                  |                                                       |

| Kenya                           |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,770                                                                   | 0,080                                                                        | 0,840                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,520                                                                   | 0,060                                                                        | 0,580                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,470                                                                   | 0,050                                                                        | 0,530                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,300                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                     | 1,050                                                                   | 0,090                                                                        | 1,140                                                                  |                                                       |

| Kenya                           |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,550                                                                   | 0,090                                                                        | 0,640                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,010                                                                   | 0,060                                                                        | 1,070                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,520                                                                   | 0,040                                                                        | 0,560                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                                            | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                                                   | 0,800                                                                   | N/A                                                                          | 0,800                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                                                  | 1,020                                                                   | N/A                                                                          | 1,020                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                                                       | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |

| Kenya                           |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                        | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                          | 1,020                                                                   | N/A                                                                          | 1,020                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 1,020                                                                   | N/A                                                                          | 1,020                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |

| Kenya                           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,020                                                                   | N/A                                                                          | 1,020                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,800                                                                   | N/A                                                                          | 0,800                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                          | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                                                                                                                                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Kenya                           |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                             | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                    |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                    | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                    | White clinker                                               | 1,190                                                                   | 0,040                                                                        | 1,230                                                                  | (B)                                                   |
| 2523 10 00 90                    | Other clinker including grey clinker                        | 0,880                                                                   | 0,030                                                                        | 0,920                                                                  | (A)                                                   |
| 2523 21 00                       | White Portland cement                                       | 1,230                                                                   | 0,130                                                                        | 1,360                                                                  |                                                       |
| 2523 29 00                       | Grey Portland cement                                        | 0,890                                                                   | 0,060                                                                        | 0,940                                                                  |                                                       |
| 2523 30 00                       | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                    | White hydraulic cement                                      | 1,260                                                                   | 0,160                                                                        | 1,420                                                                  | (B)                                                   |
| 2523 90 00 90                    | Other hydraulic cements including grey<br>hydraulic cements | 0,840                                                                   | 0,060                                                                        | 0,910                                                                  | (A)                                                   |
| <b>Fertilisers</b>               |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                       | Nitric acid; sulphonitric acids                             | 2,130                                                                   | 0,060                                                                        | 2,190                                                                  |                                                       |
| 2814 10 00                       | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                       | Ammonia in aqueous solution                                 | 0,620                                                                   | 0,060                                                                        | 0,670                                                                  |                                                       |
| 2834 21 00                       | Nitrate of potassium                                        | 1,790                                                                   | 0,080                                                                        | 1,880                                                                  |                                                       |
| 3102                             | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                       | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,470                                                                   | 0,040                                                                        | 0,510                                                                  |                                                       |
| 3102 10 15                       | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,770                                                                   | 0,040                                                                        | 0,820                                                                  |                                                       |
| 3102 10 19                       | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,410                                                                   | 0,140                                                                        | 1,540                                                                  |                                                       |
| 3102 10 90                       | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,380                                                                   | 0,130                                                                        | 1,510                                                                  |                                                       |
| 3102 21 00                       | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,610                                                                   | 0,090                                                                        | 0,700                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                       | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                      | 1,210                                                                   | 0,100                                                                        | 1,310                                                                  |                                                       |
| 3102 30 10                       | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                             | 1,360                                                                   | 0,080                                                                        | 1,440                                                                  |                                                       |
| 3102 30 90                       | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,090                                                                   | 0,130                                                                        | 2,220                                                                  |                                                       |
| 3102 40 10                       | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,800                                                                   | 0,110                                                                        | 1,920                                                                  |                                                       |
| 3102 40 90                       | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,800                                                                   | 0,110                                                                        | 1,920                                                                  |                                                       |
| 3102 50 00                       | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,320                                                                   | 0,090                                                                        | 3,420                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                       | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,760                                                                   | 0,110                                                                        | 1,860                                                                  |                                                       |
| 3102 80 00                       | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,380                                                                   | 0,100                                                                        | 1,480                                                                  |                                                       |
| 3102 90 00                       | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,120                                                                        | 1,590                                                                  |                                                       |
| 3105                             | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                       | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,710                                                                   | 0,090                                                                        | 0,800                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                       | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,900                                                                   | 0,100                                                                        | 1,000                                                                  |                                                       |
| 3105 20 90                       | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,610                                                                   | 0,080                                                                        | 0,690                                                                  |                                                       |
| 3105 30 00                       | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,480                                                                   | 0,070                                                                        | 0,550                                                                  |                                                       |
| 3105 40 00                       | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,310                                                                   | 0,050                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                       | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                     | 1,230                                                                   | 0,130                                                                        | 1,360                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                       | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,560                                                                   | 0,110                                                                        | 0,670                                                                  |                                                       |
| 3105 90 20                       | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,190                                                                   | 0,080                                                                        | 1,280                                                                  |                                                       |
| 3105 90 80                       | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,610                                                                   | 0,060                                                                        | 0,670                                                                  |                                                       |
| <b>Aluminium</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                             | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                                            | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                             | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                                                   | 1,260                                                                   | N/A                                                                          | 1,260                                                                  | (L)                                                   |
| 7604 10 10                       | Bars and rods                                                                                                                                                                                                                                                                                                                                                                                                  | 1,490                                                                   | N/A                                                                          | 1,490                                                                  | (L)                                                   |
| 7604 10 90                       | Profiles                                                                                                                                                                                                                                                                                                                                                                                                       | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 21 00                       | Hollow profiles                                                                                                                                                                                                                                                        | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7604 29 10                       | Bars and rods                                                                                                                                                                                                                                                          | 1,490                                                                   | N/A                                                                          | 1,490                                                                  | (L)                                                   |
| 7604 29 90                       | Profiles                                                                                                                                                                                                                                                               | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7605                             | Aluminium wire                                                                                                                                                                                                                                                         | 1,490                                                                   | N/A                                                                          | 1,490                                                                  | (L)                                                   |
| 7606                             | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |
| 7607                             | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |
| 7608                             | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7609 00 00                       | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7610 10 00                       | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7610 90                          | Other                                                                                                                                                                                                                                                                  | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7610 90 10                       | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7610 90 90                       | Other                                                                                                                                                                                                                                                                  | 1,500                                                                   | N/A                                                                          | 1,500                                                                  | (L)                                                   |
| 7611 00 00                       | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                             | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |
| 7613 00 00                       | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |
| 7614                             | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,490                                                                   | N/A                                                                          | 1,490                                                                  | (L)                                                   |
| 7616 10 00                       | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |
| 7616 91 00                       | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |
| 7616 99 10                       | Cast                                                                                                                                                                                                                                                                                                           | 1,260                                                                   | N/A                                                                          | 1,260                                                                  | (L)                                                   |
| 7616 99 90                       | Other                                                                                                                                                                                                                                                                                                          | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (L)                                                   |
| <b>Hydrogen</b>                  |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                       | Hydrogen                                                                                                                                                                                                                                                                                                       | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
| <b>Iron and steel</b>            |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                       | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,100                                                                   | 0,040                                                                        | 0,130                                                                  |                                                       |
| 7201                             | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 1,540                                                                   | N/A                                                                          | 1,540                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                          | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                          | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7202 41                          | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                          | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                       | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                             | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                             | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,580                                                                   | N/A                                                                          | 1,580                                                                  | (C)/(F)                                               |
| 7206                             | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                       | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 1,640                                                                   | N/A                                                                          | 1,640                                                                  | (C)                                                   |



| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                       | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,640                                                                   | N/A                                                                          | 1,640                                                                  | (C)                                                   |
| 7207                             | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                       | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 11 14                       | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 11 16                       | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                       | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 12 10                       | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 12 90                       | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 19 12                       | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 19 19                       | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 19 80                       | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                       | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 20 15                       | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 20 17                       | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 20 19                       | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 32                       | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                       | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 52                       | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7207 20 59                       | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 80                       | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7208                             | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7209                             | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |
| 7210                             | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                             | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                       | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7211 14 00                       | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7211 19 00                       | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7211 23                          | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |
| 7211 29 00                       | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                          | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |
| 7212                             | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |
| 7213                             | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7214                             | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                       | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214 20 00                       | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                       | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7214 91                          | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7214 99                          | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7215                             | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                             | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7217                             | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                          | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7217 20                          | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7217 30                          | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7217 90                          | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,118                                                                   | N/A                                                                          | 2,118                                                                  | (C)                                                   |
| 7218                             | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                       | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,760                                                                   | N/A                                                                          | 3,760                                                                  |                                                       |



| Korea, Republic of (South Korea) |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                          | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7218 99 11                       | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7218 99 19                       | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,760                                                                   | N/A                                                                          | 3,760                                                                  |                                                       |
| 7218 99 20                       | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7218 99 80                       | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,760                                                                   | N/A                                                                          | 3,760                                                                  |                                                       |
| 7219                             | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                       | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 12                          | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                          | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 14                          | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 21                          | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 22                          | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 23 00                       | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7219 24 00                       | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                       | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7219 32                          | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7219 33                          | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7219 34                          | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7219 35                          | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7219 90                          | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                             | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                       | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7220 12 00                       | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,630                                                                   | N/A                                                                          | 3,630                                                                  |                                                       |
| 7220 20                          | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7220 90                          | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7221                             | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7222                             | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                          | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                          | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7222 20                          | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7222 30                          | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,760                                                                   | N/A                                                                          | 3,760                                                                  |                                                       |
| 7222 40                          | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7223                             | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                          | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,650                                                                   | N/A                                                                          | 3,650                                                                  |                                                       |
| 7224                             | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                          | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 4,150                                                                   | N/A                                                                          | 4,150                                                                  | (F)                                                   |
| 7224 90 02                       | Semi-finished products of tool steel                                                                                                                                                                                | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                       | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7224 90 05                       | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7224 90 07                       | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7224 90 14                       | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                       | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 4,150                                                                   | N/A                                                                          | 4,150                                                                  | (F)                                                   |
| 7224 90 31                       | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7224 90 38                       | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7224 90 90                       | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 4,150                                                                   | N/A                                                                          | 4,150                                                                  | (F)                                                   |
| 7225                             | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                       | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 5,320                                                                   | N/A                                                                          | 5,320                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                       | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7225 19 90                       | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (C)                                                   |
| 7225 30                          | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7225 40                          | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7225 50                          | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7225 91 00                       | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |



| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                       | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7225 99 00                       | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7226                             | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                       | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 5,320                                                                   | N/A                                                                          | 5,320                                                                  | (C)                                                   |
| 7226 19 10                       | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7226 19 80                       | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                       | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7226 91                          | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (F)                                                   |
| 7226 92 00                       | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7226 99                          | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7227                             | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (C)/(F)                                               |
| 7228                             | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                       | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7228 10 50                       | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 4,150                                                                   | N/A                                                                          | 4,150                                                                  | (F)                                                   |
| 7228 10 90                       | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7228 20                          | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                          | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (C)/(F)                                               |
| 7228 40                          | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 4,150                                                                   | N/A                                                                          | 4,150                                                                  | (F)                                                   |
| 7228 50                          | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (C)/(F)                                               |
| 7228 60                          | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                          | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7228 80 00                       | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (F)                                                   |
| 7229                             | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 4,050                                                                   | N/A                                                                          | 4,050                                                                  | (C)/(F)                                               |
| 7301                             | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |
| 7302                             | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,674                                                                   | N/A                                                                          | 3,674                                                                  | (C)                                                   |
| 7303                             | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                          | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,154                                                                   | N/A                                                                          | 2,154                                                                  |                                                       |
| 7304                             | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                       | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 4,084                                                                   | N/A                                                                          | 4,084                                                                  |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                          | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,154                                                                   | N/A                                                                          | 2,154                                                                  | (C)                                                   |
| 7304 22 00                       | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 4,084                                                                   | N/A                                                                          | 4,084                                                                  |                                                       |
| 7304 23 00                       | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,154                                                                   | N/A                                                                          | 2,154                                                                  | (C)                                                   |
| 7304 24 00                       | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 4,084                                                                   | N/A                                                                          | 4,084                                                                  |                                                       |
| 7304 29                          | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,154                                                                   | N/A                                                                          | 2,154                                                                  | (C)                                                   |
| 7304 31                          | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,154                                                                   | N/A                                                                          | 2,154                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                          | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,154                                                                   | N/A                                                                          | 2,154                                                                  | (C)                                                   |
| 7304 41 00                       | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 4,084                                                                   | N/A                                                                          | 4,084                                                                  |                                                       |
| 7304 49                          | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 4,084                                                                   | N/A                                                                          | 4,084                                                                  |                                                       |
| 7304 51                          | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (F)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                          | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)/(F)                                               |
| 7304 90 00                       | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,154                                                                   | N/A                                                                          | 2,154                                                                  | (C)                                                   |
| 7305                             | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,154                                                                   | N/A                                                                          | 2,154                                                                  | (C)                                                   |
| 7306                             | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                       | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 4,114                                                                   | N/A                                                                          | 4,114                                                                  |                                                       |



| Korea, Republic of (South Korea) |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                       | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 21 00                       | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 4,114                                                                   | N/A                                                                          | 4,114                                                                  |                                                       |
| 7306 29 00                       | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 30 12                       | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 30 18                       | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |
| 7306 30 41                       | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                       | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 30 72                       | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 30 77                       | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 30 80                       | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                       | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 4,114                                                                   | N/A                                                                          | 4,114                                                                  |                                                       |
| 7306 40 80                       | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 4,094                                                                   | N/A                                                                          | 4,094                                                                  |                                                       |
| 7306 50 21                       | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,184                                                                   | N/A                                                                          | 2,184                                                                  | (F)                                                   |
| 7306 50 29                       | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (F)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                       | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,184                                                                   | N/A                                                                          | 2,184                                                                  | (F)                                                   |
| 7306 61 10                       | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 4,114                                                                   | N/A                                                                          | 4,114                                                                  |                                                       |
| 7306 61 92                       | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 61 99                       | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                       | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 4,114                                                                   | N/A                                                                          | 4,114                                                                  |                                                       |
| 7306 69 90                       | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7306 90 00                       | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                             | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                          | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,194                                                                   | N/A                                                                          | 2,194                                                                  |                                                       |
| 7307 19 10                       | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,194                                                                   | N/A                                                                          | 2,194                                                                  |                                                       |
| 7307 19 90                       | Cast tube or pipe fittings of steel                                                                                                             | 2,274                                                                   | N/A                                                                          | 2,274                                                                  | (C)                                                   |
| 7307 21 00                       | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 3,774                                                                   | N/A                                                                          | 3,774                                                                  |                                                       |
| 7307 22                          | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 3,774                                                                   | N/A                                                                          | 3,774                                                                  |                                                       |
| 7307 23                          | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 3,774                                                                   | N/A                                                                          | 3,774                                                                  |                                                       |
| 7307 29                          | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 3,774                                                                   | N/A                                                                          | 3,774                                                                  |                                                       |
| 7307 91 00                       | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,134                                                                   | N/A                                                                          | 2,134                                                                  | (C)                                                   |
| 7307 92                          | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,134                                                                   | N/A                                                                          | 2,134                                                                  | (C)                                                   |
| 7307 93                          | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,134                                                                   | N/A                                                                          | 2,134                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                          | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,134                                                                   | N/A                                                                          | 2,134                                                                  | (C)                                                   |
| 7308                             | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,864                                                                   | N/A                                                                          | 3,864                                                                  | (C)                                                   |
| 7309                             | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 4,124                                                                   | N/A                                                                          | 4,124                                                                  | (C)                                                   |

| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                             | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,164                                                                   | N/A                                                                          | 2,164                                                                  | (C)                                                   |
| 7311                             | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                          | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 4,104                                                                   | N/A                                                                          | 4,104                                                                  | (C)                                                   |
| 7318                             | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                       | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7318 12 10                       | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 4,074                                                                   | N/A                                                                          | 4,074                                                                  |                                                       |
| 7318 12 90                       | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7318 13 00                       | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |



| Korea, Republic of (South Korea) |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                       | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 4,074                                                                   | N/A                                                                          | 4,074                                                                  |                                                       |
| 7318 14 91                       | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7318 14 99                       | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7318 15                          | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 3,474                                                                   | N/A                                                                          | 3,474                                                                  | (C)                                                   |
| 7318 16                          | Nuts of iron or steel                                                                                                                                                                                                                                      | 4,104                                                                   | N/A                                                                          | 4,104                                                                  | (C)                                                   |
| 7318 19 00                       | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7318 21 00                       | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7318 22 00                       | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,484                                                                   | N/A                                                                          | 2,484                                                                  | (C)                                                   |
| 7318 23 00                       | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,344                                                                   | N/A                                                                          | 2,344                                                                  | (C)                                                   |
| 7318 24 00                       | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7318 29 00                       | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7326                             | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Korea, Republic of (South Korea) |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code  | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 11 00                       | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,274                                                                   | N/A                                                                          | 2,274                                                                  | (C)                                                   |
| 7326 19                          | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,274                                                                   | N/A                                                                          | 2,274                                                                  | (C)                                                   |
| 7326 20 00                       | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7326 90 30                       | Ladders and steps, of iron or steel                                                                                                         | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7326 90 40                       | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7326 90 50                       | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7326 90 60                       | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,124                                                                   | N/A                                                                          | 2,124                                                                  | (C)                                                   |
| 7326 90 92                       | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,274                                                                   | N/A                                                                          | 2,274                                                                  | (C)                                                   |
| 7326 90 94                       | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,274                                                                   | N/A                                                                          | 2,274                                                                  | (C)                                                   |
| 7326 90 96                       | Sintered articles of iron or steel, n.e.s.                                                                                                  | 2,274                                                                   | N/A                                                                          | 2,274                                                                  | (C)                                                   |
| 7326 90 98                       | Articles of iron or steel, n.e.s.                                                                                                           | 2,144                                                                   | N/A                                                                          | 2,144                                                                  | (C)                                                   |

| Kuwait                          |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,830                                                                   | 0,040                                                                        | 0,870                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,950                                                                   | 0,080                                                                        | 1,030                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,910                                                                   | 0,080                                                                        | 0,990                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,450                                                                   | 0,070                                                                        | 2,510                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,960                                                                   | 0,140                                                                        | 2,100                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,590                                                                   | 0,040                                                                        | 0,630                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,980                                                                   | 0,080                                                                        | 2,070                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,450                                                                   | 0,040                                                                        | 0,490                                                                  |                                                       |

| Kuwait                          |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,740                                                                   | 0,040                                                                        | 0,780                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,350                                                                   | 0,110                                                                        | 1,460                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,320                                                                   | 0,110                                                                        | 1,430                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,580                                                                   | 0,080                                                                        | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,280                                                                   | 0,100                                                                        | 1,380                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,500                                                                   | 0,080                                                                        | 1,590                                                                  |                                                       |

| Kuwait                          |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,310                                                                   | 0,130                                                                        | 2,440                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,990                                                                   | 0,120                                                                        | 2,100                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,990                                                                   | 0,120                                                                        | 2,100                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 3,820                                                                   | 0,100                                                                        | 3,920                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 1,940                                                                   | 0,110                                                                        | 2,050                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution (excl. those in packages with a<br>gross weight of <= 10 kg)                                                                                                                                   | 1,460                                                                   | 0,090                                                                        | 1,560                                                                  |                                                       |

| Kuwait                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,510                                                                   | 0,110                                                                        | 1,620                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,740                                                                   | 0,090                                                                        | 0,830                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,980                                                                   | 0,110                                                                        | 1,090                                                                  |                                                       |

| Kuwait                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,080                                                                        | 0,750                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,460                                                                   | 0,060                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,300                                                                   | 0,050                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,340                                                                   | 0,140                                                                        | 1,480                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,540                                                                   | 0,110                                                                        | 0,650                                                                  |                                                       |

| Kuwait                          |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,310                                                                   | 0,090                                                                        | 1,390                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,670                                                                   | 0,060                                                                        | 0,730                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 0,630                                                                   | N/A                                                                          | 0,630                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |



| Kuwait                          |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 0,870                                                                   | N/A                                                                          | 0,870                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |

| Kuwait                          |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 0,860                                                                   | N/A                                                                          | 0,860                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,630                                                                   | N/A                                                                          | 0,630                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,320                                                                   | N/A                                                                          | 1,320                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 13,450                                                                  | N/A                                                                          | 13,450                                                                 |                                                       |

| Kyrgyzstan                      |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,360                                                                   | 0,000                                                                        | 1,360                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,360                                                                   | 0,010                                                                        | 1,360                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,290                                                                   | 0,010                                                                        | 1,300                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,770                                                                   | 0,040                                                                        | 2,810                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,040                                                                        | 0,690                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,230                                                                   | 0,060                                                                        | 2,290                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,490                                                                   | 0,030                                                                        | 0,520                                                                  |                                                       |

| Kyrgyzstan                      |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,810                                                                   | 0,030                                                                        | 0,840                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,470                                                                   | 0,100                                                                        | 1,570                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,440                                                                   | 0,090                                                                        | 1,530                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,640                                                                   | 0,060                                                                        | 0,700                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,430                                                                   | 0,070                                                                        | 1,500                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,690                                                                   | 0,060                                                                        | 1,750                                                                  |                                                       |

| Kyrgyzstan                      |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,600                                                                   | 0,090                                                                        | 2,690                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,230                                                                   | 0,080                                                                        | 2,310                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 2,230                                                                   | 0,080                                                                        | 2,310                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 4,330                                                                   | 0,060                                                                        | 4,390                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 2,180                                                                   | 0,080                                                                        | 2,260                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,630                                                                   | 0,070                                                                        | 1,700                                                                  |                                                       |

| Kyrgyzstan                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,660                                                                   | 0,080                                                                        | 1,750                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,820                                                                   | 0,060                                                                        | 0,890                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,090                                                                   | 0,070                                                                        | 1,160                                                                  |                                                       |

| Kyrgyzstan                      |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,740                                                                   | 0,060                                                                        | 0,790                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,510                                                                   | 0,050                                                                        | 0,560                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,040                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,500                                                                   | 0,090                                                                        | 1,590                                                                  |                                                       |

| Kyrgyzstan                      |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,590                                                                   | 0,090                                                                        | 0,680                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,470                                                                   | 0,060                                                                        | 1,520                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,750                                                                   | 0,040                                                                        | 0,790                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |



| Laos                            |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
|                                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Lebanon                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | 1,290                                                                   | 0,070                                                                        | 1,360                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,830                                                                   | 0,050                                                                        | 0,880                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | 1,270                                                                   | 0,160                                                                        | 1,430                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,830                                                                   | 0,100                                                                        | 0,930                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | 1,310                                                                   | 0,210                                                                        | 1,520                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,790                                                                   | 0,100                                                                        | 0,890                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,580                                                                   | 0,060                                                                        | 2,640                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,640                                                                   | 0,060                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 2,100                                                                   | 0,090                                                                        | 2,190                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Lebanon                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,480                                                                   | 0,050                                                                        | 0,530                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,800                                                                   | 0,050                                                                        | 0,850                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,450                                                                   | 0,140                                                                        | 1,600                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,420                                                                   | 0,140                                                                        | 1,560                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,630                                                                   | 0,110                                                                        | 0,740                                                                  |                                                       |

| Lebanon                         |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,360                                                                   | 0,120                                                                        | 1,480                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,590                                                                   | 0,090                                                                        | 1,690                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,450                                                                   | 0,140                                                                        | 2,590                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,100                                                                   | 0,130                                                                        | 2,230                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,100                                                                   | 0,130                                                                        | 2,230                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 4,030                                                                   | 0,090                                                                        | 4,120                                                                  |                                                       |

| Lebanon                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,060                                                                   | 0,120                                                                        | 2,180                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,560                                                                   | 0,110                                                                        | 1,670                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,610                                                                   | 0,130                                                                        | 1,740                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,790                                                                   | 0,110                                                                        | 0,900                                                                  |                                                       |

| Lebanon                         |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 1,030                                                                   | 0,130                                                                        | 1,160                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,700                                                                   | 0,100                                                                        | 0,800                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,500                                                                   | 0,080                                                                        | 0,580                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)   | 0,320                                                                   | 0,060                                                                        | 0,380                                                                  |                                                       |

| Lebanon                         |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,420                                                                   | 0,160                                                                        | 1,580                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,580                                                                   | 0,130                                                                        | 0,710                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,390                                                                   | 0,100                                                                        | 1,480                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,710                                                                   | 0,070                                                                        | 0,780                                                                  |                                                       |

| Liberia                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
|                                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Libya                           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,830                                                                   | 0,040                                                                        | 0,870                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,830                                                                   | 0,090                                                                        | 0,910                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,790                                                                   | 0,090                                                                        | 0,880                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,680                                                                   | 0,050                                                                        | 1,730                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,010                                                                   | 0,160                                                                        | 2,170                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,600                                                                   | 0,050                                                                        | 0,650                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,490                                                                   | 0,080                                                                        | 1,560                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Libya                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,460                                                                   | 0,040                                                                        | 0,500                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,760                                                                   | 0,040                                                                        | 0,800                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,380                                                                   | 0,120                                                                        | 1,500                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,350                                                                   | 0,120                                                                        | 1,470                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,600                                                                   | 0,090                                                                        | 0,690                                                                  |                                                       |



| Libya                           |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,060                                                                   | 0,100                                                                        | 1,160                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,130                                                                   | 0,080                                                                        | 1,210                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,740                                                                   | 0,120                                                                        | 1,860                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,510                                                                   | 0,110                                                                        | 1,620                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,510                                                                   | 0,110                                                                        | 1,620                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,620                                                                   | 0,080                                                                        | 2,700                                                                  |                                                       |

| Libya                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,460                                                                   | 0,110                                                                        | 1,570                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,210                                                                   | 0,100                                                                        | 1,310                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,340                                                                   | 0,120                                                                        | 1,450                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,630                                                                   | 0,100                                                                        | 0,720                                                                  |                                                       |

| Libya                           |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,760                                                                   | 0,120                                                                        | 0,880                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,520                                                                   | 0,090                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,470                                                                   | 0,070                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,300                                                                   | 0,060                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,040                                                                   | 0,140                                                                        | 1,180                                                                  |                                                       |

| Libya                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,550                                                                   | 0,110                                                                        | 0,660                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,000                                                                   | 0,090                                                                        | 1,090                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,520                                                                   | 0,060                                                                        | 0,580                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Madagascar                      |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,240                                                                   | 0,050                                                                        | 1,290                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,240                                                                   | 0,080                                                                        | 1,330                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,180                                                                   | 0,080                                                                        | 1,270                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,800                                                                   | 0,060                                                                        | 1,860                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,710                                                                   | 0,050                                                                        | 0,760                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,600                                                                   | 0,060                                                                        | 1,670                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,450                                                                   | 0,030                                                                        | 0,480                                                                  |                                                       |

| Madagascar                      |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,740                                                                   | 0,030                                                                        | 0,770                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,350                                                                   | 0,090                                                                        | 1,440                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,320                                                                   | 0,090                                                                        | 1,410                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,610                                                                   | 0,040                                                                        | 0,650                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,110                                                                   | 0,060                                                                        | 1,160                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,200                                                                   | 0,050                                                                        | 1,250                                                                  |                                                       |

| Madagascar                      |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,840                                                                   | 0,080                                                                        | 1,920                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,540                                                                   | 0,060                                                                        | 1,600                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,540                                                                   | 0,060                                                                        | 1,600                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,810                                                                   | 0,090                                                                        | 2,900                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,540                                                                   | 0,060                                                                        | 1,600                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,260                                                                   | 0,060                                                                        | 1,330                                                                  |                                                       |

## Madagascar

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,350                                                                   | 0,080                                                                        | 1,420                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,640                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,760                                                                   | 0,030                                                                        | 0,800                                                                  |                                                       |



| Madagascar                      |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,020                                                                        | 0,530                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,520                                                                   | 0,040                                                                        | 0,560                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,020                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,050                                                                   | 0,040                                                                        | 1,090                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,540                                                                   | 0,040                                                                        | 0,580                                                                  |                                                       |

| Madagascar                      |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,050                                                                   | 0,040                                                                        | 1,090                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,520                                                                   | 0,020                                                                        | 0,550                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Malaysia                        |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,290                                                                   | 0,060                                                                        | 1,340                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,870                                                                   | 0,040                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,260                                                                   | 0,140                                                                        | 1,400                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,870                                                                   | 0,070                                                                        | 0,950                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,290                                                                   | 0,180                                                                        | 1,470                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,830                                                                   | 0,080                                                                        | 0,910                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,150                                                                   | 0,060                                                                        | 2,210                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,050                                                                   | 0,170                                                                        | 2,220                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,620                                                                   | 0,050                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,810                                                                   | 0,080                                                                        | 1,890                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,470                                                                   | 0,040                                                                        | 0,510                                                                  |                                                       |

| Malaysia                        |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,770                                                                   | 0,040                                                                        | 0,820                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,410                                                                   | 0,130                                                                        | 1,540                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,380                                                                   | 0,130                                                                        | 1,500                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,610                                                                   | 0,100                                                                        | 0,700                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,210                                                                   | 0,110                                                                        | 1,330                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,370                                                                   | 0,090                                                                        | 1,460                                                                  |                                                       |

| Malaysia                        |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,110                                                                   | 0,130                                                                        | 2,240                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,820                                                                   | 0,120                                                                        | 1,940                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,820                                                                   | 0,120                                                                        | 1,940                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 3,360                                                                   | 0,090                                                                        | 3,450                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 1,770                                                                   | 0,120                                                                        | 1,890                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution (excl. those in packages with a<br>gross weight of <= 10 kg)                                                                                                                                   | 1,390                                                                   | 0,100                                                                        | 1,490                                                                  |                                                       |

| Malaysia                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,120                                                                        | 1,590                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,710                                                                   | 0,100                                                                        | 0,810                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,900                                                                   | 0,120                                                                        | 1,020                                                                  |                                                       |

| Malaysia                        |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,610                                                                   | 0,090                                                                        | 0,710                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,480                                                                   | 0,070                                                                        | 0,560                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,310                                                                   | 0,060                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,240                                                                   | 0,150                                                                        | 1,390                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,560                                                                   | 0,120                                                                        | 0,680                                                                  |                                                       |

| Malaysia                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,200                                                                   | 0,090                                                                        | 1,290                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,620                                                                   | 0,060                                                                        | 0,680                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 2,409                                                                   | N/A                                                                          | 2,409                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,694                                                                   | N/A                                                                          | 2,694                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,694                                                                   | N/A                                                                          | 2,694                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,694                                                                   | N/A                                                                          | 2,694                                                                  | (K)                                                   |



| Malaysia                        |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,720                                                                   | N/A                                                                          | 2,720                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |

| Malaysia                        |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,694                                                                   | N/A                                                                          | 2,694                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 2,409                                                                   | N/A                                                                          | 2,409                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 3,289                                                                   | N/A                                                                          | 3,289                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                          | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                                                                                                                                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Malaysia                        |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                             | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| Mali                            |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,850                                                                   | 0,050                                                                        | 0,900                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,910                                                                   | 0,080                                                                        | 0,980                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,860                                                                   | 0,080                                                                        | 0,940                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,740                                                                   | 0,050                                                                        | 1,790                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,660                                                                   | 0,050                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,530                                                                   | 0,060                                                                        | 1,590                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Mali                            |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,500                                                                   | 0,040                                                                        | 0,540                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,820                                                                   | 0,040                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,490                                                                   | 0,120                                                                        | 1,610                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,460                                                                   | 0,120                                                                        | 1,580                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,570                                                                   | 0,040                                                                        | 0,610                                                                  |                                                       |

| Mali                            |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,050                                                                   | 0,050                                                                        | 1,100                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,140                                                                   | 0,040                                                                        | 1,190                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,760                                                                   | 0,070                                                                        | 1,830                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,470                                                                   | 0,060                                                                        | 1,530                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,470                                                                   | 0,060                                                                        | 1,530                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,720                                                                   | 0,080                                                                        | 2,790                                                                  |                                                       |

| Mali                            |                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                      | 1,470                                                                   | 0,060                                                                        | 1,530                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                | 1,270                                                                   | 0,070                                                                        | 1,350                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages ≤ 10 kg) | 1,390                                                                   | 0,090                                                                        | 1,480                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg                                                                                                                                                                                                                                                                       | 0,610                                                                   | 0,030                                                                        | 0,640                                                                  |                                                       |

| Mali                            |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,730                                                                   | 0,030                                                                        | 0,760                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,480                                                                   | 0,020                                                                        | 0,500                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,480                                                                   | 0,030                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,290                                                                   | 0,020                                                                        | 0,320                                                                  |                                                       |

| Mali                            |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,000                                                                   | 0,040                                                                        | 1,040                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,500                                                                   | 0,040                                                                        | 0,540                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,000                                                                   | 0,040                                                                        | 1,040                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,500                                                                   | 0,020                                                                        | 0,520                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                                                       | 0,000                                                                   | N/A                                                                          | 0,000                                                                  |                                                       |



| Mauritania                      |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,100                                                                   | 0,090                                                                        | 1,190                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,050                                                                   | 0,090                                                                        | 1,140                                                                  | (A)                                                   |

| Mauritius                       |                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                 | 1,690                                                                   | 0,050                                                                        | 1,740                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                     | 0,640                                                                   | 0,050                                                                        | 0,690                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                            | 1,520                                                                   | 0,080                                                                        | 1,590                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Mauritius                       |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,480                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,790                                                                   | 0,040                                                                        | 0,830                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,440                                                                   | 0,120                                                                        | 1,560                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,410                                                                   | 0,120                                                                        | 1,520                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,630                                                                   | 0,090                                                                        | 0,720                                                                  |                                                       |

| Mauritius                       |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,090                                                                   | 0,100                                                                        | 1,190                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,160                                                                   | 0,080                                                                        | 1,230                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,780                                                                   | 0,120                                                                        | 1,900                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,530                                                                   | 0,110                                                                        | 1,640                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,530                                                                   | 0,110                                                                        | 1,640                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,640                                                                   | 0,080                                                                        | 2,720                                                                  |                                                       |

| Mauritius                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,490                                                                   | 0,100                                                                        | 1,600                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,250                                                                   | 0,100                                                                        | 1,340                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,380                                                                   | 0,110                                                                        | 1,490                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,650                                                                   | 0,090                                                                        | 0,740                                                                  |                                                       |

| Mauritius                       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,780                                                                   | 0,110                                                                        | 0,890                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,530                                                                   | 0,080                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,500                                                                   | 0,070                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,050                                                                        | 0,380                                                                  |                                                       |

| Mauritius                       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                                                     | 1,060                                                                   | 0,140                                                                        | 1,190                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,580                                                                   | 0,110                                                                        | 0,690                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,020                                                                   | 0,080                                                                        | 1,110                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,530                                                                   | 0,060                                                                        | 0,590                                                                  |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,880                                                                   | 0,040                                                                        | 1,920                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 2,260                                                                   | 0,130                                                                        | 2,400                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,680                                                                   | 0,040                                                                        | 0,720                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,660                                                                   | 0,060                                                                        | 1,730                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,510                                                                   | 0,030                                                                        | 0,540                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,840                                                                   | 0,030                                                                        | 0,870                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,530                                                                   | 0,100                                                                        | 1,630                                                                  |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,500                                                                   | 0,100                                                                        | 1,590                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,660                                                                   | 0,070                                                                        | 0,730                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,180                                                                   | 0,080                                                                        | 1,260                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,270                                                                   | 0,060                                                                        | 1,330                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,950                                                                   | 0,100                                                                        | 2,040                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,680                                                                   | 0,090                                                                        | 1,770                                                                  |                                                       |



| Mexico                          |                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,680                                                                   | 0,090                                                                        | 1,770                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 2,930                                                                   | 0,060                                                                        | 3,000                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                               | 1,630                                                                   | 0,080                                                                        | 1,720                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                         | 1,350                                                                   | 0,080                                                                        | 1,430                                                                  |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,490                                                                   | 0,090                                                                        | 1,580                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,070                                                                        | 0,770                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,850                                                                   | 0,090                                                                        | 0,930                                                                  |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,580                                                                   | 0,070                                                                        | 0,640                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,050                                                                        | 0,580                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,340                                                                   | 0,040                                                                        | 0,380                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,150                                                                   | 0,110                                                                        | 1,260                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,610                                                                   | 0,100                                                                        | 0,710                                                                  |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,120                                                                   | 0,070                                                                        | 1,180                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,580                                                                   | 0,050                                                                        | 0,620                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (L)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,420                                                                   | N/A                                                                          | 1,420                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,860                                                                   | N/A                                                                          | 1,860                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,120                                                                   | 0,010                                                                        | 0,130                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 2,580                                                                   | N/A                                                                          | 2,580                                                                  |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | 0,580                                                                   | N/A                                                                          | 0,580                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,570                                                                   | N/A                                                                          | 2,570                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |



| Mexico                          |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                           | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                        | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                                                           | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                                                                | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                                                                     | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                               | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                                                        | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon            | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon           | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                                                                                                            | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                       | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Mexico                          |                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                               | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                              | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                   | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless<br>steel, of circular cross-section or of<br>cross-section other than square or<br>rectangular, rolled or obtained by<br>continuous casting | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless<br>steel, forged (excl. products of square or<br>rectangular cross-section)                                                                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of > 10 mm                              | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |



| Mexico                          |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm      | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 3 mm and < 4,75 mm       | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of < 3 mm                      | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of > 10 mm                 | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 4,75 mm and <= 10 mm | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of >= 3 mm and < 4,75 mm   | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |

| Mexico                          |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, not in coils, of a thickness of < 3 mm                  | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 4,75 mm            | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm     | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm              | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Mexico                          |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked     | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,310                                                                   | N/A                                                                          | 3,310                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Mexico                          |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 11                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section                                                                                                   | 3,310                                                                   | N/A                                                                          | 3,310                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,310                                                                   | N/A                                                                          | 3,310                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,310                                                                   | N/A                                                                          | 3,310                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,310                                                                   | N/A                                                                          | 3,310                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,310                                                                   | N/A                                                                          | 3,310                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                                                                                                                                                                                                                      | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |

| Mexico                          |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                          | 4,790                                                                   | N/A                                                                          | 4,790                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                              | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                          | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)       | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)   | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel) | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |

| Mexico                          |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,790                                                                   | N/A                                                                          | 4,790                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (C)                                                   |



| Mexico                          |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 19 80                      | Flat-rolled products of silicon-electrical<br>steel, of a width of < 600 mm, cold-<br>rolled "cold-reduced", whether or not<br>further worked, or hot-rolled and<br>further worked, non-grain-oriented                        | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 3,650                                                                   | N/A                                                                          | 3,650                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (C)/(F)                                               |

| Mexico                          |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,710                                                                   | N/A                                                                          | 3,710                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,960                                                                   | N/A                                                                          | 2,960                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,800                                                                   | N/A                                                                          | 2,800                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Mexico                          |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (F)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |

| Mexico                          |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |



| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,240                                                                   | N/A                                                                          | 3,240                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,760                                                                   | N/A                                                                          | 2,760                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,700                                                                   | N/A                                                                          | 2,700                                                                  | (F)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,760                                                                   | N/A                                                                          | 2,760                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,300                                                                   | N/A                                                                          | 3,300                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,550                                                                   | N/A                                                                          | 2,550                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,550                                                                   | N/A                                                                          | 2,550                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                                                                                                                                                                                                                                                                                                                                     | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel<br>(excl. cast iron or stainless steel<br>products; flanges; threaded elbows,<br>bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                                          | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g.,<br>bridges and bridge-sections, lock-gates,<br>towers, lattice masts, roofs, roofing<br>frameworks, doors and windows and<br>their frames and thresholds for doors,<br>shutters, balustrades, pillars and<br>columns", of iron or steel; plates, rods,<br>angles, shapes, sections, tubes and the<br>like, prepared for use in structures, of<br>iron or steel (excl. prefabricated<br>buildings of heading 9406) | 2,990                                                                   | N/A                                                                          | 2,990                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar<br>containers, of iron or steel, for any<br>material "other than compressed or<br>liquefied gas", of a capacity of > 300 l,<br>not fitted with mechanical or thermal<br>equipment, whether or not lined or<br>heat-insulated (excl. containers<br>specifically constructed or equipped for<br>one or more types of transport)                                                                                           | 3,130                                                                   | N/A                                                                          | 3,130                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |

| Mexico                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,900                                                                   | N/A                                                                          | 2,900                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Mexico                          |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |

| Moldova, Republic of            |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,340                                                                   | 0,040                                                                        | 1,380                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,340                                                                   | 0,070                                                                        | 1,410                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,760                                                                   | 0,040                                                                        | 2,800                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,040                                                                        | 0,690                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,230                                                                   | 0,060                                                                        | 2,290                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,490                                                                   | 0,030                                                                        | 0,520                                                                  |                                                       |

| Moldova, Republic of            |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,810                                                                   | 0,030                                                                        | 0,840                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,470                                                                   | 0,100                                                                        | 1,570                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,440                                                                   | 0,100                                                                        | 1,540                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,640                                                                   | 0,080                                                                        | 0,710                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,420                                                                   | 0,080                                                                        | 1,510                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,680                                                                   | 0,060                                                                        | 1,750                                                                  |                                                       |

| Moldova, Republic of            |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,590                                                                   | 0,100                                                                        | 2,690                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,220                                                                   | 0,090                                                                        | 2,310                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 2,220                                                                   | 0,090                                                                        | 2,310                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 4,310                                                                   | 0,070                                                                        | 4,380                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 2,170                                                                   | 0,090                                                                        | 2,260                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,620                                                                   | 0,080                                                                        | 1,700                                                                  |                                                       |

| Moldova, Republic of            |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,660                                                                   | 0,090                                                                        | 1,760                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,820                                                                   | 0,080                                                                        | 0,900                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,090                                                                   | 0,090                                                                        | 1,180                                                                  |                                                       |

| Moldova, Republic of            |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,740                                                                   | 0,070                                                                        | 0,810                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,510                                                                   | 0,060                                                                        | 0,560                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,320                                                                   | 0,040                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,500                                                                   | 0,110                                                                        | 1,610                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,590                                                                   | 0,100                                                                        | 0,680                                                                  |                                                       |

| Moldova, Republic of            |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,460                                                                   | 0,070                                                                        | 1,530                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,750                                                                   | 0,050                                                                        | 0,800                                                                  |                                                       |

| Mongolia                        |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | 1,360                                                                   | 0,070                                                                        | 1,430                                                                  | (A)                                                   |

| Mongolia                        |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,360                                                                   | 0,130                                                                        | 1,490                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,290                                                                   | 0,130                                                                        | 1,420                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,190                                                                   | 0,090                                                                        | 2,290                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,090                                                                        | 0,740                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,820                                                                   | 0,110                                                                        | 1,930                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,410                                                                   | 0,050                                                                        | 0,460                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,670                                                                   | 0,050                                                                        | 0,730                                                                  |                                                       |



| Mongolia                        |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,230                                                                   | 0,160                                                                        | 1,390                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,200                                                                   | 0,160                                                                        | 1,360                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,560                                                                   | 0,070                                                                        | 0,630                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,180                                                                   | 0,100                                                                        | 1,270                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,360                                                                   | 0,080                                                                        | 1,440                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 2,090                                                                   | 0,130                                                                        | 2,220                                                                  |                                                       |

| Mongolia                        |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,750                                                                   | 0,110                                                                        | 1,860                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,750                                                                   | 0,110                                                                        | 1,860                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,420                                                                   | 0,150                                                                        | 3,570                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,750                                                                   | 0,110                                                                        | 1,860                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,340                                                                   | 0,110                                                                        | 1,450                                                                  |                                                       |

| Mongolia                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,360                                                                   | 0,130                                                                        | 1,490                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,670                                                                   | 0,060                                                                        | 0,730                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,850                                                                   | 0,060                                                                        | 0,910                                                                  |                                                       |

| Mongolia                        |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,570                                                                   | 0,040                                                                        | 0,600                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,470                                                                   | 0,060                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,290                                                                   | 0,040                                                                        | 0,330                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,180                                                                   | 0,080                                                                        | 1,250                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,490                                                                   | 0,070                                                                        | 0,560                                                                  |                                                       |

| Mongolia                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,180                                                                   | 0,080                                                                        | 1,250                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,590                                                                   | 0,040                                                                        | 0,630                                                                  |                                                       |

| Montenegro                      |                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                              |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium          | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (K)                                                   |

| Montenegro                      |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                               | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                        | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                          | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,290                                                                   | N/A                                                                          | 2,290                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |

| Montenegro                      |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                          | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                                                                                                                                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                                                                                                                                                                           | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |

| Montenegro                      |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| Morocco                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,850                                                                   | 0,060                                                                        | 0,900                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | 1,210                                                                   | 0,150                                                                        | 1,360                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,860                                                                   | 0,100                                                                        | 0,950                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | 1,250                                                                   | 0,200                                                                        | 1,450                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,820                                                                   | 0,100                                                                        | 0,910                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,480                                                                   | 0,060                                                                        | 2,540                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,030                                                                   | 0,180                                                                        | 2,200                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,610                                                                   | 0,050                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 2,020                                                                   | 0,090                                                                        | 2,100                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Morocco                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,450                                                                   | 0,050                                                                        | 0,500                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,750                                                                   | 0,050                                                                        | 0,790                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,360                                                                   | 0,140                                                                        | 1,500                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,330                                                                   | 0,140                                                                        | 1,460                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,590                                                                   | 0,110                                                                        | 0,700                                                                  |                                                       |

| Morocco                         |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,300                                                                   | 0,120                                                                        | 1,420                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,530                                                                   | 0,090                                                                        | 1,620                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,350                                                                   | 0,140                                                                        | 2,490                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,010                                                                   | 0,130                                                                        | 2,140                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,010                                                                   | 0,130                                                                        | 2,140                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 3,880                                                                   | 0,090                                                                        | 3,970                                                                  |                                                       |

| Morocco                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,970                                                                   | 0,120                                                                        | 2,090                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,480                                                                   | 0,110                                                                        | 1,590                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,520                                                                   | 0,130                                                                        | 1,650                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,750                                                                   | 0,110                                                                        | 0,860                                                                  |                                                       |

| Morocco                         |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,990                                                                   | 0,130                                                                        | 1,120                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,670                                                                   | 0,100                                                                        | 0,770                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,480                                                                   | 0,080                                                                        | 0,550                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,300                                                                   | 0,060                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                     | 1,360                                                                   | 0,160                                                                        | 1,520                                                                  |                                                       |

| Morocco                         |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,550                                                                   | 0,120                                                                        | 0,670                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,330                                                                   | 0,100                                                                        | 1,420                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,680                                                                   | 0,070                                                                        | 0,750                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                                            | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                                                   | 0,510                                                                   | N/A                                                                          | 0,510                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                                                  | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                                                       | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |

| Morocco                         |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                        | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                          | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |

| Morocco                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,510                                                                   | N/A                                                                          | 0,510                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Mozambique                      |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 3,198                                                                   | N/A                                                                          | 3,198                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 3,712                                                                   | N/A                                                                          | 3,712                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 4,124                                                                   | N/A                                                                          | 4,124                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 4,124                                                                   | N/A                                                                          | 4,124                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 4,124                                                                   | N/A                                                                          | 4,124                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                   | 4,161                                                                   | N/A                                                                          | 4,161                                                                  | (K)                                                   |



| Mozambique                      |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 4,124                                                                   | N/A                                                                          | 4,124                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 3,712                                                                   | N/A                                                                          | 3,712                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 4,986                                                                   | N/A                                                                          | 4,986                                                                  | (K)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,360                                                                   | 0,030                                                                        | 1,380                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,350                                                                   | 0,050                                                                        | 1,400                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,280                                                                   | 0,050                                                                        | 1,330                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,140                                                                   | 0,030                                                                        | 2,170                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,100                                                                   | 0,110                                                                        | 2,200                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,630                                                                   | 0,030                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,800                                                                   | 0,050                                                                        | 1,860                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,480                                                                   | 0,030                                                                        | 0,500                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,790                                                                   | 0,030                                                                        | 0,820                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,430                                                                   | 0,080                                                                        | 1,520                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,400                                                                   | 0,080                                                                        | 1,480                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,620                                                                   | 0,060                                                                        | 0,680                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,220                                                                   | 0,070                                                                        | 1,290                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,370                                                                   | 0,050                                                                        | 1,420                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,110                                                                   | 0,080                                                                        | 2,190                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,820                                                                   | 0,080                                                                        | 1,890                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,820                                                                   | 0,080                                                                        | 1,890                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,340                                                                   | 0,050                                                                        | 3,390                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,770                                                                   | 0,070                                                                        | 1,840                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,400                                                                   | 0,060                                                                        | 1,460                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,480                                                                   | 0,080                                                                        | 1,560                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,720                                                                   | 0,060                                                                        | 0,780                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,900                                                                   | 0,080                                                                        | 0,980                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,610                                                                   | 0,060                                                                        | 0,670                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,490                                                                   | 0,050                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,040                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,240                                                                   | 0,090                                                                        | 1,330                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,570                                                                   | 0,090                                                                        | 0,660                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,200                                                                   | 0,060                                                                        | 1,260                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,620                                                                   | 0,040                                                                        | 0,660                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                                                                                                | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                                                                                                   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,350                                                                   | N/A                                                                          | 1,350                                                                  | (E)/(H)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |



| Myanmar                         |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |



| Myanmar                         |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |

| Myanmar                         |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                                          | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                                                  | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s.                       | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,530                                                                   | N/A                                                                          | 4,530                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |



| Myanmar                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,530                                                                   | N/A                                                                          | 4,530                                                                  | (E)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)/(H)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)/(H)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)/(H)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (H)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,400                                                                   | N/A                                                                          | 3,400                                                                  | (E)/(H)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 0,520                                                                   | N/A                                                                          | 0,520                                                                  | (E)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (E)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 1,350                                                                   | N/A                                                                          | 1,350                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |

| Myanmar                         |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (H)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)/(H)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |



| Myanmar                         |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (H)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (H)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (H)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 0,560                                                                   | N/A                                                                          | 0,560                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 1,350                                                                   | N/A                                                                          | 1,350                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 1,350                                                                   | N/A                                                                          | 1,350                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,640                                                                   | N/A                                                                          | 2,640                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,640                                                                   | N/A                                                                          | 2,640                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,640                                                                   | N/A                                                                          | 2,640                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,640                                                                   | N/A                                                                          | 2,640                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,700                                                                   | N/A                                                                          | 2,700                                                                  | (E)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 0,570                                                                   | N/A                                                                          | 0,570                                                                  | (E)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (E)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |



| Myanmar                         |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel (excl. wood screws)                                                                                                                                                                              | 3,130                                                                   | N/A                                                                          | 3,130                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel other than stainless                                                                                                                                                                               | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)                                                                                                                                   | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 2,300                                                                   | N/A                                                                          | 2,300                                                                  | (E)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 2,900                                                                   | N/A                                                                          | 2,900                                                                  | (E)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (E)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 1,040                                                                   | N/A                                                                          | 1,040                                                                  | (E)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Myanmar                         |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (E)                                                   |

| Namibia                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,880                                                                   | 0,000                                                                        | 0,880                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,880                                                                   | 0,010                                                                        | 0,890                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,840                                                                   | 0,010                                                                        | 0,850                                                                  | (A)                                                   |

| Nepal                           |                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                 | 1,770                                                                   | 0,070                                                                        | 1,840                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                     | 0,700                                                                   | 0,060                                                                        | 0,770                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                            | 1,610                                                                   | 0,090                                                                        | 1,700                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Nepal                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,520                                                                   | 0,050                                                                        | 0,570                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,860                                                                   | 0,050                                                                        | 0,910                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,570                                                                   | 0,140                                                                        | 1,720                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,540                                                                   | 0,140                                                                        | 1,680                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,680                                                                   | 0,090                                                                        | 0,770                                                                  |                                                       |

| Nepal                           |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,170                                                                   | 0,100                                                                        | 1,270                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,220                                                                   | 0,080                                                                        | 1,310                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,880                                                                   | 0,130                                                                        | 2,010                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,630                                                                   | 0,110                                                                        | 1,740                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,630                                                                   | 0,110                                                                        | 1,740                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,760                                                                   | 0,110                                                                        | 2,870                                                                  |                                                       |

| Nepal                           |                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                      | 1,580                                                                   | 0,110                                                                        | 1,690                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                | 1,340                                                                   | 0,100                                                                        | 1,440                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages ≤ 10 kg) | 1,490                                                                   | 0,120                                                                        | 1,610                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,080                                                                        | 0,780                                                                  |                                                       |

| Nepal                           |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,820                                                                   | 0,090                                                                        | 0,910                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,560                                                                   | 0,070                                                                        | 0,630                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,550                                                                   | 0,070                                                                        | 0,610                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)   | 0,350                                                                   | 0,050                                                                        | 0,400                                                                  |                                                       |

| Nepal                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                                                     | 1,120                                                                   | 0,110                                                                        | 1,240                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,630                                                                   | 0,110                                                                        | 0,740                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,080                                                                   | 0,080                                                                        | 1,170                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,050                                                                        | 0,610                                                                  |                                                       |



| New Caledonia and dependencies  |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Iron and steel</b>           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 60 00                      | Ferro-nickel                                                | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
|                                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| New Zealand                     |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,010                                                                        | 0,880                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,890                                                                   | 0,030                                                                        | 0,920                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,850                                                                   | 0,030                                                                        | 0,880                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,590                                                                   | 0,030                                                                        | 1,620                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 1,760                                                                   | 0,040                                                                        | 1,800                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,530                                                                   | 0,010                                                                        | 0,540                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,380                                                                   | 0,030                                                                        | 1,420                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| New Zealand                     |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,400                                                                   | 0,010                                                                        | 0,420                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,670                                                                   | 0,010                                                                        | 0,680                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,220                                                                   | 0,040                                                                        | 1,250                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,190                                                                   | 0,040                                                                        | 1,230                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,530                                                                   | 0,030                                                                        | 0,550                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 0,970                                                                   | 0,040                                                                        | 1,000                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,050                                                                   | 0,030                                                                        | 1,090                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,620                                                                   | 0,050                                                                        | 1,670                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,400                                                                   | 0,040                                                                        | 1,450                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,400                                                                   | 0,040                                                                        | 1,450                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,480                                                                   | 0,050                                                                        | 2,530                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                      | 1,360                                                                   | 0,040                                                                        | 1,400                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                | 1,110                                                                   | 0,040                                                                        | 1,140                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages ≤ 10 kg) | 1,210                                                                   | 0,040                                                                        | 1,240                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg                                                                                                                                                                                                                                                                       | 0,570                                                                   | 0,030                                                                        | 0,610                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,710                                                                   | 0,040                                                                        | 0,750                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,480                                                                   | 0,030                                                                        | 0,510                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,420                                                                   | 0,020                                                                        | 0,440                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,270                                                                   | 0,020                                                                        | 0,290                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 0,960                                                                   | 0,050                                                                        | 1,010                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                             | 0,490                                                                   | 0,060                                                                        | 0,550                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 0,930                                                                   | 0,030                                                                        | 0,960                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,480                                                                   | 0,020                                                                        | 0,500                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                          | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,070                                                                   | 0,040                                                                        | 0,100                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |



| New Zealand                     |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,320                                                                   | N/A                                                                          | 2,320                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |



| New Zealand                     |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                          | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                         | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                           | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |

| New Zealand                     |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring >= twice the thickness<br>(excl. of tool steel)                                                                                                                                                                                                  | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,660                                                                   | N/A                                                                          | 4,660                                                                  | (C)                                                   |



| New Zealand                     |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,660                                                                   | N/A                                                                          | 4,660                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 3,530                                                                   | N/A                                                                          | 3,530                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other<br>than stainless, angles, shapes and<br>sections of alloy steel other than<br>stainless, n.e.s.; hollow drill bars and<br>rods, of alloy or non-alloy steel                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| New Zealand                     |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,360                                                                   | N/A                                                                          | 2,360                                                                  | (F)                                                   |



| New Zealand                     |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,360                                                                   | N/A                                                                          | 2,360                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |

| New Zealand                     |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,380                                                                   | N/A                                                                          | 3,380                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (F)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,390                                                                   | N/A                                                                          | 3,390                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,820                                                                   | N/A                                                                          | 2,820                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,820                                                                   | N/A                                                                          | 2,820                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,820                                                                   | N/A                                                                          | 2,820                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,820                                                                   | N/A                                                                          | 2,820                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,900                                                                   | N/A                                                                          | 2,900                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |



| New Zealand                     |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,020                                                                   | N/A                                                                          | 3,020                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| New Zealand                     |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,820                                                                   | N/A                                                                          | 2,820                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,020                                                                   | N/A                                                                          | 3,020                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,470                                                                   | N/A                                                                          | 2,470                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| New Zealand                     |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 2,430                                                                   | N/A                                                                          | 2,430                                                                  | (C)                                                   |

| Nicaragua                       |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,810                                                                   | 0,070                                                                        | 1,880                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,680                                                                   | 0,070                                                                        | 0,750                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,620                                                                   | 0,110                                                                        | 1,730                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,510                                                                   | 0,060                                                                        | 0,570                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,840                                                                   | 0,060                                                                        | 0,900                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,530                                                                   | 0,180                                                                        | 1,700                                                                  |                                                       |

| Nicaragua                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,500                                                                   | 0,170                                                                        | 1,670                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,660                                                                   | 0,130                                                                        | 0,790                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,160                                                                   | 0,140                                                                        | 1,300                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,230                                                                   | 0,110                                                                        | 1,340                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,900                                                                   | 0,170                                                                        | 2,060                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,640                                                                   | 0,160                                                                        | 1,800                                                                  |                                                       |

| Nicaragua                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,640                                                                   | 0,160                                                                        | 1,800                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,820                                                                   | 0,120                                                                        | 2,940                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,590                                                                   | 0,150                                                                        | 1,740                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,330                                                                   | 0,140                                                                        | 1,470                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,160                                                                        | 1,630                                                                  |                                                       |

| Nicaragua                       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,690                                                                   | 0,130                                                                        | 0,820                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,830                                                                   | 0,150                                                                        | 0,980                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,560                                                                   | 0,120                                                                        | 0,680                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,100                                                                        | 0,630                                                                  |                                                       |

| Nicaragua                       |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,340                                                                   | 0,080                                                                        | 0,410                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,130                                                                   | 0,190                                                                        | 1,320                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,610                                                                   | 0,140                                                                        | 0,750                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,090                                                                   | 0,120                                                                        | 1,210                                                                  |                                                       |



| Nicaragua                       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,080                                                                        | 0,640                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                                                                           | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |

| Nicaragua                       |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |

| Nicaragua                       |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Niger                           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,240                                                                   | 0,080                                                                        | 1,320                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,220                                                                   | 0,130                                                                        | 1,350                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,160                                                                   | 0,130                                                                        | 1,290                                                                  | (A)                                                   |

| Niger                           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
|                                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Nigeria                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,240                                                                   | 0,030                                                                        | 1,280                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,240                                                                   | 0,050                                                                        | 1,300                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,180                                                                   | 0,060                                                                        | 1,240                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,610                                                                   | 0,030                                                                        | 1,650                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,010                                                                   | 0,100                                                                        | 2,110                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,600                                                                   | 0,030                                                                        | 0,630                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,450                                                                   | 0,050                                                                        | 1,500                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Nigeria                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,460                                                                   | 0,030                                                                        | 0,490                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,760                                                                   | 0,030                                                                        | 0,790                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,380                                                                   | 0,080                                                                        | 1,460                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,350                                                                   | 0,080                                                                        | 1,430                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,600                                                                   | 0,060                                                                        | 0,660                                                                  |                                                       |

| Nigeria                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                      | 1,040                                                                   | 0,070                                                                        | 1,110                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                             | 1,100                                                                   | 0,050                                                                        | 1,150                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,700                                                                   | 0,080                                                                        | 1,770                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,470                                                                   | 0,070                                                                        | 1,540                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,470                                                                   | 0,070                                                                        | 1,540                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,520                                                                   | 0,050                                                                        | 2,570                                                                  |                                                       |

| Nigeria                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,420                                                                   | 0,070                                                                        | 1,490                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,200                                                                   | 0,060                                                                        | 1,260                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,320                                                                   | 0,070                                                                        | 1,400                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,620                                                                   | 0,060                                                                        | 0,680                                                                  |                                                       |

| Nigeria                         |                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)       | 0,750                                                                   | 0,070                                                                        | 0,820                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)        | 0,510                                                                   | 0,060                                                                        | 0,570                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                | 0,470                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg) | 0,300                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                     | 1,010                                                                   | 0,090                                                                        | 1,100                                                                  |                                                       |



| Nigeria                         |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,550                                                                   | 0,080                                                                        | 0,640                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 0,980                                                                   | 0,050                                                                        | 1,030                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,510                                                                   | 0,040                                                                        | 0,540                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                                            | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                                                   | 1,100                                                                   | N/A                                                                          | 1,100                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                                                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                                                       | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |

| Nigeria                         |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                        | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                          | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                               | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,340                                                                   | N/A                                                                          | 1,340                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |

| Nigeria                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,100                                                                   | N/A                                                                          | 1,100                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,790                                                                   | N/A                                                                          | 1,790                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| North Korea (Democratic People's Republic of Korea) |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|-----------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code                     | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                                       |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                                       | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                                       | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                                       | Other clinker including grey clinker                                                                                                                                                                                           | 1,360                                                                   | 0,040                                                                        | 1,390                                                                  | (A)                                                   |
| 2523 21 00                                          | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                                          | Grey Portland cement                                                                                                                                                                                                           | 1,360                                                                   | 0,070                                                                        | 1,420                                                                  |                                                       |
| 2523 30 00                                          | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                                       | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                                       | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,290                                                                   | 0,070                                                                        | 1,360                                                                  | (A)                                                   |
| <b>Fertilisers</b>                                  |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                                          | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,080                                                                   | 0,050                                                                        | 2,130                                                                  |                                                       |
| 2814 10 00                                          | Anhydrous ammonia                                                                                                                                                                                                              | 2,050                                                                   | 0,150                                                                        | 2,200                                                                  |                                                       |
| 2814 20 00                                          | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,620                                                                   | 0,040                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                                          | Nitrate of potassium                                                                                                                                                                                                           | 1,750                                                                   | 0,070                                                                        | 1,820                                                                  |                                                       |
| 3102                                                | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                                          | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,440                                                                   | 0,040                                                                        | 0,480                                                                  |                                                       |

| North Korea (Democratic People's Republic of Korea) |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code                     | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                                          | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,740                                                                   | 0,040                                                                        | 0,770                                                                  |                                                       |
| 3102 10 19                                          | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,340                                                                   | 0,120                                                                        | 1,450                                                                  |                                                       |
| 3102 10 90                                          | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,310                                                                   | 0,110                                                                        | 1,420                                                                  |                                                       |
| 3102 21 00                                          | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,590                                                                   | 0,090                                                                        | 0,680                                                                  |                                                       |
| 3102 29 00                                          | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,180                                                                   | 0,100                                                                        | 1,270                                                                  |                                                       |
| 3102 30 10                                          | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,330                                                                   | 0,070                                                                        | 1,400                                                                  |                                                       |

| North Korea (Democratic People's Republic of Korea) |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code                     | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                                          | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,040                                                                   | 0,110                                                                        | 2,160                                                                  |                                                       |
| 3102 40 10                                          | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,750                                                                   | 0,100                                                                        | 1,850                                                                  |                                                       |
| 3102 40 90                                          | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,750                                                                   | 0,100                                                                        | 1,850                                                                  |                                                       |
| 3102 50 00                                          | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,250                                                                   | 0,070                                                                        | 3,320                                                                  |                                                       |
| 3102 60 00                                          | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,710                                                                   | 0,100                                                                        | 1,810                                                                  |                                                       |
| 3102 80 00                                          | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,340                                                                   | 0,090                                                                        | 1,430                                                                  |                                                       |

| North Korea (Democratic People's Republic of Korea) |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code                     | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                                          | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,410                                                                   | 0,110                                                                        | 1,520                                                                  |                                                       |
| 3105                                                | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                                          | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,690                                                                   | 0,090                                                                        | 0,780                                                                  |                                                       |
| 3105 20 10                                          | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,870                                                                   | 0,110                                                                        | 0,970                                                                  |                                                       |

| North Korea (Democratic People's Republic of Korea) |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code                     | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                                          | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,590                                                                   | 0,080                                                                        | 0,670                                                                  |                                                       |
| 3105 30 00                                          | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,480                                                                   | 0,060                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                                          | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,300                                                                   | 0,050                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                                          | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,190                                                                   | 0,130                                                                        | 1,320                                                                  |                                                       |
| 3105 59 00                                          | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,550                                                                   | 0,100                                                                        | 0,650                                                                  |                                                       |



| North Korea (Democratic People's Republic of Korea) |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code                     | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                                          | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,160                                                                   | 0,080                                                                        | 1,240                                                                  |                                                       |
| 3105 90 80                                          | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,600                                                                   | 0,060                                                                        | 0,650                                                                  |                                                       |
| <b>Hydrogen</b>                                     |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                                          | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| North Macedonia                                     |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code                     | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                                       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                                       | Calcined clay                                                                                                                                                                                                                                                                                                                                                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                                       | White clinker                                                                                                                                                                                                                                                                                                                                                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,850                                                                   | 0,050                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,870                                                                   | 0,090                                                                        | 0,960                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,830                                                                   | 0,090                                                                        | 0,920                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,740                                                                   | 0,060                                                                        | 2,790                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,050                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,190                                                                   | 0,080                                                                        | 2,270                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,440                                                                   | 0,040                                                                        | 0,480                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,720                                                                   | 0,040                                                                        | 0,770                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,310                                                                   | 0,140                                                                        | 1,450                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,280                                                                   | 0,130                                                                        | 1,420                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,600                                                                   | 0,100                                                                        | 0,700                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,380                                                                   | 0,110                                                                        | 1,500                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,650                                                                   | 0,090                                                                        | 1,740                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 2,540                                                                   | 0,130                                                                        | 2,670                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,150                                                                   | 0,120                                                                        | 2,270                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,150                                                                   | 0,120                                                                        | 2,270                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 4,270                                                                   | 0,090                                                                        | 4,360                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 2,130                                                                   | 0,120                                                                        | 2,240                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,550                                                                   | 0,100                                                                        | 1,660                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,560                                                                   | 0,120                                                                        | 1,680                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,790                                                                   | 0,100                                                                        | 0,890                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,050                                                                   | 0,120                                                                        | 1,170                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,710                                                                   | 0,090                                                                        | 0,800                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,500                                                                   | 0,080                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,320                                                                   | 0,060                                                                        | 0,380                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,440                                                                   | 0,150                                                                        | 1,590                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,560                                                                   | 0,110                                                                        | 0,670                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,430                                                                   | 0,090                                                                        | 1,520                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,730                                                                   | 0,060                                                                        | 0,790                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                                                                                                | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                                                                                                   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                                                                                               | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,630                                                                   | N/A                                                                          | 1,630                                                                  | (E)/(H)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |



| North Macedonia                 |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 1,922                                                                   | N/A                                                                          | 1,922                                                                  | (E)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 2,900                                                                   | N/A                                                                          | 2,900                                                                  |                                                       |



| North Macedonia                 |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 2,900                                                                   | N/A                                                                          | 2,900                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 2,900                                                                   | N/A                                                                          | 2,900                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                                          | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                                                  | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s.                       | 2,900                                                                   | N/A                                                                          | 2,900                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (H)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                       | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (H)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (H)                                                   |

| North Macedonia                 |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                          | 4,550                                                                   | N/A                                                                          | 4,550                                                                  | (E)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                              | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                          | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)       | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)   | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |



| North Macedonia                 |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,550                                                                   | N/A                                                                          | 4,550                                                                  | (E)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                      | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                    | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)/(H)                                               |

| North Macedonia                 |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (H)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)/(H)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (H)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)/(H)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (H)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (E)/(H)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 1,550                                                                   | N/A                                                                          | 1,550                                                                  | (E)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,580                                                                   | N/A                                                                          | 2,580                                                                  | (E)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 1,640                                                                   | N/A                                                                          | 1,640                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |

| North Macedonia                 |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 1,560                                                                   | N/A                                                                          | 1,560                                                                  | (E)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 1,560                                                                   | N/A                                                                          | 1,560                                                                  | (E)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 1,560                                                                   | N/A                                                                          | 1,560                                                                  | (E)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 1,560                                                                   | N/A                                                                          | 1,560                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 1,560                                                                   | N/A                                                                          | 1,560                                                                  | (E)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 1,570                                                                   | N/A                                                                          | 1,570                                                                  | (H)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 1,570                                                                   | N/A                                                                          | 1,570                                                                  | (E)/(H)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 1,560                                                                   | N/A                                                                          | 1,560                                                                  | (E)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 1,570                                                                   | N/A                                                                          | 1,570                                                                  | (E)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |



| North Macedonia                 |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (H)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (H)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (H)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 1,898                                                                   | N/A                                                                          | 1,898                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 1,630                                                                   | N/A                                                                          | 1,630                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 1,630                                                                   | N/A                                                                          | 1,630                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,630                                                                   | N/A                                                                          | 2,630                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,630                                                                   | N/A                                                                          | 2,630                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,630                                                                   | N/A                                                                          | 2,630                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,630                                                                   | N/A                                                                          | 2,630                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,690                                                                   | N/A                                                                          | 2,690                                                                  | (E)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 2,900                                                                   | N/A                                                                          | 2,900                                                                  | (E)                                                   |

| North Macedonia                 |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 1,580                                                                   | N/A                                                                          | 1,580                                                                  | (E)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 2,900                                                                   | N/A                                                                          | 2,900                                                                  | (E)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |



| North Macedonia                 |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 2,910                                                                   | N/A                                                                          | 2,910                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (E)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,860                                                                   | N/A                                                                          | 2,860                                                                  | (E)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 1,830                                                                   | N/A                                                                          | 1,830                                                                  | (E)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (E)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| North Macedonia                 |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                         | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel            | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die forged, n.e.s.                                                                                 | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die forged, n.e.s.                                                                               | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                         | 1,510                                                                   | N/A                                                                          | 1,510                                                                  | (E)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (E)                                                   |

| Oman                            |                                                                        |                                                                         |                                                                              |                                                                        |                                                         |
|---------------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | A Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                        |                                                                         |                                                                              |                                                                        |                                                         |
| 2507 00 80 80                   | Calcined clay                                                          | -                                                                       | -                                                                            | -                                                                      |                                                         |
| 2523 10 00 10                   | White clinker                                                          | -                                                                       | -                                                                            | -                                                                      |                                                         |
| 2523 10 00 90                   | Other clinker including grey clinker                                   | 0,830                                                                   | 0,030                                                                        | 0,860                                                                  | (A)                                                     |
| 2523 21 00                      | White Portland cement                                                  | -                                                                       | -                                                                            | -                                                                      |                                                         |
| 2523 29 00                      | Grey Portland cement                                                   | 0,860                                                                   | 0,060                                                                        | 0,920                                                                  |                                                         |
| 2523 30 00                      | Aluminous cement                                                       | -                                                                       | -                                                                            | -                                                                      |                                                         |
| 2523 90 00 10                   | White hydraulic cement                                                 | -                                                                       | -                                                                            | -                                                                      |                                                         |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements            | -                                                                       | -                                                                            | -                                                                      |                                                         |
| <b>Aluminium</b>                |                                                                        |                                                                         |                                                                              |                                                                        |                                                         |
| 7601                            | Unwrought aluminium                                                    | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                     |
| 7603                            | Aluminium powders and flakes                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                     |
| 7604 10 10                      | Bars and rods                                                          | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                     |
| 7604 10 90                      | Profiles                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7604 21 00                      | Hollow profiles                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7604 29 10                      | Bars and rods                                                          | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                     |
| 7604 29 90                      | Profiles                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7605                            | Aluminium wire                                                         | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                     |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |

| Oman                            |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                         |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | A Underlying production<br>route determining CBAM<br>BM |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                    | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                      | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7609 00 00                      | Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)                                                                                                                                                                                                                                      | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7610 10 00                      | Doors, windows and their frames and thresholds for doors                                                                                                                                                                                                                                                       | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7610 90 10                      | Bridges and bridge-sections, towers and lattice masts                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                     |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |

| Oman                            |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                         |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | A Underlying production<br>route determining CBAM<br>BM |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                     |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |
| 7616 99 10                      | Cast                                                                                                                                                            | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                     |
| 7616 99 90                      | Other                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                     |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                         |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                         |
| <b>Iron and steel</b>           |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                         |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                        | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                         |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                         |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                         | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                         |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                        | -                                                                       | N/A                                                                          | -                                                                      |                                                         |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                    | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                         |

| Pakistan                        |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,250                                                                   | 0,040                                                                        | 1,290                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,280                                                                   | 0,020                                                                        | 1,300                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,290                                                                   | 0,120                                                                        | 1,410                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,280                                                                   | 0,050                                                                        | 1,320                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,770                                                                   | 0,040                                                                        | 1,800                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,340                                                                   | 0,120                                                                        | 2,460                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,700                                                                   | 0,040                                                                        | 0,740                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,610                                                                   | 0,050                                                                        | 1,660                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,520                                                                   | 0,030                                                                        | 0,550                                                                  |                                                       |

| Pakistan                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,860                                                                   | 0,030                                                                        | 0,890                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,560                                                                   | 0,090                                                                        | 1,650                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,530                                                                   | 0,090                                                                        | 1,620                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,680                                                                   | 0,060                                                                        | 0,750                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,160                                                                   | 0,070                                                                        | 1,240                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,220                                                                   | 0,060                                                                        | 1,280                                                                  |                                                       |

| Pakistan                        |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,880                                                                   | 0,080                                                                        | 1,960                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,620                                                                   | 0,080                                                                        | 1,700                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,620                                                                   | 0,080                                                                        | 1,700                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,760                                                                   | 0,060                                                                        | 2,820                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,580                                                                   | 0,080                                                                        | 1,650                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,340                                                                   | 0,070                                                                        | 1,400                                                                  |                                                       |



| Pakistan                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,480                                                                   | 0,080                                                                        | 1,560                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,060                                                                        | 0,760                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,820                                                                   | 0,080                                                                        | 0,900                                                                  |                                                       |

| Pakistan                        |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,560                                                                   | 0,060                                                                        | 0,620                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,550                                                                   | 0,050                                                                        | 0,600                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,350                                                                   | 0,040                                                                        | 0,390                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,120                                                                   | 0,100                                                                        | 1,210                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,630                                                                   | 0,090                                                                        | 0,720                                                                  |                                                       |

| Pakistan                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,080                                                                   | 0,060                                                                        | 1,140                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,040                                                                        | 0,600                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,520                                                                   | N/A                                                                          | 1,520                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,520                                                                   | N/A                                                                          | 1,520                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 1,520                                                                   | N/A                                                                          | 1,520                                                                  | (L)                                                   |

| Pakistan                        |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,530                                                                   | N/A                                                                          | 1,530                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |

| Pakistan                        |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,520                                                                   | N/A                                                                          | 1,520                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                          | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                                                                                                                                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Pakistan                        |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                             | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| Panama                          |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,020                                                                        | 0,890                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | 1,220                                                                   | 0,130                                                                        | 1,350                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,890                                                                   | 0,040                                                                        | 0,940                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,830                                                                   | 0,030                                                                        | 1,860                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,680                                                                   | 0,030                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,600                                                                   | 0,040                                                                        | 1,640                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Panama                          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,430                                                                   | 0,020                                                                        | 0,450                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,710                                                                   | 0,020                                                                        | 0,730                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,280                                                                   | 0,060                                                                        | 1,350                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,260                                                                   | 0,060                                                                        | 1,320                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,580                                                                   | 0,030                                                                        | 0,610                                                                  |                                                       |

| Panama                          |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,090                                                                   | 0,040                                                                        | 1,120                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,190                                                                   | 0,030                                                                        | 1,220                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,840                                                                   | 0,050                                                                        | 1,880                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,540                                                                   | 0,040                                                                        | 1,580                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,540                                                                   | 0,040                                                                        | 1,580                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,850                                                                   | 0,050                                                                        | 2,900                                                                  |                                                       |



| Panama                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,540                                                                   | 0,040                                                                        | 1,580                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,240                                                                   | 0,040                                                                        | 1,280                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,310                                                                   | 0,050                                                                        | 1,360                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,630                                                                   | 0,020                                                                        | 0,650                                                                  |                                                       |

| Panama                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,760                                                                   | 0,020                                                                        | 0,780                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,500                                                                   | 0,010                                                                        | 0,520                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,500                                                                   | 0,020                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,300                                                                   | 0,010                                                                        | 0,320                                                                  |                                                       |

| Panama                          |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,040                                                                   | 0,030                                                                        | 1,070                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,520                                                                   | 0,020                                                                        | 0,540                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,040                                                                   | 0,030                                                                        | 1,070                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,520                                                                   | 0,010                                                                        | 0,540                                                                  |                                                       |

| Papua New Guinea                |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
|                                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Paraguay                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,910                                                                   | 0,000                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,910                                                                   | 0,000                                                                        | 0,910                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,910                                                                   | 0,020                                                                        | 1,930                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,690                                                                   | 0,030                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,660                                                                   | 0,030                                                                        | 1,690                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Paraguay                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,430                                                                   | 0,020                                                                        | 0,450                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,720                                                                   | 0,020                                                                        | 0,730                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,300                                                                   | 0,050                                                                        | 1,350                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,270                                                                   | 0,050                                                                        | 1,320                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,590                                                                   | 0,020                                                                        | 0,610                                                                  |                                                       |

| Paraguay                        |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                      | 1,120                                                                   | 0,030                                                                        | 1,150                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                             | 1,240                                                                   | 0,020                                                                        | 1,260                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,910                                                                   | 0,040                                                                        | 1,940                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,590                                                                   | 0,030                                                                        | 1,620                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,590                                                                   | 0,030                                                                        | 1,620                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,980                                                                   | 0,040                                                                        | 3,020                                                                  |                                                       |

| Paraguay                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,590                                                                   | 0,030                                                                        | 1,620                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,280                                                                   | 0,030                                                                        | 1,310                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,340                                                                   | 0,040                                                                        | 1,380                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,650                                                                   | 0,020                                                                        | 0,670                                                                  |                                                       |

| Paraguay                        |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)           | 0,780                                                                   | 0,020                                                                        | 0,800                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,520                                                                   | 0,010                                                                        | 0,530                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,500                                                                   | 0,020                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,310                                                                   | 0,010                                                                        | 0,320                                                                  |                                                       |



| Paraguay                        |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,080                                                                   | 0,020                                                                        | 1,100                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,520                                                                   | 0,020                                                                        | 0,540                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,080                                                                   | 0,020                                                                        | 1,100                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,540                                                                   | 0,010                                                                        | 0,550                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Peru                            |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | 0,230                                                                   | 0,050                                                                        | 0,280                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,290                                                                   | 0,020                                                                        | 1,310                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,090                                                                   | 0,020                                                                        | 1,110                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,250                                                                   | 0,110                                                                        | 1,360                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,070                                                                   | 0,030                                                                        | 1,110                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,280                                                                   | 0,130                                                                        | 1,410                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,020                                                                   | 0,040                                                                        | 1,060                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,900                                                                   | 0,020                                                                        | 1,920                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,260                                                                   | 0,060                                                                        | 2,330                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,020                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,680                                                                   | 0,030                                                                        | 1,710                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,020                                                                        | 0,520                                                                  |                                                       |

| Peru                            |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,840                                                                   | 0,020                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,530                                                                   | 0,050                                                                        | 1,580                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,500                                                                   | 0,050                                                                        | 1,540                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,660                                                                   | 0,040                                                                        | 0,700                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,190                                                                   | 0,040                                                                        | 1,230                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,280                                                                   | 0,030                                                                        | 1,310                                                                  |                                                       |

| Peru                            |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,960                                                                   | 0,050                                                                        | 2,010                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,700                                                                   | 0,040                                                                        | 1,740                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,700                                                                   | 0,040                                                                        | 1,740                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,960                                                                   | 0,030                                                                        | 3,000                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,650                                                                   | 0,040                                                                        | 1,690                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,360                                                                   | 0,040                                                                        | 1,400                                                                  |                                                       |

| Peru                            |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,490                                                                   | 0,040                                                                        | 1,540                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,700                                                                   | 0,040                                                                        | 0,740                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,850                                                                   | 0,040                                                                        | 0,900                                                                  |                                                       |

| Peru                            |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 0,580                                                                   | 0,030                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                               | 0,530                                                                   | 0,030                                                                        | 0,560                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)         | 0,340                                                                   | 0,020                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                 | 1,160                                                                   | 0,050                                                                        | 1,210                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                           | 0,610                                                                   | 0,060                                                                        | 0,680                                                                  |                                                       |

| Peru                            |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,130                                                                   | 0,030                                                                        | 1,160                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,580                                                                   | 0,020                                                                        | 0,600                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,840                                                                   | N/A                                                                          | 1,840                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (L)                                                   |

| Peru                            |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,080                                                                   | N/A                                                                          | 2,080                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |



| Peru                            |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,060                                                                   | N/A                                                                          | 2,060                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,840                                                                   | N/A                                                                          | 1,840                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,520                                                                   | N/A                                                                          | 2,520                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Philippines                     |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,330                                                                   | 0,050                                                                        | 1,380                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,270                                                                   | 0,090                                                                        | 1,360                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,210                                                                   | 0,090                                                                        | 1,300                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,180                                                                   | 0,060                                                                        | 2,250                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,130                                                                   | 0,200                                                                        | 2,330                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,640                                                                   | 0,060                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,840                                                                   | 0,100                                                                        | 1,940                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,480                                                                   | 0,050                                                                        | 0,530                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,800                                                                   | 0,050                                                                        | 0,850                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,450                                                                   | 0,160                                                                        | 1,610                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,420                                                                   | 0,150                                                                        | 1,570                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,630                                                                   | 0,120                                                                        | 0,740                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,240                                                                   | 0,130                                                                        | 1,370                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,400                                                                   | 0,100                                                                        | 1,500                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,150                                                                   | 0,150                                                                        | 2,300                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,850                                                                   | 0,140                                                                        | 1,990                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,850                                                                   | 0,140                                                                        | 1,990                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,410                                                                   | 0,100                                                                        | 3,510                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,800                                                                   | 0,130                                                                        | 1,940                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,420                                                                   | 0,120                                                                        | 1,540                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,510                                                                   | 0,140                                                                        | 1,650                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,730                                                                   | 0,120                                                                        | 0,850                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,920                                                                   | 0,140                                                                        | 1,060                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,620                                                                   | 0,110                                                                        | 0,730                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,500                                                                   | 0,090                                                                        | 0,590                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,070                                                                        | 0,390                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,260                                                                   | 0,180                                                                        | 1,440                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,580                                                                   | 0,130                                                                        | 0,710                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,220                                                                   | 0,110                                                                        | 1,330                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,630                                                                   | 0,080                                                                        | 0,700                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,490                                                                   | N/A                                                                          | 0,490                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |



| Philippines                     |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles                                                                                                                                                                     | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                                                                                                                                                                                             | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                                                | 0,490                                                                   | N/A                                                                          | 0,490                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                                               | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                            | 14,030                                                                  | N/A                                                                          | 14,030                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                                             | 0,120                                                                   | 0,070                                                                        | 0,190                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                                                                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,650                                                                   | N/A                                                                          | 1,650                                                                  | (E)/(H)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |



| Philippines                     |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |

| Philippines                     |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                                          | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                                                  | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s.                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |



| Philippines                     |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 3,950                                                                   | N/A                                                                          | 3,950                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                    | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (E)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (E)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                             | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                         | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                       | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel) | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |

| Philippines                     |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 3,950                                                                   | N/A                                                                          | 3,950                                                                  | (E)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (E)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (E)/(H)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (H)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (H)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (H)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (E)/(H)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 2,650                                                                   | N/A                                                                          | 2,650                                                                  | (H)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (E)/(H)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (H)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (H)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (H)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (E)/(H)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 0,790                                                                   | N/A                                                                          | 0,790                                                                  | (E)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,260                                                                   | N/A                                                                          | 2,260                                                                  | (E)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 1,650                                                                   | N/A                                                                          | 1,650                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |



| Philippines                     |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (H)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)/(H)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |

| Philippines                     |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (H)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (H)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (H)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 1,650                                                                   | N/A                                                                          | 1,650                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 1,650                                                                   | N/A                                                                          | 1,650                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,360                                                                   | N/A                                                                          | 2,360                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |



| Philippines                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                                                                                                                                                                                                                                                                                                                                     | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel<br>(excl. cast iron or stainless steel<br>products; flanges; threaded elbows,<br>bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                                          | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7308                            | Structures and parts of structures "e.g.,<br>bridges and bridge-sections, lock-gates,<br>towers, lattice masts, roofs, roofing<br>frameworks, doors and windows and<br>their frames and thresholds for doors,<br>shutters, balustrades, pillars and<br>columns", of iron or steel; plates, rods,<br>angles, shapes, sections, tubes and the<br>like, prepared for use in structures, of<br>iron or steel (excl. prefabricated<br>buildings of heading 9406) | 2,180                                                                   | N/A                                                                          | 2,180                                                                  | (E)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar<br>containers, of iron or steel, for any<br>material "other than compressed or<br>liquefied gas", of a capacity of > 300 l,<br>not fitted with mechanical or thermal<br>equipment, whether or not lined or<br>heat-insulated (excl. containers<br>specifically constructed or equipped for<br>one or more types of transport)                                                                                           | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (E)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (E)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Philippines                     |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 2,920                                                                   | N/A                                                                          | 2,920                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 1,370                                                                   | N/A                                                                          | 1,370                                                                  | (E)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 1,370                                                                   | N/A                                                                          | 1,370                                                                  | (E)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 1,400                                                                   | N/A                                                                          | 1,400                                                                  | (E)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 1,200                                                                   | N/A                                                                          | 1,200                                                                  | (E)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Philippines                     |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 0,740                                                                   | N/A                                                                          | 0,740                                                                  | (E)                                                   |

| Qatar                           |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,830                                                                   | 0,030                                                                        | 0,860                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,850                                                                   | 0,060                                                                        | 0,910                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,810                                                                   | 0,070                                                                        | 0,880                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,480                                                                   | 0,040                                                                        | 2,520                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,960                                                                   | 0,120                                                                        | 2,070                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,590                                                                   | 0,040                                                                        | 0,620                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,000                                                                   | 0,060                                                                        | 2,050                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,420                                                                   | 0,030                                                                        | 0,460                                                                  |                                                       |

| Qatar                           |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,700                                                                   | 0,030                                                                        | 0,740                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,280                                                                   | 0,090                                                                        | 1,370                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,250                                                                   | 0,090                                                                        | 1,340                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,570                                                                   | 0,070                                                                        | 0,640                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,270                                                                   | 0,080                                                                        | 1,350                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,510                                                                   | 0,060                                                                        | 1,570                                                                  |                                                       |

| Qatar                           |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,320                                                                   | 0,090                                                                        | 2,420                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,980                                                                   | 0,090                                                                        | 2,070                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,980                                                                   | 0,090                                                                        | 2,070                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 3,870                                                                   | 0,060                                                                        | 3,930                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 1,950                                                                   | 0,080                                                                        | 2,030                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution (excl. those in packages with a<br>gross weight of <= 10 kg)                                                                                                                                   | 1,440                                                                   | 0,070                                                                        | 1,520                                                                  |                                                       |

| Qatar                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,470                                                                   | 0,090                                                                        | 1,560                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,740                                                                   | 0,070                                                                        | 0,810                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,970                                                                   | 0,090                                                                        | 1,060                                                                  |                                                       |



| Qatar                           |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,070                                                                        | 0,720                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,460                                                                   | 0,050                                                                        | 0,510                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,290                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,340                                                                   | 0,110                                                                        | 1,440                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,520                                                                   | 0,090                                                                        | 0,620                                                                  |                                                       |

| Qatar                           |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,310                                                                   | 0,060                                                                        | 1,380                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,670                                                                   | 0,050                                                                        | 0,720                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |

| Qatar                           |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Qatar                           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,330                                                                   | 0,040                                                                        | 1,360                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,330                                                                   | 0,030                                                                        | 1,360                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,310                                                                   | 0,130                                                                        | 1,440                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,330                                                                   | 0,050                                                                        | 1,380                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,700                                                                   | 0,030                                                                        | 2,730                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,160                                                                   | 0,100                                                                        | 2,260                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,170                                                                   | 0,040                                                                        | 2,220                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,460                                                                   | 0,020                                                                        | 0,490                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,770                                                                   | 0,020                                                                        | 0,790                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,400                                                                   | 0,070                                                                        | 1,470                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,370                                                                   | 0,070                                                                        | 1,440                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,620                                                                   | 0,050                                                                        | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,390                                                                   | 0,060                                                                        | 1,450                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,640                                                                   | 0,050                                                                        | 1,690                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,530                                                                   | 0,070                                                                        | 2,600                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,150                                                                   | 0,070                                                                        | 2,220                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 2,150                                                                   | 0,070                                                                        | 2,220                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 4,210                                                                   | 0,050                                                                        | 4,260                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 2,120                                                                   | 0,060                                                                        | 2,180                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,570                                                                   | 0,060                                                                        | 1,630                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,600                                                                   | 0,070                                                                        | 1,670                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,800                                                                   | 0,060                                                                        | 0,860                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,050                                                                   | 0,070                                                                        | 1,120                                                                  |                                                       |



| Russian Federation              |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,710                                                                   | 0,050                                                                        | 0,760                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,500                                                                   | 0,040                                                                        | 0,550                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,030                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,450                                                                   | 0,080                                                                        | 1,530                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,570                                                                   | 0,080                                                                        | 0,650                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                      | 1,430                                                                   | 0,050                                                                        | 1,480                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,730                                                                   | 0,040                                                                        | 0,760                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 2,160                                                                   | N/A                                                                          | 2,160                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,950                                                                   | N/A                                                                          | 2,950                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 1,570                                                                   | 0,040                                                                        | 1,610                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 3,040                                                                   | N/A                                                                          | 3,040                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | 2,010                                                                   | N/A                                                                          | 2,010                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 3,090                                                                   | N/A                                                                          | 3,090                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |



| Russian Federation              |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |



| Russian Federation              |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,950                                                                   | N/A                                                                          | 4,950                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (F)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,950                                                                   | N/A                                                                          | 4,950                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                    | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,830                                                                   | N/A                                                                          | 3,830                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,990                                                                   | N/A                                                                          | 3,990                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |



| Russian Federation              |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 6,960                                                                   | N/A                                                                          | 6,960                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,460                                                                   | N/A                                                                          | 3,460                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,460                                                                   | N/A                                                                          | 3,460                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,460                                                                   | N/A                                                                          | 3,460                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,460                                                                   | N/A                                                                          | 3,460                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,460                                                                   | N/A                                                                          | 3,460                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 3,350                                                                   | N/A                                                                          | 3,350                                                                  | (F)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 3,350                                                                   | N/A                                                                          | 3,350                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |

| Russian Federation              |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,550                                                                   | N/A                                                                          | 3,550                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 3,460                                                                   | N/A                                                                          | 3,460                                                                  | (F)                                                   |



| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 3,030                                                                   | N/A                                                                          | 3,030                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 3,030                                                                   | N/A                                                                          | 3,030                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 3,360                                                                   | N/A                                                                          | 3,360                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                                                                                                                                                                                                                                                                                                                                     | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel<br>(excl. cast iron or stainless steel<br>products; flanges; threaded elbows,<br>bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                                          | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g.,<br>bridges and bridge-sections, lock-gates,<br>towers, lattice masts, roofs, roofing<br>frameworks, doors and windows and<br>their frames and thresholds for doors,<br>shutters, balustrades, pillars and<br>columns", of iron or steel; plates, rods,<br>angles, shapes, sections, tubes and the<br>like, prepared for use in structures, of<br>iron or steel (excl. prefabricated<br>buildings of heading 9406) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar<br>containers, of iron or steel, for any<br>material "other than compressed or<br>liquefied gas", of a capacity of > 300 l,<br>not fitted with mechanical or thermal<br>equipment, whether or not lined or<br>heat-insulated (excl. containers<br>specifically constructed or equipped for<br>one or more types of transport)                                                                                           | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,180                                                                   | N/A                                                                          | 3,180                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                     | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| Russian Federation              |                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s. | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                       | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Rwanda                          |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,850                                                                   | 0,030                                                                        | 0,880                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,870                                                                   | 0,050                                                                        | 0,910                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,830                                                                   | 0,050                                                                        | 0,880                                                                  | (A)                                                   |



| Saudi Arabia                    |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 2,450                                                                   | 0,050                                                                        | 2,500                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 1,960                                                                   | 0,150                                                                        | 2,100                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,590                                                                   | 0,040                                                                        | 0,630                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,980                                                                   | 0,070                                                                        | 2,060                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,450                                                                   | 0,040                                                                        | 0,490                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,740                                                                   | 0,040                                                                        | 0,780                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,350                                                                   | 0,120                                                                        | 1,470                                                                  |                                                       |

| Saudi Arabia                    |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,320                                                                   | 0,120                                                                        | 1,440                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,580                                                                   | 0,090                                                                        | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,280                                                                   | 0,100                                                                        | 1,380                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,500                                                                   | 0,080                                                                        | 1,580                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,310                                                                   | 0,120                                                                        | 2,430                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,990                                                                   | 0,110                                                                        | 2,100                                                                  |                                                       |

| Saudi Arabia                    |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,990                                                                   | 0,110                                                                        | 2,100                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 3,820                                                                   | 0,080                                                                        | 3,900                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,940                                                                   | 0,100                                                                        | 2,040                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,460                                                                   | 0,090                                                                        | 1,550                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,510                                                                   | 0,110                                                                        | 1,620                                                                  |                                                       |

| Saudi Arabia                    |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,740                                                                   | 0,090                                                                        | 0,830                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,980                                                                   | 0,110                                                                        | 1,090                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,080                                                                        | 0,750                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,460                                                                   | 0,070                                                                        | 0,530                                                                  |                                                       |

| Saudi Arabia                    |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,300                                                                   | 0,050                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,340                                                                   | 0,140                                                                        | 1,480                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,540                                                                   | 0,110                                                                        | 0,650                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,310                                                                   | 0,080                                                                        | 1,390                                                                  |                                                       |

| Saudi Arabia                    |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,670                                                                   | 0,060                                                                        | 0,730                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Saudi Arabia                    |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

**Saudi Arabia**

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 13,450                                                                  | N/A                                                                          | 13,450                                                                 |                                                       |

**Senegal**

| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | 1,240                                                                   | 0,050                                                                        | 1,300                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                 | 1,230                                                                   | 0,090                                                                        | 1,320                                                                  |                                                       |



| Senegal                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,670                                                                   | 0,060                                                                        | 1,720                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,640                                                                   | 0,050                                                                        | 0,690                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,500                                                                   | 0,080                                                                        | 1,580                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,470                                                                   | 0,040                                                                        | 0,510                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,780                                                                   | 0,040                                                                        | 0,820                                                                  |                                                       |

| Senegal                         |                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg, or in aqueous solution containing ≥ 31,8 % but ≤ 55% by weight of urea) | 1,410                                                                   | 0,140                                                                        | 1,550                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing ≤ 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of ≤ 10 kg)                                                            | 1,380                                                                   | 0,130                                                                        | 1,520                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                       | 0,620                                                                   | 0,100                                                                        | 0,720                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                             | 1,080                                                                   | 0,120                                                                        | 1,190                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                    | 1,140                                                                   | 0,090                                                                        | 1,230                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 1,750                                                                   | 0,130                                                                        | 1,890                                                                  |                                                       |

| Senegal                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,510                                                                   | 0,120                                                                        | 1,630                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,510                                                                   | 0,120                                                                        | 1,630                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 2,600                                                                   | 0,090                                                                        | 2,690                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 1,470                                                                   | 0,120                                                                        | 1,590                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,230                                                                   | 0,110                                                                        | 1,340                                                                  |                                                       |

| Senegal                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,360                                                                   | 0,130                                                                        | 1,480                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,640                                                                   | 0,100                                                                        | 0,750                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,760                                                                   | 0,130                                                                        | 0,890                                                                  |                                                       |

| Senegal                         |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,520                                                                   | 0,100                                                                        | 0,620                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,500                                                                   | 0,080                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,320                                                                   | 0,060                                                                        | 0,380                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,040                                                                   | 0,160                                                                        | 1,200                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,570                                                                   | 0,120                                                                        | 0,690                                                                  |                                                       |

| Senegal                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,010                                                                   | 0,090                                                                        | 1,100                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,520                                                                   | 0,070                                                                        | 0,590                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Serbia                          |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,330                                                                   | 0,060                                                                        | 1,380                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,310                                                                   | 0,100                                                                        | 1,410                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,240                                                                   | 0,100                                                                        | 1,350                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,700                                                                   | 0,030                                                                        | 2,730                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,160                                                                   | 0,100                                                                        | 2,260                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,180                                                                   | 0,050                                                                        | 2,220                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,460                                                                   | 0,020                                                                        | 0,490                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,760                                                                   | 0,020                                                                        | 0,790                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,390                                                                   | 0,080                                                                        | 1,460                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,360                                                                   | 0,070                                                                        | 1,430                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,620                                                                   | 0,060                                                                        | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,390                                                                   | 0,060                                                                        | 1,450                                                                  |                                                       |



| Serbia                          |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,640                                                                   | 0,050                                                                        | 1,690                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,530                                                                   | 0,070                                                                        | 2,600                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 2,150                                                                   | 0,070                                                                        | 2,220                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 2,150                                                                   | 0,070                                                                        | 2,220                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 4,220                                                                   | 0,050                                                                        | 4,270                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,120                                                                   | 0,060                                                                        | 2,180                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,570                                                                   | 0,060                                                                        | 1,630                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,600                                                                   | 0,070                                                                        | 1,660                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Serbia                          |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg                                                                                                     | 0,800                                                                   | 0,060                                                                        | 0,860                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)           | 1,050                                                                   | 0,070                                                                        | 1,120                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,710                                                                   | 0,050                                                                        | 0,760                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,500                                                                   | 0,040                                                                        | 0,540                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,320                                                                   | 0,030                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,450                                                                   | 0,080                                                                        | 1,530                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,570                                                                   | 0,080                                                                        | 0,650                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,430                                                                   | 0,050                                                                        | 1,480                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,730                                                                   | 0,040                                                                        | 0,760                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,513                                                                   | N/A                                                                          | 1,513                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,238                                                                   | N/A                                                                          | 2,238                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,238                                                                   | N/A                                                                          | 2,238                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,238                                                                   | N/A                                                                          | 2,238                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 3,688                                                                   | N/A                                                                          | 3,688                                                                  | (L)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                    | 3,688                                                                   | N/A                                                                          | 3,688                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                      | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)                                                                                                                                                                                                                                      | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and thresholds for doors                                                                                                                                                                                                                                                       | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                          | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and lattice masts                                                                                                                                                                                                                                                          | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,270                                                                   | N/A                                                                          | 2,270                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 3,688                                                                   | N/A                                                                          | 3,688                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,544                                                                   | N/A                                                                          | 1,544                                                                  | (L)                                                   |

| Serbia                          |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                         | 3,688                                                                   | N/A                                                                          | 3,688                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 2,238                                                                   | N/A                                                                          | 2,238                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 3,688                                                                   | N/A                                                                          | 3,688                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 3,688                                                                   | N/A                                                                          | 3,688                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 1,513                                                                   | N/A                                                                          | 1,513                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 3,688                                                                   | N/A                                                                          | 3,688                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                         | 0,120                                                                   | 0,110                                                                        | 0,220                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                            | 2,160                                                                   | N/A                                                                          | 2,160                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                        | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |



| Serbia                          |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                                         | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                         | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                           | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                                                           | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                                                                                                             | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                               | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats") | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                      | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon         | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                    | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                       | 2,641                                                                   | N/A                                                                          | 2,641                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                                                                                | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                    | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Serbia                          |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 2,580                                                                   | N/A                                                                          | 2,580                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                         | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                           | 2,580                                                                   | N/A                                                                          | 2,580                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | 2,580                                                                   | N/A                                                                          | 2,580                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked     | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                      | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                    | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                            | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s. | 2,580                                                                   | N/A                                                                          | 2,580                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                     | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                    | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                                                                                                                                                                                                                    | 2,550                                                                   | N/A                                                                          | 2,550                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                       | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                        | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                          | 2,550                                                                   | N/A                                                                          | 2,550                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                   | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |



| Serbia                          |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 2,550                                                                   | N/A                                                                          | 2,550                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                                                                                                                 | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                                                                                                             | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                                                  | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                                              | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |

| Serbia                          |                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                         | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                               | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                  | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |

| Serbia                          |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 2,550                                                                   | N/A                                                                          | 2,550                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 2,550                                                                   | N/A                                                                          | 2,550                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 2,560                                                                   | N/A                                                                          | 2,560                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,460                                                                   | N/A                                                                          | 2,460                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,230                                                                   | N/A                                                                          | 2,230                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                              | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |



| Serbia                          |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (F)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,320                                                                   | N/A                                                                          | 2,320                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,320                                                                   | N/A                                                                          | 2,320                                                                  | (F)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,320                                                                   | N/A                                                                          | 2,320                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,220                                                                   | N/A                                                                          | 2,220                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,220                                                                   | N/A                                                                          | 2,220                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,480                                                                   | N/A                                                                          | 2,480                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,480                                                                   | N/A                                                                          | 2,480                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,480                                                                   | N/A                                                                          | 2,480                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,480                                                                   | N/A                                                                          | 2,480                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |



| Serbia                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                                                                                                                                                                                                                                                                                                                                     | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel<br>(excl. cast iron or stainless steel<br>products; flanges; threaded elbows,<br>bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                                          | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g.,<br>bridges and bridge-sections, lock-gates,<br>towers, lattice masts, roofs, roofing<br>frameworks, doors and windows and<br>their frames and thresholds for doors,<br>shutters, balustrades, pillars and<br>columns", of iron or steel; plates, rods,<br>angles, shapes, sections, tubes and the<br>like, prepared for use in structures, of<br>iron or steel (excl. prefabricated<br>buildings of heading 9406) | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar<br>containers, of iron or steel, for any<br>material "other than compressed or<br>liquefied gas", of a capacity of > 300 l,<br>not fitted with mechanical or thermal<br>equipment, whether or not lined or<br>heat-insulated (excl. containers<br>specifically constructed or equipped for<br>one or more types of transport)                                                                                           | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |

| Serbia                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                                                           | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 2,590                                                                   | N/A                                                                          | 2,590                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,440                                                                   | N/A                                                                          | 2,440                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,450                                                                   | N/A                                                                          | 2,450                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                  | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                          | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                         | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Serbia                          |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                         | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                       | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                    | 2,400                                                                   | N/A                                                                          | 2,400                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                             | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |

| Sierra Leone                    |             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Singapore                       |               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code / TARIC<br>Code | Description   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |               |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Singapore                    |                                                                     |                                                                      |                                                                        |                                                                     |                                                 |
|------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------|
| Product CN Code / TARIC Code | Description                                                         | Default Value (direct emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions) (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
| 2523 10 00 90                | Other clinker including grey clinker                                | -                                                                    | -                                                                      | -                                                                   |                                                 |
| 2523 21 00                   | White Portland cement                                               | -                                                                    | -                                                                      | -                                                                   |                                                 |
| 2523 29 00                   | Grey Portland cement                                                | 1,030                                                                | 0,060                                                                  | 1,090                                                               |                                                 |
| 2523 30 00                   | Aluminous cement                                                    | -                                                                    | -                                                                      | -                                                                   |                                                 |
| 2523 90 00 10                | White hydraulic cement                                              | -                                                                    | -                                                                      | -                                                                   |                                                 |
| 2523 90 00 90                | Other hydraulic cements including grey hydraulic cements            | 0,990                                                                | 0,060                                                                  | 1,050                                                               | (A)                                             |
| <b>Aluminium</b>             |                                                                     |                                                                      |                                                                        |                                                                     |                                                 |
| 7601                         | Unwrought aluminium                                                 | 0,360                                                                | N/A                                                                    | 0,360                                                               | (L)                                             |
| 7603                         | Aluminium powders and flakes                                        | 1,780                                                                | N/A                                                                    | 1,780                                                               | (L)                                             |
| 7604 10 10                   | Bars and rods                                                       | 2,010                                                                | N/A                                                                    | 2,010                                                               | (L)                                             |
| 7604 10 90                   | Profiles                                                            | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7604 21 00                   | Hollow profiles                                                     | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7604 29 10                   | Bars and rods                                                       | 2,010                                                                | N/A                                                                    | 2,010                                                               | (L)                                             |
| 7604 29 90                   | Profiles                                                            | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7605                         | Aluminium wire                                                      | 2,010                                                                | N/A                                                                    | 2,010                                                               | (L)                                             |
| 7606                         | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |

| Singapore                    |                                                                                                                                                                                                                                                                                                                |                                                                      |                                                                        |                                                                     |                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------|
| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions) (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
| 7607                         | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                    | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |
| 7608                         | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                      | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7609 00 00                   | Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)                                                                                                                                                                                                                                      | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7610 10 00                   | Doors, windows and their frames and thresholds for doors                                                                                                                                                                                                                                                       | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7610 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7610 90 10                   | Bridges and bridge-sections, towers and lattice masts                                                                                                                                                                                                                                                          | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7610 90 90                   | Other                                                                                                                                                                                                                                                                                                          | 2,020                                                                | N/A                                                                    | 2,020                                                               | (L)                                             |
| 7611 00 00                   | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |
| 7612                         | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |

| Singapore                    |                                                                                                                                                        |                                                                      |                                                                        |                                                                     |                                                 |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------|
| Product CN Code / TARIC Code | Description                                                                                                                                            | Default Value (direct emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions) (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
| 7613 00 00                   | Aluminium containers for compressed or liquefied gas                                                                                                   | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |
| 7614                         | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                            | 2,010                                                                | N/A                                                                    | 2,010                                                               | (L)                                             |
| 7616 10 00                   | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |
| 7616 91 00                   | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |
| 7616 99 10                   | Cast                                                                                                                                                   | 1,780                                                                | N/A                                                                    | 1,780                                                               | (L)                                             |
| 7616 99 90                   | Other                                                                                                                                                  | 2,460                                                                | N/A                                                                    | 2,460                                                               | (L)                                             |
| <b>Hydrogen</b>              |                                                                                                                                                        |                                                                      |                                                                        |                                                                     |                                                 |
| 2804 10 00                   | Hydrogen                                                                                                                                               | 14,030                                                               | N/A                                                                    | 14,030                                                              |                                                 |
| <b>Iron and steel</b>        |                                                                                                                                                        |                                                                      |                                                                        |                                                                     |                                                 |
| 7202 11                      | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                | N/A                                                                    | 1,690                                                               |                                                 |
| 7202 19                      | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | -                                                                    | N/A                                                                    | -                                                                   |                                                 |
| 7202 41                      | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                                | N/A                                                                    | 2,350                                                               |                                                 |



| Singapore                    |                                                       |                                                                      |                                                                        |                                                                     |                                                 |
|------------------------------|-------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------|
| Product CN Code / TARIC Code | Description                                           | Default Value (direct emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions) (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
| 7202 49                      | Ferro-chromium, containing by weight <= 4 % of carbon | -                                                                    | N/A                                                                    | -                                                                   |                                                 |
| 7202 60 00                   | Ferro-nickel                                          | 3,480                                                                | N/A                                                                    | 3,480                                                               |                                                 |

| South Africa                 |                                                                                                                                                                                                                 |                                                                      |                                                                        |                                                                     |                                                 |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------|-------------------------------------------------|
| Product CN Code / TARIC Code | Description                                                                                                                                                                                                     | Default Value (direct emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect emissions) (tCO <sub>2</sub> eq/tonne of good) | Default Value (total emissions) (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
| <b>Fertilisers</b>           |                                                                                                                                                                                                                 |                                                                      |                                                                        |                                                                     |                                                 |
| 2808 00 00                   | Nitric acid; sulphonitric acids                                                                                                                                                                                 | 2,020                                                                | 0,080                                                                  | 2,100                                                               |                                                 |
| 2814 10 00                   | Anhydrous ammonia                                                                                                                                                                                               | 3,390                                                                | 0,250                                                                  | 3,640                                                               |                                                 |
| 2814 20 00                   | Ammonia in aqueous solution                                                                                                                                                                                     | 1,020                                                                | 0,070                                                                  | 1,090                                                               |                                                 |
| 2834 21 00                   | Nitrate of potassium                                                                                                                                                                                            | 1,950                                                                | 0,120                                                                  | 2,070                                                               |                                                 |
| 3102                         | Mineral or chemical fertilizers, nitrogenous                                                                                                                                                                    | see below                                                            | see below                                                              | see below                                                           |                                                 |
| 3102 10 12                   | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8 % but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg) | 0,720                                                                | 0,060                                                                  | 0,780                                                               |                                                 |
| 3102 10 15                   | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)     | 1,190                                                                | 0,060                                                                  | 1,260                                                               |                                                 |

| South Africa                    |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 2,160                                                                   | 0,200                                                                        | 2,360                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 2,120                                                                   | 0,190                                                                        | 2,310                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,970                                                                   | 0,150                                                                        | 1,120                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,500                                                                   | 0,170                                                                        | 1,670                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,490                                                                   | 0,130                                                                        | 1,620                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,300                                                                   | 0,190                                                                        | 2,490                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,970                                                                   | 0,180                                                                        | 2,150                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,970                                                                   | 0,180                                                                        | 2,150                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 3,140                                                                   | 0,130                                                                        | 3,270                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 1,930                                                                   | 0,170                                                                        | 2,100                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                                                                                                                                                                                | 1,710                                                                   | 0,150                                                                        | 1,860                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages ≤ 10 kg) | 1,950                                                                   | 0,180                                                                        | 2,140                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg                                                                                                                                                                                                                                                                       | 0,910                                                                   | 0,150                                                                        | 1,060                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 1,020                                                                   | 0,180                                                                        | 1,200                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,700                                                                   | 0,140                                                                        | 0,840                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,790                                                                   | 0,110                                                                        | 0,900                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,500                                                                   | 0,090                                                                        | 0,590                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                                                     | 1,380                                                                   | 0,220                                                                        | 1,600                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,900                                                                   | 0,180                                                                        | 1,070                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,340                                                                   | 0,140                                                                        | 1,480                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,690                                                                   | 0,100                                                                        | 0,790                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 2,358                                                                   | N/A                                                                          | 2,358                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 1,990                                                                   | N/A                                                                          | 1,990                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 2,210                                                                   | N/A                                                                          | 2,210                                                                  | (K)                                                   |



| South Africa                    |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 1,990                                                                   | N/A                                                                          | 1,990                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 2,670                                                                   | N/A                                                                          | 2,670                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                               | 25,940                                                                  | N/A                                                                          | 25,940                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                      | 3,470                                                                   | N/A                                                                          | 3,470                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                  | 2,870                                                                   | N/A                                                                          | 2,870                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                       | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms                             | 0,760                                                                   | N/A                                                                          | 0,760                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings) | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                  | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                             | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                  | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                                          | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                           | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                        | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                                                           | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                                                                | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                                                                     | 4,140                                                                   | N/A                                                                          | 4,140                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                               | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                                                        | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 4,140                                                                   | N/A                                                                          | 4,140                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 4,140                                                                   | N/A                                                                          | 4,140                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")               | 4,140                                                                   | N/A                                                                          | 4,140                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon  | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated             | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                        | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                 | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |



| South Africa                    |                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214                            | Bars and rods, of iron or non-alloy<br>steel, not further worked than forged,<br>hot-rolled, hot-drawn or hot-extruded,<br>but incl. those twisted after rolling (excl.<br>in irregularly wound coils)                                                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy<br>steel, not further worked than forged<br>(excl. in irregularly wound coils)                                                                                                                                                                                                                                        | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy<br>steel, with indentations, ribs, groves or<br>other deformations produced during<br>the rolling process                                                                                                                                                                                                             | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting<br>steel, not further worked than hot-<br>rolled, hot-drawn or hot-extruded (excl.<br>containing indentations, ribs, grooves<br>or other deformations produced during<br>the rolling process or twisted after<br>rolling)                                                                                        | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy<br>steel, not further worked than hot-<br>rolled, hot-drawn or hot-extruded, of<br>rectangular "other than square" cross-<br>section (excl. containing indentations,<br>ribs, grooves or other deformations<br>produced during the rolling process,<br>bars and rods twisted after rolling and<br>free-cutting steel) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                         | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                           | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                           | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                                                                                                                                                              | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                                 | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                      | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm    | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm           | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |

| South Africa                    |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm     | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm              | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                 | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                     | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| South Africa                    |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                                                                                                                                                                                                                      | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)       | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                        | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                            | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                        | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)     | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel) | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                        | 5,340                                                                   | N/A                                                                          | 5,340                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                              | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                               | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)     | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)                                                                          | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)                                                                 | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                                                                                      | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)      | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (C)/(F)                                               |

| South Africa                    |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7228 70                         | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |



| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,890                                                                   | N/A                                                                          | 3,890                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| South Africa                    |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                              | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 3,850                                                                   | N/A                                                                          | 3,850                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 3,850                                                                   | N/A                                                                          | 3,850                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |

| South Africa                    |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 4,140                                                                   | N/A                                                                          | 4,140                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,810                                                                   | N/A                                                                          | 3,810                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (F)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 4,160                                                                   | N/A                                                                          | 4,160                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |



| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,890                                                                   | N/A                                                                          | 3,890                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 3,870                                                                   | N/A                                                                          | 3,870                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 3,870                                                                   | N/A                                                                          | 3,870                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 3,870                                                                   | N/A                                                                          | 3,870                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 3,870                                                                   | N/A                                                                          | 3,870                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                            | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel (excl. wood screws)                                                                                                                                                                              | 3,620                                                                   | N/A                                                                          | 3,620                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel other than stainless                                                                                                                                                                               | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)                                                                                                                                   | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                    | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |

| South Africa                    |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                   | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                     | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 4,030                                                                   | N/A                                                                          | 4,030                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |

| South Africa                    |                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s. | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.              | 4,020                                                                   | N/A                                                                          | 4,020                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                       | 4,220                                                                   | N/A                                                                          | 4,220                                                                  | (C)                                                   |

| Sri Lanka                       |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,040                                                                        | 0,900                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,000                                                                   | 0,060                                                                        | 1,060                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,950                                                                   | 0,070                                                                        | 1,020                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,040                                                                   | 0,070                                                                        | 2,110                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,700                                                                   | 0,060                                                                        | 0,770                                                                  |                                                       |

| Sri Lanka                       |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,780                                                                   | 0,100                                                                        | 1,880                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,520                                                                   | 0,050                                                                        | 0,570                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,860                                                                   | 0,050                                                                        | 0,920                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,570                                                                   | 0,150                                                                        | 1,720                                                                  |                                                       |



| Sri Lanka                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,540                                                                   | 0,150                                                                        | 1,690                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,680                                                                   | 0,100                                                                        | 0,790                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,250                                                                   | 0,120                                                                        | 1,370                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,360                                                                   | 0,090                                                                        | 1,450                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,080                                                                   | 0,140                                                                        | 2,230                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,800                                                                   | 0,130                                                                        | 1,920                                                                  |                                                       |

| Sri Lanka                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,800                                                                   | 0,130                                                                        | 1,920                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 3,180                                                                   | 0,100                                                                        | 3,290                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,750                                                                   | 0,120                                                                        | 1,870                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,430                                                                   | 0,120                                                                        | 1,550                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,560                                                                   | 0,140                                                                        | 1,690                                                                  |                                                       |

| Sri Lanka                       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,740                                                                   | 0,100                                                                        | 0,840                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,900                                                                   | 0,120                                                                        | 1,020                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,610                                                                   | 0,090                                                                        | 0,700                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,550                                                                   | 0,080                                                                        | 0,630                                                                  |                                                       |

| Sri Lanka                       |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,350                                                                   | 0,060                                                                        | 0,410                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,230                                                                   | 0,150                                                                        | 1,380                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,630                                                                   | 0,120                                                                        | 0,750                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,190                                                                   | 0,100                                                                        | 1,290                                                                  |                                                       |

| Sri Lanka                       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,610                                                                   | 0,060                                                                        | 0,680                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,050                                                                   | N/A                                                                          | 1,050                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |

| Sri Lanka                       |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                           | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |

| Sri Lanka                       |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                         | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 1,050                                                                   | N/A                                                                          | 1,050                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Sudan                           |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | 0,850                                                                   | 0,020                                                                        | 0,870                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                 | 0,860                                                                   | 0,040                                                                        | 0,900                                                                  |                                                       |

| Sudan                           |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,820                                                                   | 0,040                                                                        | 0,870                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,920                                                                   | 0,040                                                                        | 1,960                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,610                                                                   | 0,030                                                                        | 0,640                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,650                                                                   | 0,050                                                                        | 1,700                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,460                                                                   | 0,030                                                                        | 0,490                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,770                                                                   | 0,030                                                                        | 0,790                                                                  |                                                       |



| Sudan                           |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,400                                                                   | 0,080                                                                        | 1,480                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,360                                                                   | 0,080                                                                        | 1,440                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,600                                                                   | 0,050                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,140                                                                   | 0,060                                                                        | 1,200                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,260                                                                   | 0,050                                                                        | 1,300                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 1,930                                                                   | 0,070                                                                        | 2,010                                                                  |                                                       |

| Sudan                           |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,670                                                                   | 0,070                                                                        | 1,740                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,670                                                                   | 0,070                                                                        | 1,740                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 3,000                                                                   | 0,060                                                                        | 3,060                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,620                                                                   | 0,060                                                                        | 1,680                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,300                                                                   | 0,060                                                                        | 1,360                                                                  |                                                       |

| Sudan                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers<br>(excl. urea; ammonium sulphate;<br>ammonium nitrate; sodium nitrate;<br>double salts and mixtures of<br>ammonium nitrate with ammonium<br>sulphate or calcium; mixtures of urea<br>and ammonium nitrate in aqueous or<br>ammoniacal solution; mixtures of<br>ammonium nitrate and calcium<br>carbonate or other non-fertilising<br>inorganic elements; in tablets or similar<br>in packages <= 10 kg) | 1,410                                                                   | 0,070                                                                        | 1,480                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                                                                                                                                                                                                               | 0,670                                                                   | 0,050                                                                        | 0,730                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)                                                                                                                                                                                            | 0,840                                                                   | 0,060                                                                        | 0,900                                                                  |                                                       |

| Sudan                           |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,570                                                                   | 0,050                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,480                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,310                                                                   | 0,030                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,140                                                                   | 0,080                                                                        | 1,220                                                                  |                                                       |

| Sudan                           |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,560                                                                   | 0,080                                                                        | 0,640                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,100                                                                   | 0,050                                                                        | 1,150                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,570                                                                   | 0,030                                                                        | 0,600                                                                  |                                                       |

| Sudan                           |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Hydrogen</b>                 |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| Suriname                        |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,180                                                                   | 0,060                                                                        | 1,240                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,120                                                                   | 0,060                                                                        | 1,180                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 1,800                                                                   | 0,040                                                                        | 1,840                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,680                                                                   | 0,040                                                                        | 0,720                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,580                                                                   | 0,060                                                                        | 1,630                                                                  |                                                       |

| Suriname                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,430                                                                   | 0,030                                                                        | 0,450                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,710                                                                   | 0,030                                                                        | 0,730                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,280                                                                   | 0,080                                                                        | 1,360                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,260                                                                   | 0,080                                                                        | 1,340                                                                  |                                                       |

| Suriname                        |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                | 0,580                                                                   | 0,040                                                                        | 0,620                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                      | 1,080                                                                   | 0,050                                                                        | 1,130                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of ≤ 10 kg)                                                                                                                                                             | 1,180                                                                   | 0,040                                                                        | 1,220                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,810                                                                   | 0,060                                                                        | 1,880                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,520                                                                   | 0,050                                                                        | 1,570                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,520                                                                   | 0,050                                                                        | 1,570                                                                  |                                                       |



| Suriname                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,800                                                                   | 0,070                                                                        | 2,870                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,520                                                                   | 0,050                                                                        | 1,570                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,230                                                                   | 0,050                                                                        | 1,280                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,300                                                                   | 0,060                                                                        | 1,370                                                                  |                                                       |

| Suriname                        |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,630                                                                   | 0,030                                                                        | 0,660                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,750                                                                   | 0,030                                                                        | 0,780                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,500                                                                   | 0,020                                                                        | 0,520                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,500                                                                   | 0,030                                                                        | 0,530                                                                  |                                                       |

| Suriname                        |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,300                                                                   | 0,020                                                                        | 0,320                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,030                                                                   | 0,040                                                                        | 1,070                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,520                                                                   | 0,030                                                                        | 0,550                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,030                                                                   | 0,040                                                                        | 1,070                                                                  |                                                       |

| Suriname                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,520                                                                   | 0,020                                                                        | 0,530                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Syria                           |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                     | 1,280                                                                   | 0,050                                                                        | 1,330                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                     | 1,280                                                                   | 0,100                                                                        | 1,380                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey hydraulic cements | 1,220                                                                   | 0,100                                                                        | 1,320                                                                  | (A)                                                   |

| Syria                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 2,460                                                                   | 0,060                                                                        | 2,520                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 1,970                                                                   | 0,180                                                                        | 2,140                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,590                                                                   | 0,050                                                                        | 0,640                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,990                                                                   | 0,080                                                                        | 2,080                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,440                                                                   | 0,050                                                                        | 0,490                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,740                                                                   | 0,050                                                                        | 0,780                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,340                                                                   | 0,140                                                                        | 1,480                                                                  |                                                       |

| Syria                           |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,310                                                                   | 0,140                                                                        | 1,450                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,580                                                                   | 0,110                                                                        | 0,690                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,280                                                                   | 0,120                                                                        | 1,400                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,510                                                                   | 0,090                                                                        | 1,600                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,320                                                                   | 0,140                                                                        | 2,460                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,990                                                                   | 0,130                                                                        | 2,120                                                                  |                                                       |

| Syria                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,990                                                                   | 0,130                                                                        | 2,120                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 3,840                                                                   | 0,090                                                                        | 3,930                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,940                                                                   | 0,120                                                                        | 2,070                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,460                                                                   | 0,110                                                                        | 1,570                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,500                                                                   | 0,130                                                                        | 1,630                                                                  |                                                       |

| Syria                           |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,740                                                                   | 0,110                                                                        | 0,850                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,980                                                                   | 0,130                                                                        | 1,110                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,660                                                                   | 0,100                                                                        | 0,760                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,460                                                                   | 0,080                                                                        | 0,540                                                                  |                                                       |



| Syria                           |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,300                                                                   | 0,060                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,340                                                                   | 0,160                                                                        | 1,510                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,540                                                                   | 0,120                                                                        | 0,660                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,310                                                                   | 0,100                                                                        | 1,410                                                                  |                                                       |

| Syria                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,670                                                                   | 0,070                                                                        | 0,740                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,490                                                                   | N/A                                                                          | 0,490                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |

| Syria                           |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |

| Syria                           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,490                                                                   | N/A                                                                          | 0,490                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,170                                                                   | N/A                                                                          | 1,170                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Taiwan                          |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,830                                                                   | 0,040                                                                        | 0,860                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,830                                                                   | 0,070                                                                        | 0,890                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,110                                                                   | 0,050                                                                        | 2,160                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,050                                                                   | 0,150                                                                        | 2,200                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,620                                                                   | 0,040                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                        | 1,760                                                                   | 0,070                                                                        | 1,830                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous             | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,420                                                                   | 0,040                                                                        | 0,460                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,700                                                                   | 0,040                                                                        | 0,740                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,270                                                                   | 0,120                                                                        | 1,390                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,240                                                                   | 0,120                                                                        | 1,360                                                                  |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                             | 0,580                                                                   | 0,090                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                    | 1,170                                                                   | 0,100                                                                        | 1,270                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,330                                                                   | 0,080                                                                        | 1,410                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,050                                                                   | 0,120                                                                        | 2,170                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,740                                                                   | 0,110                                                                        | 1,850                                                                  |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,740                                                                   | 0,110                                                                        | 1,850                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 3,300                                                                   | 0,080                                                                        | 3,370                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                               | 1,720                                                                   | 0,100                                                                        | 1,820                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                         | 1,320                                                                   | 0,090                                                                        | 1,410                                                                  |                                                       |



| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,370                                                                   | 0,110                                                                        | 1,480                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,680                                                                   | 0,090                                                                        | 0,770                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,860                                                                   | 0,110                                                                        | 0,970                                                                  |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,580                                                                   | 0,080                                                                        | 0,670                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,480                                                                   | 0,070                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,300                                                                   | 0,050                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,180                                                                   | 0,130                                                                        | 1,320                                                                  |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,530                                                                   | 0,100                                                                        | 0,640                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 1,160                                                                   | 0,080                                                                        | 1,250                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,600                                                                   | 0,060                                                                        | 0,650                                                                  |                                                       |

| Taiwan                          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,710                                                                   | N/A                                                                          | 0,710                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |

| Taiwan                          |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                         | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 0,690                                                                   | N/A                                                                          | 0,690                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 0,470                                                                   | N/A                                                                          | 0,470                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 1,150                                                                   | N/A                                                                          | 1,150                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                         | 0,180                                                                   | 0,040                                                                        | 0,220                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                            | 1,860                                                                   | N/A                                                                          | 1,860                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                        | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (C)/(F)                                               |

| Taiwan                          |                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                           | 1,940                                                                   | N/A                                                                          | 1,940                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |



| Taiwan                          |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 2,474                                                                   | N/A                                                                          | 2,474                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                    | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                               | 2,474                                                                   | N/A                                                                          | 2,474                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                        | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                           | 2,474                                                                   | N/A                                                                          | 2,474                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                        | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                                          | 2,474                                                                   | N/A                                                                          | 2,474                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                  | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,474                                                                   | N/A                                                                          | 2,474                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,474                                                                   | N/A                                                                          | 2,474                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7210                            | Flat-rolled products of iron or non-alloy<br>steel, of a width >= 600 mm, hot-rolled<br>or cold-rolled "cold-reduced", clad,<br>plated or coated                                                                                                                                                 | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy<br>steel, of a width of < 600 mm, hot-<br>rolled or cold-rolled "cold-reduced",<br>not clad, plated or coated                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy<br>steel, simply hot-rolled on four faces or<br>in a closed box pass, not clad, plated or<br>coated, of a width of > 150 mm but <<br>600 mm and a thickness of >= 4 mm,<br>not in coils, without patterns in relief,<br>commonly known as "wide flats" | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy<br>steel, of a width < 600 mm, not further<br>worked than hot-rolled, not clad, plated<br>or coated, of a thickness of >= 4,75 mm<br>(excl. "wide flats")                                                                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy<br>steel, of a width < 600 mm, simply hot-<br>rolled, not clad, plated or coated, of a<br>thickness < 4,75 mm (excl. "wide flats")                                                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon            | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon           | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 10 00                      | Bars and rods, of iron or non-alloy<br>steel, not further worked than forged<br>(excl. in irregularly wound coils)                                                                                                                                                                                                                                        | 2,474                                                                   | N/A                                                                          | 2,474                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy<br>steel, with indentations, ribs, groves or<br>other deformations produced during<br>the rolling process                                                                                                                                                                                                             | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting<br>steel, not further worked than hot-<br>rolled, hot-drawn or hot-extruded (excl.<br>containing indentations, ribs, grooves<br>or other deformations produced during<br>the rolling process or twisted after<br>rolling)                                                                                        | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy<br>steel, not further worked than hot-<br>rolled, hot-drawn or hot-extruded, of<br>rectangular "other than square" cross-<br>section (excl. containing indentations,<br>ribs, grooves or other deformations<br>produced during the rolling process,<br>bars and rods twisted after rolling and<br>free-cutting steel) | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel) | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                         | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                           | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                           | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                                                                                                                                                              | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |



| Taiwan                          |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 2,298                                                                   | N/A                                                                          | 2,298                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 11                      | Semi-finished products of stainless<br>steel, of square cross-section, rolled or<br>obtained by continuous casting                                                                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 19                      | Semi-finished products of stainless<br>steel, of square cross-section, forged                                                                                                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Taiwan                          |                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Taiwan                          |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm           | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Taiwan                          |                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 3 mm but < 4,75 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of > 1 mm but < 3 mm     | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of >= 0,5 mm but <= 1 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced", of a thickness of < 0,5 mm              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                     | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Taiwan                          |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Taiwan                          |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                                                                                                                                                                                                                      | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                                                     | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed<br>steel, of square or rectangular cross-<br>section, hot-rolled or obtained by<br>continuous casting the width<br>measuring < twice the thickness                                                                                                                                                                                                                                                  | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel<br>containing by weight <= 0,7 % of<br>carbon, 0,5 % to 1,2 % of manganese,<br>0,6 % to 2,3 % of silicon, or of steel<br>containing by weight >= 0,0008 % of<br>boron with any other element < the<br>minimum content referred to in Note 1<br>f to chapter 72, of square or rectangular<br>cross-section, hot rolled or obtained by<br>continuous casting, the width<br>measuring < twice the thickness | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel<br>other than stainless steel, of square or<br>rectangular cross-section, hot-rolled or<br>obtained by continuous casting, the<br>width measuring < twice the thickness<br>(excl. of tool steel, high-speed steel and<br>articles of subheading 7224.90.05)                                                                                                                                        | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (F)                                                   |



| Taiwan                          |                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                        | 2,830                                                                   | N/A                                                                          | 2,830                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                            | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                        | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)     | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel) | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (F)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 2,364                                                                   | N/A                                                                          | 2,364                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Taiwan                          |                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 11 00                      | Flat-rolled products of silicon-electrical<br>steel, of a width of < 600 mm, hot-<br>rolled or cold-rolled "cold-reduced",<br>grain-oriented                                                                       | 2,830                                                                   | N/A                                                                          | 2,830                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of < 600 mm, not<br>further worked than hot-rolled                                                                                                 | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical<br>steel, of a width of < 600 mm, cold-<br>rolled "cold-reduced", whether or not<br>further worked, or hot-rolled and<br>further worked, non-grain-oriented             | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                  | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                  | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel) | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)                                                                 | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                                                                                      | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                         | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (F)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)      | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                 | 2,280                                                                   | N/A                                                                          | 2,280                                                                  | (F)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |
| 7228 70                         | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or non-alloy steel                                                                                                                                                                                                                                                          | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless, in coils (excl. bars and rods)                                                                                                                                                                                                                                         | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                                                             | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7302                            | Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails | 2,383                                                                   | N/A                                                                          | 2,383                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | 2,473                                                                   | N/A                                                                          | 2,473                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)                                                                                                                                                                                                                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                       | 2,513                                                                   | N/A                                                                          | 2,513                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                     | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                                                                                                   | 2,513                                                                   | N/A                                                                          | 2,513                                                                  |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 2,513                                                                   | N/A                                                                          | 2,513                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)  | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |



| Taiwan                          |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)               | 2,513                                                                   | N/A                                                                          | 2,513                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                           | 2,513                                                                   | N/A                                                                          | 2,513                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)     | 2,233                                                                   | N/A                                                                          | 2,233                                                                  | (F)                                                   |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,233                                                                   | N/A                                                                          | 2,233                                                                  | (C)/(F)                                               |

| Taiwan                          |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                        | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                     | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                    | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)                                                                  | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of ≤ 406,4 mm                                                   | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron) | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                 | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                         | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                       | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                       | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 2,523                                                                   | N/A                                                                          | 2,523                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,273                                                                   | N/A                                                                          | 2,273                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,253                                                                   | N/A                                                                          | 2,253                                                                  | (F)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,273                                                                   | N/A                                                                          | 2,273                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,373                                                                   | N/A                                                                          | 2,373                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,373                                                                   | N/A                                                                          | 2,373                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,453                                                                   | N/A                                                                          | 2,453                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,543                                                                   | N/A                                                                          | 2,543                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |



| Taiwan                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                                                                                                                                                                                                                                                                                                                                     | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel<br>(excl. cast iron or stainless steel<br>products; flanges; threaded elbows,<br>bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                                          | 2,313                                                                   | N/A                                                                          | 2,313                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g.,<br>bridges and bridge-sections, lock-gates,<br>towers, lattice masts, roofs, roofing<br>frameworks, doors and windows and<br>their frames and thresholds for doors,<br>shutters, balustrades, pillars and<br>columns", of iron or steel; plates, rods,<br>angles, shapes, sections, tubes and the<br>like, prepared for use in structures, of<br>iron or steel (excl. prefabricated<br>buildings of heading 9406) | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar<br>containers, of iron or steel, for any<br>material "other than compressed or<br>liquefied gas", of a capacity of > 300 l,<br>not fitted with mechanical or thermal<br>equipment, whether or not lined or<br>heat-insulated (excl. containers<br>specifically constructed or equipped for<br>one or more types of transport)                                                                                           | 2,443                                                                   | N/A                                                                          | 2,443                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 2,707                                                                   | N/A                                                                          | 2,707                                                                  |                                                       |

| Taiwan                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                                                  | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                                                           | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 2,707                                                                   | N/A                                                                          | 2,707                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                  | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                          | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                            | 2,707                                                                   | N/A                                                                          | 2,707                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                         | 2,453                                                                   | N/A                                                                          | 2,453                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 2,453                                                                   | N/A                                                                          | 2,453                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 2,303                                                                   | N/A                                                                          | 2,303                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 2,303                                                                   | N/A                                                                          | 2,303                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 2,303                                                                   | N/A                                                                          | 2,303                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 2,303                                                                   | N/A                                                                          | 2,303                                                                  | (C)                                                   |

| Taiwan                          |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel | 2,303                                                                   | N/A                                                                          | 2,303                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                         | 2,453                                                                   | N/A                                                                          | 2,453                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                       | 2,453                                                                   | N/A                                                                          | 2,453                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                    | 2,453                                                                   | N/A                                                                          | 2,453                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                             | 2,333                                                                   | N/A                                                                          | 2,333                                                                  | (C)                                                   |

| Tajikistan                      |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,360                                                                   | 0,000                                                                        | 1,360                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,360                                                                   | 0,010                                                                        | 1,360                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,290                                                                   | 0,010                                                                        | 1,300                                                                  | (A)                                                   |

| Tajikistan                      |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 2,700                                                                   | 0,040                                                                        | 2,740                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,650                                                                   | 0,040                                                                        | 0,690                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 2,180                                                                   | 0,050                                                                        | 2,230                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,470                                                                   | 0,030                                                                        | 0,490                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,770                                                                   | 0,030                                                                        | 0,800                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,410                                                                   | 0,080                                                                        | 1,490                                                                  |                                                       |

| Tajikistan                      |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,380                                                                   | 0,080                                                                        | 1,450                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,620                                                                   | 0,040                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,390                                                                   | 0,050                                                                        | 1,440                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,650                                                                   | 0,040                                                                        | 1,690                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,540                                                                   | 0,060                                                                        | 2,600                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,160                                                                   | 0,050                                                                        | 2,210                                                                  |                                                       |

| Tajikistan                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 2,160                                                                   | 0,050                                                                        | 2,210                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 4,220                                                                   | 0,060                                                                        | 4,280                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,120                                                                   | 0,050                                                                        | 2,180                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,580                                                                   | 0,050                                                                        | 1,630                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,610                                                                   | 0,060                                                                        | 1,670                                                                  |                                                       |



| Tajikistan                      |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,800                                                                   | 0,040                                                                        | 0,840                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 1,060                                                                   | 0,030                                                                        | 1,090                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,710                                                                   | 0,020                                                                        | 0,740                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,510                                                                   | 0,030                                                                        | 0,540                                                                  |                                                       |

| Tajikistan                      |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,320                                                                   | 0,020                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,460                                                                   | 0,040                                                                        | 1,500                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,580                                                                   | 0,070                                                                        | 0,640                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,430                                                                   | 0,040                                                                        | 1,470                                                                  |                                                       |

| Tajikistan                      |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,730                                                                   | 0,020                                                                        | 0,750                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Tajikistan                      |                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and thresholds for doors                                                                                                                                                                                             | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and lattice masts                                                                                                                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Tajikistan                      |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Tanzania, United Republic of    |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,850                                                                   | 0,030                                                                        | 0,880                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,850                                                                   | 0,050                                                                        | 0,900                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,810                                                                   | 0,050                                                                        | 0,860                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,640                                                                   | 0,050                                                                        | 1,680                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,600                                                                   | 0,050                                                                        | 0,650                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,460                                                                   | 0,070                                                                        | 1,520                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,440                                                                   | 0,040                                                                        | 0,480                                                                  |                                                       |

| Tanzania, United Republic of    |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,730                                                                   | 0,040                                                                        | 0,770                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,330                                                                   | 0,110                                                                        | 1,440                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,300                                                                   | 0,100                                                                        | 1,410                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,580                                                                   | 0,070                                                                        | 0,650                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,040                                                                   | 0,080                                                                        | 1,120                                                                  |                                                       |

| Tanzania, United Republic of    |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                          | 1,110                                                                   | 0,060                                                                        | 1,170                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 1,700                                                                   | 0,100                                                                        | 1,800                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,470                                                                   | 0,090                                                                        | 1,550                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,470                                                                   | 0,090                                                                        | 1,550                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,560                                                                   | 0,070                                                                        | 2,630                                                                  |                                                       |



| Tanzania, United Republic of    |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,430                                                                   | 0,080                                                                        | 1,510                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,180                                                                   | 0,080                                                                        | 1,260                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,300                                                                   | 0,090                                                                        | 1,390                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,620                                                                   | 0,070                                                                        | 0,680                                                                  |                                                       |

| Tanzania, United Republic of    |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)           | 0,740                                                                   | 0,080                                                                        | 0,820                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,500                                                                   | 0,060                                                                        | 0,560                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,470                                                                   | 0,050                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,300                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |

| Tanzania, United Republic of    |                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                                                                                                                                                                       | 1,010                                                                   | 0,100                                                                        | 1,100                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                                                                                                                                                                 | 0,540                                                                   | 0,090                                                                        | 0,630                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one<br>principal fertilising substance only, incl.<br>mixtures of animal or vegetable<br>fertilisers with chemical or mineral<br>fertilisers, containing > 10 % nitrogen<br>by weight (excl. in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                       | 0,980                                                                   | 0,060                                                                        | 1,040                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and potassium, or one main<br>fertilising element, incl. mixtures of<br>animal or vegetable fertilisers with<br>chemical or mineral fertilisers, not<br>containing nitrogen or with a nitrogen<br>content, by weight, of <= 10 % (excl. in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg) | 0,510                                                                   | 0,040                                                                        | 0,550                                                                  |                                                       |

| Tanzania, United Republic of    |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 0,600                                                                   | N/A                                                                          | 0,600                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |

| Tanzania, United Republic of    |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,840                                                                   | N/A                                                                          | 0,840                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles                                                                                                                                                                     | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |

| Tanzania, United Republic of    |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                                                                                        | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                           | 0,600                                                                   | N/A                                                                          | 0,600                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                          | 1,280                                                                   | N/A                                                                          | 1,280                                                                  | (L)                                                   |
| Thailand                        |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,080                                                                   | 0,060                                                                        | 2,130                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,060                                                                   | 0,180                                                                        | 2,240                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,620                                                                   | 0,050                                                                        | 0,670                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,760                                                                   | 0,080                                                                        | 1,840                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,460                                                                   | 0,050                                                                        | 0,510                                                                  |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,770                                                                   | 0,050                                                                        | 0,820                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,400                                                                   | 0,140                                                                        | 1,540                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,370                                                                   | 0,140                                                                        | 1,510                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,610                                                                   | 0,100                                                                        | 0,710                                                                  |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,190                                                                   | 0,120                                                                        | 1,310                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,330                                                                   | 0,090                                                                        | 1,420                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,050                                                                   | 0,140                                                                        | 2,190                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,770                                                                   | 0,130                                                                        | 1,890                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,770                                                                   | 0,130                                                                        | 1,890                                                                  |                                                       |



| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 3,240                                                                   | 0,090                                                                        | 3,330                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,720                                                                   | 0,120                                                                        | 1,840                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,360                                                                   | 0,110                                                                        | 1,470                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,450                                                                   | 0,130                                                                        | 1,580                                                                  |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,700                                                                   | 0,110                                                                        | 0,800                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,880                                                                   | 0,130                                                                        | 1,010                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 %<br>by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,600                                                                   | 0,100                                                                        | 0,700                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,480                                                                   | 0,080                                                                        | 0,560                                                                  |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,310                                                                   | 0,060                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,200                                                                   | 0,160                                                                        | 1,360                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,560                                                                   | 0,120                                                                        | 0,680                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,170                                                                   | 0,100                                                                        | 1,260                                                                  |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,600                                                                   | 0,070                                                                        | 0,670                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,050                                                                   | N/A                                                                          | 1,050                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,050                                                                   | N/A                                                                          | 1,050                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,730                                                                   | N/A                                                                          | 1,730                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                                                              | 1,130                                                                   | 0,070                                                                        | 1,190                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,430                                                                   | N/A                                                                          | 1,430                                                                  | (E)/(H)                                               |

| Thailand                        |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                   | 0,210                                                                   | N/A                                                                          | 0,210                                                                  | (E)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 0,210                                                                   | N/A                                                                          | 0,210                                                                  | (E)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |



| Thailand                        |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                     | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (E)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                   | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                                                | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (E)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                                         | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                                            | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (E)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                                         | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                  | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                         | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (E)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                           | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (E)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                        | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                                                           | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                                                                                                             | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                                                                                                                  | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                               | 2,331                                                                   | N/A                                                                          | 2,331                                                                  | (E)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                                                        | 2,331                                                                   | N/A                                                                          | 2,331                                                                  | (E)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats") | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                      | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon         | 2,331                                                                   | N/A                                                                          | 2,331                                                                  | (E)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon        | 2,331                                                                   | N/A                                                                          | 2,331                                                                  | (E)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                    | 2,331                                                                   | N/A                                                                          | 2,331                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                       | 2,331                                                                   | N/A                                                                          | 2,331                                                                  | (E)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                                                                                | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                    | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (E)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                            | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling) | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |



| Thailand                        |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Thailand                        |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Thailand                        |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Thailand                        |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked     | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Thailand                        |                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                                                                                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s. | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                     | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                                                                                                                                                                                                                    | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                       | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05) | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                        | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                          | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                   | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,660                                                                   | N/A                                                                          | 4,660                                                                  | (E)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                                                                                                                 | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (E)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                                                                                                             | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (E)                                                   |



| Thailand                        |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                                                  | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                                              | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (H)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (H)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (H)                                                   |

| Thailand                        |                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel) | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (H)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                         | 4,660                                                                   | N/A                                                                          | 4,660                                                                  | (E)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                               | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (E)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                  | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (E)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |

| Thailand                        |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,520                                                                   | N/A                                                                          | 3,520                                                                  | (H)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (H)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,570                                                                   | N/A                                                                          | 3,570                                                                  | (H)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (E)/(H)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (H)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (H)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (H)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (E)/(H)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,390                                                                   | N/A                                                                          | 3,390                                                                  | (H)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (E)/(H)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (H)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (H)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (H)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,580                                                                   | N/A                                                                          | 3,580                                                                  | (E)/(H)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,039                                                                   | N/A                                                                          | 2,039                                                                  | (E)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,950                                                                   | N/A                                                                          | 3,950                                                                  | (E)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |

| Thailand                        |                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                             | 4,630                                                                   | N/A                                                                          | 4,630                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of iron or steel<br>(excl. products of stainless steel or of<br>cast iron)     | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (E)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of<br>a kind used in drilling for oil or gas                                                         | 4,630                                                                   | N/A                                                                          | 4,630                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in<br>drilling for oil or gas, of iron or steel<br>(excl. products of stainless steel or of<br>cast iron) | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (E)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind<br>used for drilling for oil or gas, of<br>stainless steel                                              | 4,630                                                                   | N/A                                                                          | 4,630                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or<br>steel, of a kind used in drilling for oil or<br>gas (excl. products of cast iron)                   | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (E)                                                   |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)  | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (E)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                  | 4,630                                                                   | N/A                                                                          | 4,630                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                              | 4,630                                                                   | N/A                                                                          | 4,630                                                                  |                                                       |



| Thailand                        |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)     | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (H)                                                   |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 1,950                                                                   | N/A                                                                          | 1,950                                                                  | (E)/(H)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (E)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Thailand                        |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                             | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                               | 2,030                                                                   | N/A                                                                          | 2,030                                                                  | (E)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                                                                                                                                                                             | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                             | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                              | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe") | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")            | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 4,750                                                                   | N/A                                                                          | 4,750                                                                  |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                       | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (H)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                               | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (H)                                                   |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,130                                                                   | N/A                                                                          | 2,130                                                                  | (H)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                                                                                          | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 4,810                                                                   | N/A                                                                          | 4,810                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm) | 2,079                                                                   | N/A                                                                          | 2,079                                                                  | (E)                                                   |
| 7307                            | Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel                                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable cast iron                                                                                                                                                                                                                           | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl. of non-malleable)                                                                                                                                                                                                                | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                                                                                                                                                        | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast products)                                                                                                                                                                                                                           | 4,109                                                                   | N/A                                                                          | 4,109                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of stainless steel (excl. cast products)                                                                                                                                                                                                | 4,109                                                                   | N/A                                                                          | 4,109                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of stainless steel (excl. cast products)                                                                                                                                                                                                | 4,109                                                                   | N/A                                                                          | 4,109                                                                  |                                                       |

| Thailand                        |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 29                         | Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)                                                                                                                                                                                                                                                                                        | 4,109                                                                   | N/A                                                                          | 4,109                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or stainless products)                                                                                                                                                                                                                                                                                                                                                                   | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)                                                                                                                                                                                                                                                                                                                                     | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)                                                                                                                                                                                                                                                                                                                             | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 4,290                                                                   | N/A                                                                          | 4,290                                                                  | (E)                                                   |



| Thailand                        |                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport) | 4,640                                                                   | N/A                                                                          | 4,640                                                                  | (E)                                                   |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                          | 2,090                                                                   | N/A                                                                          | 2,090                                                                  | (E)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                                                                                                   | 4,569                                                                   | N/A                                                                          | 4,569                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                            | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                      | 4,689                                                                   | N/A                                                                          | 4,689                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                   | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                            | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel (excl. wood screws)                                                                                                                                                                              | 4,689                                                                   | N/A                                                                          | 4,689                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel other than stainless                                                                                                                                                                               | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)                                                                                                                                   | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 16                         | Nuts of iron or steel                                                                                                                       | 4,449                                                                   | N/A                                                                          | 4,449                                                                  | (E)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                 | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                  | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                   | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                        | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                   | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                     | 2,408                                                                   | N/A                                                                          | 2,408                                                                  | (E)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |

| Thailand                        |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                           | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                         | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                    | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel | 1,920                                                                   | N/A                                                                          | 1,920                                                                  | (E)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                         | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                       | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                    | 1,849                                                                   | N/A                                                                          | 1,849                                                                  | (E)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                             | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (E)                                                   |
| Togo                            |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                 | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                 | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                          | 0,850                                                                   | 0,030                                                                        | 0,880                                                                  | (A)                                                   |

| Togo                            |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,950                                                                   | 0,060                                                                        | 1,000                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,900                                                                   | 0,060                                                                        | 0,960                                                                  | (A)                                                   |

| Trinidad and Tobago             |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 0,870                                                                   | 0,040                                                                        | 0,910                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 0,870                                                                   | 0,070                                                                        | 0,950                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 0,840                                                                   | 0,080                                                                        | 0,910                                                                  | (A)                                                   |

| Trinidad and Tobago             |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,870                                                                   | 0,050                                                                        | 1,920                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 2,260                                                                   | 0,150                                                                        | 2,420                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,680                                                                   | 0,050                                                                        | 0,730                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,640                                                                   | 0,070                                                                        | 1,710                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,500                                                                   | 0,040                                                                        | 0,530                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,820                                                                   | 0,040                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,490                                                                   | 0,120                                                                        | 1,610                                                                  |                                                       |

| Trinidad and Tobago             |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,460                                                                   | 0,110                                                                        | 1,570                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,620                                                                   | 0,080                                                                        | 0,710                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,140                                                                   | 0,100                                                                        | 1,240                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,240                                                                   | 0,070                                                                        | 1,310                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,910                                                                   | 0,110                                                                        | 2,020                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,610                                                                   | 0,100                                                                        | 1,720                                                                  |                                                       |

| Trinidad and Tobago             |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,610                                                                   | 0,100                                                                        | 1,720                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,920                                                                   | 0,080                                                                        | 3,000                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,600                                                                   | 0,100                                                                        | 1,700                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,330                                                                   | 0,090                                                                        | 1,420                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,440                                                                   | 0,110                                                                        | 1,550                                                                  |                                                       |



| Trinidad and Tobago             |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,670                                                                   | 0,090                                                                        | 0,760                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,810                                                                   | 0,100                                                                        | 0,910                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,550                                                                   | 0,080                                                                        | 0,630                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,520                                                                   | 0,060                                                                        | 0,580                                                                  |                                                       |

| Trinidad and Tobago             |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,330                                                                   | 0,050                                                                        | 0,380                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,100                                                                   | 0,130                                                                        | 1,230                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,580                                                                   | 0,100                                                                        | 0,670                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,090                                                                   | 0,080                                                                        | 1,170                                                                  |                                                       |

| Trinidad and Tobago             |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,050                                                                        | 0,610                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Tunisia                         |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | 1,290                                                                   | 0,050                                                                        | 1,330                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker | 0,850                                                                   | 0,030                                                                        | 0,880                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                | 1,260                                                                   | 0,140                                                                        | 1,390                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                 | 0,860                                                                   | 0,060                                                                        | 0,910                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                     | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Tunisia                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,300                                                                   | 0,160                                                                        | 1,460                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,820                                                                   | 0,060                                                                        | 0,880                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,570                                                                   | 0,030                                                                        | 2,600                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,000                                                                   | 0,100                                                                        | 2,100                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,600                                                                   | 0,030                                                                        | 0,630                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,070                                                                   | 0,050                                                                        | 2,120                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,460                                                                   | 0,030                                                                        | 0,480                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)     | 0,760                                                                   | 0,030                                                                        | 0,780                                                                  |                                                       |

| Tunisia                         |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,380                                                                   | 0,080                                                                        | 1,460                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,340                                                                   | 0,080                                                                        | 1,430                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,590                                                                   | 0,060                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,330                                                                   | 0,070                                                                        | 1,400                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,570                                                                   | 0,050                                                                        | 1,620                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                   | 2,410                                                                   | 0,080                                                                        | 2,490                                                                  |                                                       |

| Tunisia                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,070                                                                   | 0,080                                                                        | 2,150                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,070                                                                   | 0,080                                                                        | 2,150                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 4,010                                                                   | 0,050                                                                        | 4,060                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 2,020                                                                   | 0,070                                                                        | 2,090                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,510                                                                   | 0,060                                                                        | 1,580                                                                  |                                                       |

| Tunisia                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,550                                                                   | 0,080                                                                        | 1,630                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,760                                                                   | 0,060                                                                        | 0,830                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,010                                                                   | 0,080                                                                        | 1,090                                                                  |                                                       |

| Tunisia                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,690                                                                   | 0,060                                                                        | 0,750                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,470                                                                   | 0,050                                                                        | 0,520                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,300                                                                   | 0,040                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,400                                                                   | 0,100                                                                        | 1,490                                                                  |                                                       |



| Tunisia                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 0,550                                                                   | 0,090                                                                        | 0,640                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,360                                                                   | 0,060                                                                        | 1,420                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,700                                                                   | 0,040                                                                        | 0,740                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,760                                                                   | N/A                                                                          | 0,760                                                                  | (L)                                                   |

| Tunisia                         |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 0,980                                                                   | N/A                                                                          | 0,980                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 0,980                                                                   | N/A                                                                          | 0,980                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 0,980                                                                   | N/A                                                                          | 0,980                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                             | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                   | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |

| Tunisia                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,000                                                                   | N/A                                                                          | 1,000                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 0,980                                                                   | N/A                                                                          | 0,980                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |

| Tunisia                         |             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 99 10                      | Cast        | 0,760                                                                   | N/A                                                                          | 0,760                                                                  | (L)                                                   |
| 7616 99 90                      | Other       | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |             |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen    | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Türkiye                         |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 30 00                      | Aluminous cement                                            | 1,820                                                                   | 0,140                                                                        | 1,950                                                                  |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | -                                                                       | -                                                                            | -                                                                      |                                                       |
| <b>Fertilisers</b>              |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                             | 2,680                                                                   | 0,030                                                                        | 2,720                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                           | 2,170                                                                   | 0,100                                                                        | 2,270                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                 | 0,650                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 2,170                                                                   | 0,050                                                                        | 2,220                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,480                                                                   | 0,020                                                                        | 0,500                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,790                                                                   | 0,020                                                                        | 0,820                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,440                                                                   | 0,080                                                                        | 1,510                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,400                                                                   | 0,080                                                                        | 1,480                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,630                                                                   | 0,060                                                                        | 0,680                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,400                                                                   | 0,060                                                                        | 1,460                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,640                                                                   | 0,050                                                                        | 1,690                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,530                                                                   | 0,070                                                                        | 2,600                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,160                                                                   | 0,070                                                                        | 2,230                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 2,160                                                                   | 0,070                                                                        | 2,230                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 4,190                                                                   | 0,050                                                                        | 4,240                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,120                                                                   | 0,060                                                                        | 2,180                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,580                                                                   | 0,060                                                                        | 1,640                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,620                                                                   | 0,070                                                                        | 1,690                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,800                                                                   | 0,060                                                                        | 0,860                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 1,060                                                                   | 0,060                                                                        | 1,120                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,720                                                                   | 0,050                                                                        | 0,770                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,510                                                                   | 0,040                                                                        | 0,550                                                                  |                                                       |



| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,320                                                                   | 0,030                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,460                                                                   | 0,080                                                                        | 1,540                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,580                                                                   | 0,080                                                                        | 0,660                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,430                                                                   | 0,050                                                                        | 1,480                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of ≤ 10 % (excl. in tablets or similar forms or in packages of a gross weight of ≤ 10 kg) | 0,730                                                                   | 0,040                                                                        | 0,760                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                               | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                      | 3,369                                                                   | N/A                                                                          | 3,369                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 3,741                                                                   | N/A                                                                          | 3,741                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 3,741                                                                   | N/A                                                                          | 3,741                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                   | 3,741                                                                   | N/A                                                                          | 3,741                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                     | 3,741                                                                   | N/A                                                                          | 3,741                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                          | 3,741                                                                   | N/A                                                                          | 3,741                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                    | 3,424                                                                   | N/A                                                                          | 3,424                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                               | 2,714                                                                   | N/A                                                                          | 2,714                                                                  | (K)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 3,071                                                                   | N/A                                                                          | 3,071                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,754                                                                   | N/A                                                                          | 2,754                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 3,775                                                                   | N/A                                                                          | 3,775                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,674                                                                   | N/A                                                                          | 2,674                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,674                                                                   | N/A                                                                          | 2,674                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,674                                                                   | N/A                                                                          | 2,674                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,674                                                                   | N/A                                                                          | 2,674                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (K)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 4,520                                                                   | N/A                                                                          | 4,520                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 3,741                                                                   | N/A                                                                          | 3,741                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 3,060                                                                   | N/A                                                                          | 3,060                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and<br>concentrates (excl. roasted iron pyrites)                                                                                                                                                                                              | 0,180                                                                   | 0,030                                                                        | 0,210                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                 | 1,850                                                                   | N/A                                                                          | 1,850                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,890                                                                   | N/A                                                                          | 1,890                                                                  | (C)/(F)                                               |

| Türkiye                         |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                   | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,960                                                                   | N/A                                                                          | 1,960                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                     | 3,087                                                                   | N/A                                                                          | 3,087                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                   | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                                                | 3,087                                                                   | N/A                                                                          | 3,087                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                                            | 3,087                                                                   | N/A                                                                          | 3,087                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |



| Türkiye                         |                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                         | 3,087                                                                   | N/A                                                                          | 3,087                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                           | 3,087                                                                   | N/A                                                                          | 3,087                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                        | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                                                           | 3,087                                                                   | N/A                                                                          | 3,087                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                                                                                                             | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                                                                                                                  | 2,428                                                                   | N/A                                                                          | 2,428                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                               | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                                                        | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,428                                                                   | N/A                                                                          | 2,428                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats") | 2,428                                                                   | N/A                                                                          | 2,428                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                      | 2,428                                                                   | N/A                                                                          | 2,428                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon         | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon        | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                    | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                       | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils)                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                                                                                    | 3,087                                                                   | N/A                                                                          | 3,087                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Türkiye                         |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 5,970                                                                   | N/A                                                                          | 5,970                                                                  |                                                       |
| 7218 91                         | Semi-finished products of stainless<br>steel, of rectangular "other than square"<br>cross-section                                                                                  | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 5,970                                                                   | N/A                                                                          | 5,970                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 5,970                                                                   | N/A                                                                          | 5,970                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |



| Türkiye                         |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |

| Türkiye                         |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 5,470                                                                   | N/A                                                                          | 5,470                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 5,540                                                                   | N/A                                                                          | 5,540                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 5,310                                                                   | N/A                                                                          | 5,310                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Türkiye                         |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 11                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section                                                                                                   | 5,310                                                                   | N/A                                                                          | 5,310                                                                  |                                                       |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 5,310                                                                   | N/A                                                                          | 5,310                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 5,310                                                                   | N/A                                                                          | 5,310                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 5,970                                                                   | N/A                                                                          | 5,970                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 5,310                                                                   | N/A                                                                          | 5,310                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 5,310                                                                   | N/A                                                                          | 5,310                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                                                                                                                                                                                                                  | 6,950                                                                   | N/A                                                                          | 6,950                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                     | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                               | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight ≤ 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight ≥ 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                          | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                              | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 6,950                                                                   | N/A                                                                          | 6,950                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |

| Türkiye                         |                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)       | 6,950                                                                   | N/A                                                                          | 6,950                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                        | 8,500                                                                   | N/A                                                                          | 8,500                                                                  | (C)                                                   |
| 7225 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                            | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                        | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)     | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel) | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 50                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (F)                                                   |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Türkiye                         |                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                    | 8,500                                                                   | N/A                                                                          | 8,500                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                          | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented             | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (C)                                                   |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                            | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                 | 6,450                                                                   | N/A                                                                          | 6,450                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel) | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (F)                                                   |



| Türkiye                         |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)                                                                 | 6,520                                                                   | N/A                                                                          | 6,520                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                                                                                      | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                         | 6,950                                                                   | N/A                                                                          | 6,950                                                                  | (F)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (F)                                                   |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)      | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                 | 6,950                                                                   | N/A                                                                          | 6,950                                                                  | (F)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (F)                                                   |
| 7228 70                         | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or non-alloy steel                                                                                                                                                                                                                                                          | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless, in coils (excl. bars and rods)                                                                                                                                                                                                                                         | 6,290                                                                   | N/A                                                                          | 6,290                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                                                             | 2,510                                                                   | N/A                                                                          | 2,510                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7302                            | Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails | 5,360                                                                   | N/A                                                                          | 5,360                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | 2,480                                                                   | N/A                                                                          | 2,480                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)                                                                                                                                                                                                                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                       | 5,690                                                                   | N/A                                                                          | 5,690                                                                  |                                                       |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                     | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                                                                                                   | 5,690                                                                   | N/A                                                                          | 5,690                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 5,690                                                                   | N/A                                                                          | 5,690                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)  | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)               | 5,690                                                                   | N/A                                                                          | 5,690                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                           | 5,690                                                                   | N/A                                                                          | 5,690                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)     | 2,360                                                                   | N/A                                                                          | 2,360                                                                  | (F)                                                   |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,360                                                                   | N/A                                                                          | 2,360                                                                  | (C)/(F)                                               |

| Türkiye                         |                                                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 90 00                      | Tubes, pipes and hollow profiles,<br>seamless, of non-circular cross-section,<br>of iron or steel (excl. products of cast<br>iron)                                                                                                                                                 | 2,340                                                                   | N/A                                                                          | 2,340                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-<br>sections and an external diameter of ><br>406,4 mm, of flat-rolled products of<br>iron or steel "e.g., welded, riveted or<br>similarly closed"                                                                                          | 2,182                                                                   | N/A                                                                          | 2,182                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g.,<br>open seam or welded, riveted or<br>similarly closed", of iron or steel (excl.<br>of cast iron, seamless tubes and pipes<br>and tubes having internal and external<br>circular cross-sections and an external<br>diameter of > 406,4 mm) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, welded, of flat-rolled<br>products of stainless steel, of an<br>external diameter of <= 406,4 mm                                                                                                                             | 5,920                                                                   | N/A                                                                          | 5,920                                                                  |                                                       |
| 7306 19 00                      | Line pipe of a kind used for oil or gas<br>pipelines, welded, of flat-rolled<br>products of iron or steel, of an external<br>diameter of <= 406,4 mm (excl.<br>products of stainless steel or of cast<br>iron)                                                                     | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of ≤ 406,4 mm                                                   | 5,920                                                                   | N/A                                                                          | 5,920                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron) | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                 | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                         | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                       | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                       | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |



| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of <= 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of <= 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but <= 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 5,920                                                                   | N/A                                                                          | 5,920                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 5,850                                                                   | N/A                                                                          | 5,850                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (F)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 5,920                                                                   | N/A                                                                          | 5,920                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 5,920                                                                   | N/A                                                                          | 5,920                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,244                                                                   | N/A                                                                          | 2,244                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 3,151                                                                   | N/A                                                                          | 3,151                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 3,151                                                                   | N/A                                                                          | 3,151                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 3,151                                                                   | N/A                                                                          | 3,151                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 3,710                                                                   | N/A                                                                          | 3,710                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 3,151                                                                   | N/A                                                                          | 3,151                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 3,151                                                                   | N/A                                                                          | 3,151                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                                                                                                                                                                                                                                                                                                                                     | 3,151                                                                   | N/A                                                                          | 3,151                                                                  | (C)                                                   |
| 7307 99                         | Tube or pipe fittings, of iron or steel<br>(excl. cast iron or stainless steel<br>products; flanges; threaded elbows,<br>bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                                          | 3,151                                                                   | N/A                                                                          | 3,151                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g.,<br>bridges and bridge-sections, lock-gates,<br>towers, lattice masts, roofs, roofing<br>frameworks, doors and windows and<br>their frames and thresholds for doors,<br>shutters, balustrades, pillars and<br>columns", of iron or steel; plates, rods,<br>angles, shapes, sections, tubes and the<br>like, prepared for use in structures, of<br>iron or steel (excl. prefabricated<br>buildings of heading 9406) | 5,520                                                                   | N/A                                                                          | 5,520                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar<br>containers, of iron or steel, for any<br>material "other than compressed or<br>liquefied gas", of a capacity of > 300 l,<br>not fitted with mechanical or thermal<br>equipment, whether or not lined or<br>heat-insulated (excl. containers<br>specifically constructed or equipped for<br>one or more types of transport)                                                                                           | 5,600                                                                   | N/A                                                                          | 5,600                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 3,030                                                                   | N/A                                                                          | 3,030                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 5,430                                                                   | N/A                                                                          | 5,430                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 5,690                                                                   | N/A                                                                          | 5,690                                                                  |                                                       |

| Türkiye                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 12 90                      | Wood screws of iron or steel other than<br>stainless (excl. coach screws)                                                                                                                                                                                  | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or<br>steel                                                                                                                                                                                                           | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 5,690                                                                   | N/A                                                                          | 5,690                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 5,430                                                                   | N/A                                                                          | 5,430                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,790                                                                   | N/A                                                                          | 3,790                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 3,430                                                                   | N/A                                                                          | 3,430                                                                  | (C)                                                   |



| Türkiye                         |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                        | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                   | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                     | 2,832                                                                   | N/A                                                                          | 2,832                                                                  | (C)                                                   |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,583                                                                   | N/A                                                                          | 2,583                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,583                                                                   | N/A                                                                          | 2,583                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,583                                                                   | N/A                                                                          | 2,583                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,583                                                                   | N/A                                                                          | 2,583                                                                  | (C)                                                   |

| Türkiye                         |                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel | 2,583                                                                   | N/A                                                                          | 2,583                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                         | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                       | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                    | 3,000                                                                   | N/A                                                                          | 3,000                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                             | 2,583                                                                   | N/A                                                                          | 2,583                                                                  | (C)                                                   |

| Turkmenistan                    |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                             |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                        | 1,360                                                                   | 0,050                                                                        | 1,400                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                       | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                        | 1,360                                                                   | 0,090                                                                        | 1,440                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                      | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements | 1,290                                                                   | 0,090                                                                        | 1,380                                                                  | (A)                                                   |

| Turkmenistan                    |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 2,690                                                                   | 0,070                                                                        | 2,760                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 2,160                                                                   | 0,210                                                                        | 2,370                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,650                                                                   | 0,060                                                                        | 0,710                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 2,170                                                                   | 0,100                                                                        | 2,270                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,470                                                                   | 0,050                                                                        | 0,520                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,770                                                                   | 0,050                                                                        | 0,830                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,410                                                                   | 0,160                                                                        | 1,570                                                                  |                                                       |

| Turkmenistan                    |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,380                                                                   | 0,160                                                                        | 1,530                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,620                                                                   | 0,120                                                                        | 0,740                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,390                                                                   | 0,130                                                                        | 1,520                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,640                                                                   | 0,100                                                                        | 1,750                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,530                                                                   | 0,160                                                                        | 2,690                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,150                                                                   | 0,140                                                                        | 2,300                                                                  |                                                       |

| Turkmenistan                    |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 2,150                                                                   | 0,140                                                                        | 2,300                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 4,200                                                                   | 0,100                                                                        | 4,310                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,120                                                                   | 0,140                                                                        | 2,260                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,580                                                                   | 0,120                                                                        | 1,700                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,600                                                                   | 0,150                                                                        | 1,750                                                                  |                                                       |

| Turkmenistan                    |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,800                                                                   | 0,120                                                                        | 0,920                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 1,050                                                                   | 0,140                                                                        | 1,200                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 %<br>by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,710                                                                   | 0,110                                                                        | 0,820                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,500                                                                   | 0,090                                                                        | 0,590                                                                  |                                                       |

| Turkmenistan                    |                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                       | 0,320                                                                   | 0,070                                                                        | 0,390                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                               | 1,450                                                                   | 0,180                                                                        | 1,630                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                         | 0,570                                                                   | 0,130                                                                        | 0,710                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,430                                                                   | 0,110                                                                        | 1,540                                                                  |                                                       |

**Turkmenistan**

| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,730                                                                   | 0,080                                                                        | 0,810                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

**Uganda**

| Product CN Code /<br>TARIC Code | Description                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
|---------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| <b>Cement</b>                   |                                                          |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                            | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                     | 0,950                                                                   | 0,010                                                                        | 0,950                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                    | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                     | 0,990                                                                   | 0,020                                                                        | 1,010                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey hydraulic cements | 0,940                                                                   | 0,030                                                                        | 0,970                                                                  | (A)                                                   |



| Uganda                          |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 0,510                                                                   | N/A                                                                          | 0,510                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                               | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                            | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |

| Uganda                          |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,750                                                                   | N/A                                                                          | 0,750                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |

| Uganda                          |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                         | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 0,510                                                                   | N/A                                                                          | 0,510                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 1,190                                                                   | N/A                                                                          | 1,190                                                                  | (L)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,340                                                                   | 0,030                                                                        | 1,370                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,340                                                                   | 0,050                                                                        | 1,380                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,270                                                                   | 0,050                                                                        | 1,320                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,700                                                                   | 0,030                                                                        | 2,730                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,160                                                                   | 0,090                                                                        | 2,250                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,030                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,180                                                                   | 0,040                                                                        | 2,220                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,460                                                                   | 0,020                                                                        | 0,480                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,760                                                                   | 0,020                                                                        | 0,780                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,380                                                                   | 0,070                                                                        | 1,450                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,350                                                                   | 0,070                                                                        | 1,420                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,620                                                                   | 0,050                                                                        | 0,670                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,390                                                                   | 0,060                                                                        | 1,450                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,640                                                                   | 0,040                                                                        | 1,690                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,530                                                                   | 0,070                                                                        | 2,600                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,150                                                                   | 0,060                                                                        | 2,220                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,150                                                                   | 0,060                                                                        | 2,220                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 4,220                                                                   | 0,050                                                                        | 4,270                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 2,120                                                                   | 0,060                                                                        | 2,180                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,570                                                                   | 0,060                                                                        | 1,630                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers<br>(excl. urea; ammonium sulphate;<br>ammonium nitrate; sodium nitrate;<br>double salts and mixtures of<br>ammonium nitrate with ammonium<br>sulphate or calcium; mixtures of urea<br>and ammonium nitrate in aqueous or<br>ammoniacal solution; mixtures of<br>ammonium nitrate and calcium<br>carbonate or other non-fertilising<br>inorganic elements; in tablets or similar<br>in packages <= 10 kg) | 1,590                                                                   | 0,060                                                                        | 1,660                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                                                                                                                                                                                                               | 0,800                                                                   | 0,050                                                                        | 0,850                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)                                                                                                                                                                                            | 1,050                                                                   | 0,060                                                                        | 1,120                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,710                                                                   | 0,050                                                                        | 0,760                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,500                                                                   | 0,040                                                                        | 0,540                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,320                                                                   | 0,030                                                                        | 0,350                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,450                                                                   | 0,080                                                                        | 1,530                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,570                                                                   | 0,080                                                                        | 0,640                                                                  |                                                       |



| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,430                                                                   | 0,050                                                                        | 1,480                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,730                                                                   | 0,030                                                                        | 0,760                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,490                                                                   | N/A                                                                          | 0,490                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 0,730                                                                   | N/A                                                                          | 0,730                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 0,490                                                                   | N/A                                                                          | 0,490                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,180                                                                   | N/A                                                                          | 1,180                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,080                                                                   | 0,050                                                                        | 0,120                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 2,173                                                                   | N/A                                                                          | 2,173                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 1,910                                                                   | N/A                                                                          | 1,910                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,970                                                                   | N/A                                                                          | 1,970                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,483                                                                   | N/A                                                                          | 2,483                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,544                                                                   | N/A                                                                          | 2,544                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,544                                                                   | N/A                                                                          | 2,544                                                                  | (C)                                                   |



| Ukraine                         |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,483                                                                   | N/A                                                                          | 2,483                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,483                                                                   | N/A                                                                          | 2,483                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,483                                                                   | N/A                                                                          | 2,483                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,544                                                                   | N/A                                                                          | 2,544                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,544                                                                   | N/A                                                                          | 2,544                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,544                                                                   | N/A                                                                          | 2,544                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,544                                                                   | N/A                                                                          | 2,544                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,397                                                                   | N/A                                                                          | 2,397                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |

| Ukraine                         |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,230                                                                   | N/A                                                                          | 3,230                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,280                                                                   | N/A                                                                          | 3,280                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |



| Ukraine                         |                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only<br>extruded (excl. of circular cross-section)                                                                                                          | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel,<br>not further worked than cold-formed or<br>cold-finished                                                                                                                                  | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel,<br>cold-formed or cold-finished and<br>further worked, or not further worked<br>than forged, or forged, or hot-formed<br>by other means and further worked,<br>n.e.s.                       | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless<br>steel, n.e.s.                                                                                                                                                                           | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl.<br>bars and rods)                                                                                                                                                                          | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in<br>ingots or other primary forms, semi-<br>finished products of alloy steel other<br>than stainless (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in<br>ingots or other primary forms (excl.<br>waste and scrap in ingot form, and<br>products obtained by continuous<br>casting)                                                                 | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                                | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,650                                                                   | N/A                                                                          | 4,650                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,650                                                                   | N/A                                                                          | 4,650                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,540                                                                   | N/A                                                                          | 3,540                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Ukraine                         |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |



| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,420                                                                   | N/A                                                                          | 3,420                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,543                                                                   | N/A                                                                          | 2,543                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,213                                                                   | N/A                                                                          | 3,213                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,183                                                                   | N/A                                                                          | 2,183                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,563                                                                   | N/A                                                                          | 3,563                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,563                                                                   | N/A                                                                          | 3,563                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,563                                                                   | N/A                                                                          | 3,563                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,563                                                                   | N/A                                                                          | 3,563                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,563                                                                   | N/A                                                                          | 3,563                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (F)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,596                                                                   | N/A                                                                          | 2,596                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,543                                                                   | N/A                                                                          | 2,543                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,733                                                                   | N/A                                                                          | 3,733                                                                  |                                                       |

| Ukraine                         |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,733                                                                   | N/A                                                                          | 3,733                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,733                                                                   | N/A                                                                          | 3,733                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,683                                                                   | N/A                                                                          | 3,683                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (F)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,733                                                                   | N/A                                                                          | 3,733                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |



| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,733                                                                   | N/A                                                                          | 3,733                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,371                                                                   | N/A                                                                          | 2,371                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,173                                                                   | N/A                                                                          | 2,173                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,173                                                                   | N/A                                                                          | 2,173                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 3,223                                                                   | N/A                                                                          | 3,223                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 3,223                                                                   | N/A                                                                          | 3,223                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 3,223                                                                   | N/A                                                                          | 3,223                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 3,223                                                                   | N/A                                                                          | 3,223                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,413                                                                   | N/A                                                                          | 3,413                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,663                                                                   | N/A                                                                          | 3,663                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,543                                                                   | N/A                                                                          | 2,543                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,543                                                                   | N/A                                                                          | 3,543                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,563                                                                   | N/A                                                                          | 3,563                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,563                                                                   | N/A                                                                          | 3,563                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 3,153                                                                   | N/A                                                                          | 3,153                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,443                                                                   | N/A                                                                          | 3,443                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,633                                                                   | N/A                                                                          | 2,633                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,563                                                                   | N/A                                                                          | 2,563                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |

| Ukraine                         |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 2,423                                                                   | N/A                                                                          | 2,423                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 2,543                                                                   | N/A                                                                          | 2,543                                                                  | (C)                                                   |

| United Arab Emirates            |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                           | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                           | 1,290                                                                   | 0,050                                                                        | 1,340                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                    | 0,830                                                                   | 0,040                                                                        | 0,860                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                   | 1,300                                                                   | 0,140                                                                        | 1,440                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                    | 0,840                                                                   | 0,070                                                                        | 0,900                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                  | 1,330                                                                   | 0,170                                                                        | 1,510                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                             | 0,800                                                                   | 0,070                                                                        | 0,870                                                                  | (A)                                                   |
| <b>Aluminium</b>                |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                     | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                            | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                           | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                         | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                           | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                          | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                  | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |

| United Arab Emirates            |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                           | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |



| United Arab Emirates            |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                               | 2,200                                                                   | N/A                                                                          | 2,200                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of<br>heading 8305), screws, bolts, nuts,<br>screw hooks, rivets, cotters, cotter pins,<br>washers and similar articles | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of<br>aluminium wire                                                                                                         | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                            | 1,980                                                                   | N/A                                                                          | 1,980                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                        | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                        | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                         | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                        | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                    | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 0,930                                                                   | 0,020                                                                        | 0,950                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 0,940                                                                   | 0,040                                                                        | 0,980                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 0,900                                                                   | 0,050                                                                        | 0,940                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 0,720                                                                   | 0,030                                                                        | 0,750                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 1,970                                                                   | 0,090                                                                        | 2,050                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,590                                                                   | 0,030                                                                        | 0,620                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 0,830                                                                   | 0,040                                                                        | 0,870                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,400                                                                   | 0,020                                                                        | 0,420                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,650                                                                   | 0,020                                                                        | 0,680                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,190                                                                   | 0,070                                                                        | 1,260                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,160                                                                   | 0,060                                                                        | 1,230                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,550                                                                   | 0,050                                                                        | 0,590                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 0,720                                                                   | 0,050                                                                        | 0,780                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 0,640                                                                   | 0,040                                                                        | 0,680                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 0,980                                                                   | 0,060                                                                        | 1,050                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,840                                                                   | 0,060                                                                        | 0,900                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,840                                                                   | 0,060                                                                        | 0,900                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 1,130                                                                   | 0,040                                                                        | 1,170                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 0,830                                                                   | 0,060                                                                        | 0,880                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 0,820                                                                   | 0,050                                                                        | 0,870                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 0,980                                                                   | 0,060                                                                        | 1,040                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,450                                                                   | 0,050                                                                        | 0,500                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,450                                                                   | 0,060                                                                        | 0,510                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,310                                                                   | 0,040                                                                        | 0,350                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,460                                                                   | 0,040                                                                        | 0,490                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,290                                                                   | 0,030                                                                        | 0,320                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 0,600                                                                   | 0,070                                                                        | 0,670                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,510                                                                   | 0,070                                                                        | 0,570                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 0,590                                                                   | 0,040                                                                        | 0,630                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,310                                                                   | 0,030                                                                        | 0,340                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,870                                                                   | N/A                                                                          | 1,870                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,170                                                                   | N/A                                                                          | 2,170                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |



| United Kingdom                  |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,150                                                                   | N/A                                                                          | 2,150                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,930                                                                   | N/A                                                                          | 1,930                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,610                                                                   | N/A                                                                          | 2,610                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,270                                                                   | 0,010                                                                        | 0,280                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 2,170                                                                   | N/A                                                                          | 2,170                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,220                                                                   | N/A                                                                          | 2,220                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |



| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,840                                                                   | N/A                                                                          | 3,840                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,840                                                                   | N/A                                                                          | 3,840                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,840                                                                   | N/A                                                                          | 3,840                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,840                                                                   | N/A                                                                          | 3,840                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 4,170                                                                   | N/A                                                                          | 4,170                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |



| United Kingdom                  |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 4,170                                                                   | N/A                                                                          | 4,170                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 4,170                                                                   | N/A                                                                          | 4,170                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,740                                                                   | N/A                                                                          | 4,740                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (F)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,740                                                                   | N/A                                                                          | 4,740                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,620                                                                   | N/A                                                                          | 3,620                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,700                                                                   | N/A                                                                          | 3,700                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 4,170                                                                   | N/A                                                                          | 4,170                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 4,170                                                                   | N/A                                                                          | 4,170                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,810                                                                   | N/A                                                                          | 2,810                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,730                                                                   | N/A                                                                          | 2,730                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |



| United Kingdom                  |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (F)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,230                                                                   | N/A                                                                          | 2,230                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |

| United Kingdom                  |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,290                                                                   | N/A                                                                          | 3,290                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (F)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,370                                                                   | N/A                                                                          | 3,370                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,930                                                                   | N/A                                                                          | 2,930                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,780                                                                   | N/A                                                                          | 2,780                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,780                                                                   | N/A                                                                          | 2,780                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,780                                                                   | N/A                                                                          | 2,780                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,780                                                                   | N/A                                                                          | 2,780                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |



| United Kingdom                  |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,030                                                                   | N/A                                                                          | 3,030                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,980                                                                   | N/A                                                                          | 2,980                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,320                                                                   | N/A                                                                          | 2,320                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |

| United Kingdom                  |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                         | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel            | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die forged, n.e.s.                                                                                 | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die forged, n.e.s.                                                                               | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                         | 3,040                                                                   | N/A                                                                          | 3,040                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                  | 2,500                                                                   | N/A                                                                          | 2,500                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | 0,220                                                                   | 0,090                                                                        | 0,310                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,320                                                                   | 0,050                                                                        | 1,370                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,160                                                                   | 0,030                                                                        | 1,190                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,240                                                                   | 0,140                                                                        | 1,380                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,160                                                                   | 0,060                                                                        | 1,210                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | 1,800                                                                   | 0,140                                                                        | 1,940                                                                  |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,290                                                                   | 0,160                                                                        | 1,450                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,100                                                                   | 0,060                                                                        | 1,160                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,870                                                                   | 0,030                                                                        | 1,900                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 3,320                                                                   | 0,090                                                                        | 3,410                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 1,000                                                                   | 0,030                                                                        | 1,020                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,860                                                                   | 0,040                                                                        | 1,910                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,740                                                                   | 0,020                                                                        | 0,760                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 1,220                                                                   | 0,020                                                                        | 1,240                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 2,220                                                                   | 0,070                                                                        | 2,290                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 2,170                                                                   | 0,070                                                                        | 2,240                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,970                                                                   | 0,060                                                                        | 1,030                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,460                                                                   | 0,060                                                                        | 1,530                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,430                                                                   | 0,050                                                                        | 1,470                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in<br>aqueous solution, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg)                                                                                                                                      | 2,190                                                                   | 0,070                                                                        | 2,270                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing <= 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg) | 1,910                                                                   | 0,070                                                                        | 1,980                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with<br>calcium carbonate or other inorganic<br>non-fertilising substances, for use as<br>fertilisers, containing > 28 % nitrogen<br>by weight (excl. those in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)  | 1,910                                                                   | 0,070                                                                        | 1,980                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or<br>similar forms, or in packages with a<br>gross weight of <= 10 kg)                                                                                                                                                                | 2,920                                                                   | 0,050                                                                        | 2,970                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium<br>nitrate and ammonium nitrate (excl.<br>those in tablets or similar forms, or in<br>packages with a gross weight of <=<br>10 kg)                                                                                                      | 1,840                                                                   | 0,060                                                                        | 1,910                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium<br>nitrate in aqueous or ammoniacal<br>solution (excl. those in packages with a<br>gross weight of <= 10 kg)                                                                                                                                   | 1,680                                                                   | 0,060                                                                        | 1,740                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,950                                                                   | 0,070                                                                        | 2,020                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,900                                                                   | 0,060                                                                        | 0,960                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,000                                                                   | 0,070                                                                        | 1,060                                                                  |                                                       |



| United States                   |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,680                                                                   | 0,050                                                                        | 0,740                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,780                                                                   | 0,040                                                                        | 0,820                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,500                                                                   | 0,030                                                                        | 0,530                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,340                                                                   | 0,090                                                                        | 1,420                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,900                                                                   | 0,100                                                                        | 1,010                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,280                                                                   | 0,050                                                                        | 1,340                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,670                                                                   | 0,040                                                                        | 0,710                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 2,032                                                                   | N/A                                                                          | 2,032                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,258                                                                   | N/A                                                                          | 2,258                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,258                                                                   | N/A                                                                          | 2,258                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |

| United States                   |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,258                                                                   | N/A                                                                          | 2,258                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,278                                                                   | N/A                                                                          | 2,278                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,258                                                                   | N/A                                                                          | 2,258                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 2,032                                                                   | N/A                                                                          | 2,032                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,730                                                                   | N/A                                                                          | 2,730                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 26,640                                                                  | N/A                                                                          | 26,640                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,660                                                                   | 0,020                                                                        | 0,680                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                 | 1,210                                                                   | N/A                                                                          | 1,210                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | 0,450                                                                   | N/A                                                                          | 0,450                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,425                                                                   | N/A                                                                          | 2,425                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| United States                   |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                   | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |



| United States                   |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 1,400                                                                   | N/A                                                                          | 1,400                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 1,400                                                                   | N/A                                                                          | 1,400                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 1,400                                                                   | N/A                                                                          | 1,400                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 1,400                                                                   | N/A                                                                          | 1,400                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |

| United States                   |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |

| United States                   |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |

| United States                   |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |



| United States                   |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,730                                                                   | N/A                                                                          | 4,730                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |

| United States                   |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,730                                                                   | N/A                                                                          | 4,730                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 3,590                                                                   | N/A                                                                          | 3,590                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other<br>than stainless, angles, shapes and<br>sections of alloy steel other than<br>stainless, n.e.s.; hollow drill bars and<br>rods, of alloy or non-alloy steel                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| United States                   |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |



| United States                   |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,490                                                                   | N/A                                                                          | 3,490                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,640                                                                   | N/A                                                                          | 3,640                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,740                                                                   | N/A                                                                          | 2,740                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 1,850                                                                   | N/A                                                                          | 1,850                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,190                                                                   | N/A                                                                          | 3,190                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (F)                                                   |

| United States                   |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 1,974                                                                   | N/A                                                                          | 1,974                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |

| United States                   |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 1,400                                                                   | N/A                                                                          | 1,400                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,220                                                                   | N/A                                                                          | 3,220                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 1,430                                                                   | N/A                                                                          | 1,430                                                                  | (F)                                                   |



| United States                   |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 1,480                                                                   | N/A                                                                          | 1,480                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,270                                                                   | N/A                                                                          | 3,270                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 1,260                                                                   | N/A                                                                          | 1,260                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 1,260                                                                   | N/A                                                                          | 1,260                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,800                                                                   | N/A                                                                          | 2,800                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,800                                                                   | N/A                                                                          | 2,800                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,800                                                                   | N/A                                                                          | 2,800                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,800                                                                   | N/A                                                                          | 2,800                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 1,410                                                                   | N/A                                                                          | 1,410                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,900                                                                   | N/A                                                                          | 2,900                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,190                                                                   | N/A                                                                          | 3,190                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,730                                                                   | N/A                                                                          | 3,730                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,170                                                                   | N/A                                                                          | 3,170                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |

| United States                   |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,170                                                                   | N/A                                                                          | 3,170                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,580                                                                   | N/A                                                                          | 2,580                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,030                                                                   | N/A                                                                          | 3,030                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 1,830                                                                   | N/A                                                                          | 1,830                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 1,680                                                                   | N/A                                                                          | 1,680                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |

| United States                   |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 1,390                                                                   | N/A                                                                          | 1,390                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 1,330                                                                   | N/A                                                                          | 1,330                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 1,440                                                                   | N/A                                                                          | 1,440                                                                  | (C)                                                   |

| Uruguay                         |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,090                                                                   | 0,010                                                                        | 1,100                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,090                                                                   | 0,020                                                                        | 1,110                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,040                                                                   | 0,030                                                                        | 1,060                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,800                                                                   | 0,020                                                                        | 1,820                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,020                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,610                                                                   | 0,040                                                                        | 1,650                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,500                                                                   | 0,020                                                                        | 0,530                                                                  |                                                       |



| Uruguay                         |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,830                                                                   | 0,020                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,520                                                                   | 0,060                                                                        | 1,580                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,480                                                                   | 0,060                                                                        | 1,550                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,660                                                                   | 0,050                                                                        | 0,710                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,150                                                                   | 0,060                                                                        | 1,210                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,230                                                                   | 0,040                                                                        | 1,270                                                                  |                                                       |

| Uruguay                         |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 1,890                                                                   | 0,060                                                                        | 1,950                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,630                                                                   | 0,060                                                                        | 1,690                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,630                                                                   | 0,060                                                                        | 1,690                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 2,810                                                                   | 0,040                                                                        | 2,850                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 1,580                                                                   | 0,060                                                                        | 1,640                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,320                                                                   | 0,050                                                                        | 1,380                                                                  |                                                       |

| Uruguay                         |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,460                                                                   | 0,060                                                                        | 1,520                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,690                                                                   | 0,050                                                                        | 0,740                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,820                                                                   | 0,060                                                                        | 0,880                                                                  |                                                       |

| Uruguay                         |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,560                                                                   | 0,050                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,530                                                                   | 0,040                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,340                                                                   | 0,030                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,120                                                                   | 0,080                                                                        | 1,200                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,610                                                                   | 0,080                                                                        | 0,680                                                                  |                                                       |

| Uruguay                         |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,080                                                                   | 0,050                                                                        | 1,130                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,030                                                                        | 0,590                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,640                                                                   | N/A                                                                          | 2,640                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,640                                                                   | N/A                                                                          | 2,640                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |

| Uruguay                         |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,640                                                                   | N/A                                                                          | 2,640                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,660                                                                   | N/A                                                                          | 2,660                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |

| Uruguay                         |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,640                                                                   | N/A                                                                          | 2,640                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 2,420                                                                   | N/A                                                                          | 2,420                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 3,100                                                                   | N/A                                                                          | 3,100                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,360                                                                   | 0,030                                                                        | 1,390                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,360                                                                   | 0,060                                                                        | 1,410                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,290                                                                   | 0,060                                                                        | 1,350                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,730                                                                   | 0,040                                                                        | 2,770                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,160                                                                   | 0,140                                                                        | 2,300                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,650                                                                   | 0,040                                                                        | 0,690                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,210                                                                   | 0,060                                                                        | 2,270                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,490                                                                   | 0,040                                                                        | 0,520                                                                  |                                                       |



| Uzbekistan                      |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,810                                                                   | 0,040                                                                        | 0,840                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,470                                                                   | 0,100                                                                        | 1,570                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,440                                                                   | 0,100                                                                        | 1,540                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,640                                                                   | 0,080                                                                        | 0,710                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,420                                                                   | 0,090                                                                        | 1,500                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,670                                                                   | 0,070                                                                        | 1,740                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,570                                                                   | 0,100                                                                        | 2,670                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,200                                                                   | 0,090                                                                        | 2,300                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,200                                                                   | 0,090                                                                        | 2,300                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 4,260                                                                   | 0,070                                                                        | 4,330                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 2,150                                                                   | 0,090                                                                        | 2,240                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,610                                                                   | 0,080                                                                        | 1,700                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,660                                                                   | 0,100                                                                        | 1,750                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,820                                                                   | 0,080                                                                        | 0,890                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,080                                                                   | 0,090                                                                        | 1,170                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,730                                                                   | 0,070                                                                        | 0,800                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,510                                                                   | 0,060                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,320                                                                   | 0,050                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,480                                                                   | 0,120                                                                        | 1,600                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,590                                                                   | 0,100                                                                        | 0,690                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,450                                                                   | 0,070                                                                        | 1,520                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,740                                                                   | 0,050                                                                        | 0,790                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,060                                                                   | N/A                                                                          | 1,060                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 1,300                                                                   | N/A                                                                          | 1,300                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 1,290                                                                   | N/A                                                                          | 1,290                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,060                                                                   | N/A                                                                          | 1,060                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 1,740                                                                   | N/A                                                                          | 1,740                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 0,390                                                                   | 0,350                                                                        | 0,740                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks<br>or other primary forms                                                                                                                                                                                                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 3,670                                                                   | N/A                                                                          | 3,670                                                                  | (E)/(H)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Uzbekistan                      |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                   | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |



| Uzbekistan                      |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 3,050                                                                   | N/A                                                                          | 3,050                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,190                                                                   | N/A                                                                          | 3,190                                                                  | (H)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,190                                                                   | N/A                                                                          | 3,190                                                                  | (H)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,190                                                                   | N/A                                                                          | 3,190                                                                  | (H)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,930                                                                   | N/A                                                                          | 4,930                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |



| Uzbekistan                      |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,930                                                                   | N/A                                                                          | 4,930                                                                  | (E)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)/(H)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,190                                                                   | N/A                                                                          | 3,190                                                                  | (H)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)/(H)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,190                                                                   | N/A                                                                          | 3,190                                                                  | (H)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)/(H)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (H)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,260                                                                   | N/A                                                                          | 3,260                                                                  | (E)/(H)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 3,730                                                                   | N/A                                                                          | 3,730                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 3,200                                                                   | N/A                                                                          | 3,200                                                                  | (H)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 3,200                                                                   | N/A                                                                          | 3,200                                                                  | (E)/(H)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 3,200                                                                   | N/A                                                                          | 3,200                                                                  | (E)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |



| Uzbekistan                      |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (H)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (H)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (H)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 3,670                                                                   | N/A                                                                          | 3,670                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 3,670                                                                   | N/A                                                                          | 3,670                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 3,010                                                                   | N/A                                                                          | 3,010                                                                  | (E)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |



| Uzbekistan                      |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Uzbekistan                      |                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                         | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7326 19                         | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills) | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                             | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7326 90 40                      | Pallets and similar platforms for handling goods, of iron or steel                                                                 | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of iron or steel                                                                            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel            | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die forged, n.e.s.                                                                                 | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die forged, n.e.s.                                                                               | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                         | 3,150                                                                   | N/A                                                                          | 3,150                                                                  | (E)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                  | 3,210                                                                   | N/A                                                                          | 3,210                                                                  | (E)                                                   |

| Venezuela                       |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | 1,320                                                                   | 0,030                                                                        | 1,340                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,080                                                                   | 0,020                                                                        | 1,100                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | 1,240                                                                   | 0,120                                                                        | 1,360                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,080                                                                   | 0,030                                                                        | 1,110                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | 1,280                                                                   | 0,140                                                                        | 1,420                                                                  | (B)                                                   |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,030                                                                   | 0,040                                                                        | 1,060                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 1,800                                                                   | 0,020                                                                        | 1,830                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 2,260                                                                   | 0,070                                                                        | 2,330                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,680                                                                   | 0,020                                                                        | 0,700                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 1,620                                                                   | 0,040                                                                        | 1,650                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,500                                                                   | 0,020                                                                        | 0,520                                                                  |                                                       |

| Venezuela                       |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 0,840                                                                   | 0,020                                                                        | 0,860                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 1,520                                                                   | 0,060                                                                        | 1,580                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 1,490                                                                   | 0,060                                                                        | 1,540                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 0,660                                                                   | 0,050                                                                        | 0,710                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,160                                                                   | 0,050                                                                        | 1,210                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,230                                                                   | 0,040                                                                        | 1,270                                                                  |                                                       |

| Venezuela                       |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,890                                                                   | 0,060                                                                        | 1,950                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,630                                                                   | 0,060                                                                        | 1,690                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 1,630                                                                   | 0,060                                                                        | 1,690                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 2,820                                                                   | 0,040                                                                        | 2,850                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 1,580                                                                   | 0,050                                                                        | 1,640                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,330                                                                   | 0,050                                                                        | 1,370                                                                  |                                                       |

| Venezuela                       |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,460                                                                   | 0,060                                                                        | 1,520                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,690                                                                   | 0,050                                                                        | 0,740                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 0,820                                                                   | 0,060                                                                        | 0,880                                                                  |                                                       |

| Venezuela                       |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,560                                                                   | 0,050                                                                        | 0,610                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,530                                                                   | 0,040                                                                        | 0,570                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,340                                                                   | 0,030                                                                        | 0,370                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,120                                                                   | 0,070                                                                        | 1,200                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,610                                                                   | 0,070                                                                        | 0,680                                                                  |                                                       |

| Venezuela                       |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,090                                                                   | 0,040                                                                        | 1,130                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,560                                                                   | 0,030                                                                        | 0,590                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 1,700                                                                   | N/A                                                                          | 1,700                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |



| Venezuela                       |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,050                                                                   | N/A                                                                          | 2,050                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |

| Venezuela                       |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (K)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,810                                                                   | N/A                                                                          | 1,810                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,490                                                                   | N/A                                                                          | 2,490                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                                                                                                                                                                          | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                                                                                                                                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Venezuela                       |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                        | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                       | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                   | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| Viet Nam                        |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,410                                                                   | 0,050                                                                        | 2,460                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | 3,460                                                                   | 0,150                                                                        | 3,610                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 1,040                                                                   | 0,050                                                                        | 1,080                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,240                                                                   | 0,070                                                                        | 2,310                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,770                                                                   | 0,040                                                                        | 0,810                                                                  |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 1,270                                                                   | 0,040                                                                        | 1,310                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 2,310                                                                   | 0,120                                                                        | 2,430                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 2,260                                                                   | 0,120                                                                        | 2,380                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                       | 1,010                                                                   | 0,090                                                                        | 1,100                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                                              | 1,660                                                                   | 0,100                                                                        | 1,760                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                                                    | 1,710                                                                   | 0,080                                                                        | 1,780                                                                  |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,630                                                                   | 0,120                                                                        | 2,750                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,280                                                                   | 0,110                                                                        | 2,380                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 2,280                                                                   | 0,110                                                                        | 2,380                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 3,760                                                                   | 0,080                                                                        | 3,840                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 2,210                                                                   | 0,100                                                                        | 2,310                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 1,900                                                                   | 0,090                                                                        | 2,000                                                                  |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 2,140                                                                   | 0,110                                                                        | 2,260                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 1,000                                                                   | 0,090                                                                        | 1,090                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,160                                                                   | 0,110                                                                        | 1,270                                                                  |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,790                                                                   | 0,080                                                                        | 0,880                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,810                                                                   | 0,070                                                                        | 0,880                                                                  |                                                       |
| 3105 40 00                      | Ammonium<br>dihydrogenorthophosphate<br>"monoammonium phosphate",<br>whether or not mixed with<br>diammonium hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)      | 0,520                                                                   | 0,050                                                                        | 0,570                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (nitrates and<br>phosphates)                                                                                                                          | 1,570                                                                   | 0,140                                                                        | 1,710                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers<br>containing the two fertilising elements<br>nitrogen and phosphorus (excl. nitrates<br>and phosphates)                                                                                                                    | 0,930                                                                   | 0,130                                                                        | 1,060                                                                  |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,520                                                                   | 0,080                                                                        | 1,600                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,790                                                                   | 0,060                                                                        | 0,850                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 1,800                                                                   | N/A                                                                          | 1,800                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |



| Viet Nam                        |                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                         | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a<br>thickness exceeding 0,2 mm                                                                                                                                                                                                 | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed<br>or backed with paper, paperboard,<br>plastics or similar backing materials) of<br>a thickness (excluding any backing) not<br>exceeding 0,2 mm                                                                                | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                              | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                           | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                            | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                  | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                               | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                  | 2,040                                                                   | N/A                                                                          | 2,040                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7612                            | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed or liquefied gas                                                                                                                                                                                                                                                           | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                                                                                                                                                                                    | 2,020                                                                   | N/A                                                                          | 2,020                                                                  | (L)                                                   |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles                                                                                                                                                         | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                                                                                                                                                                           | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                                                                                                                                                                           | 1,800                                                                   | N/A                                                                          | 1,800                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                                                                                                                                                                          | 2,480                                                                   | N/A                                                                          | 2,480                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                       | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                                                                                                                                                                           | 1,040                                                                   | 0,070                                                                        | 1,110                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                                                                                                                                                                              | 2,190                                                                   | N/A                                                                          | 2,190                                                                  |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7202 11                         | Ferro-manganese, containing by weight<br>> 2 % of carbon                                                                                                                                                                                                             | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight<br><= 2 % carbon                                                                                                                                                                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight<br>> 4 % of carbon                                                                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight<br><= 4 % of carbon                                                                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                                                                                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7203                            | Ferrous products obtained by direct<br>reduction of iron ore and other spongy<br>ferrous products, in lumps, pellets or<br>similar forms; iron having a minimum<br>purity by weight of 99,94 %, in lumps,<br>pellets or similar forms                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7205                            | Granules and powders of pig iron,<br>spiegeleisen, iron or steel (excl. granules<br>and powders of ferro-alloys, turnings<br>and filings of iron or steel, radioactive<br>iron powders "isotopes" and certain<br>low-calibre, substandard balls for<br>ballbearings) | 2,240                                                                   | N/A                                                                          | 2,240                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or<br>other primary forms (excl. remelting<br>scrap ingots, products obtained by<br>continuous casting and iron of heading<br>7203)                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl.<br>remelted scrap ingots, continuous cast<br>products, iron of heading 7203)                                                                                                                                              | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                   | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                              | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                       | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                          | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                       | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                 | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                      | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                           | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                        | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                 | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |



| Viet Nam                        |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or<br>non-alloy steel, n.e.s.                                                                                                                  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils<br>(excl. bars and rods)                                                                                                                 | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils,<br>not plated or coated, whether or not<br>polished (excl. bars and rods)                                                               | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with zinc (excl. bars<br>and rods)                                                                                  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated with base metals (excl.<br>plated or coated with zinc, and bars and<br>rods)                                        | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils,<br>plated or coated (excl. plated or coated<br>with base metals, and bars and rods)                                                     | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other<br>primary forms (excl. remelting scrap<br>ingots and products obtained by<br>continuous casting); semi-finished<br>products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other<br>primary forms (excl. waste and scrap in<br>ingot form, and products obtained by<br>continuous casting)                                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Viet Nam                        |                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                          | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                           | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                            | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Viet Nam                        |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of >= 3 mm and < 4,75 mm       | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, in coils, of a<br>thickness of < 3 mm                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of > 10 mm                 | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 4,75 mm and <= 10 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of >= 3 mm and < 4,75 mm   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than hot-rolled, not in coils, of<br>a thickness of < 3 mm                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Viet Nam                        |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Viet Nam                        |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | -                                                                       | N/A                                                                          | -                                                                      |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | -                                                                       | N/A                                                                          | -                                                                      |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |



| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 4,600                                                                   | N/A                                                                          | 4,600                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 4,600                                                                   | N/A                                                                          | 4,600                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel,<br>of a width of <= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                                                                                                             | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than hot-rolled<br>(excl. products of high-speed steel or<br>silicon-electrical steel)                             | 3,480                                                                   | N/A                                                                          | 3,480                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>not further worked than cold-rolled<br>"cold-reduced" (excl. products of high-<br>speed steel or silicon-electrical steel)            | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of < 600 mm,<br>hot-rolled or cold-rolled "cold-reduced"<br>and further worked (excl. products of<br>high-speed steel or silicon-electrical<br>steel) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than<br>stainless, hot-rolled, in irregularly<br>wound coils                                                                                                                               | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other<br>than stainless, angles, shapes and<br>sections of alloy steel other than<br>stainless, n.e.s.; hollow drill bars and<br>rods, of alloy or non-alloy steel                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Viet Nam                        |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 3,440                                                                   | N/A                                                                          | 3,440                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 3,500                                                                   | N/A                                                                          | 3,500                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 2,770                                                                   | N/A                                                                          | 2,770                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 2,230                                                                   | N/A                                                                          | 2,230                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |



| Viet Nam                        |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 3,070                                                                   | N/A                                                                          | 3,070                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 2,260                                                                   | N/A                                                                          | 2,260                                                                  | (F)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 2,260                                                                   | N/A                                                                          | 2,260                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |

| Viet Nam                        |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 3,110                                                                   | N/A                                                                          | 3,110                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 2,320                                                                   | N/A                                                                          | 2,320                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 2,310                                                                   | N/A                                                                          | 2,310                                                                  | (F)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 2,320                                                                   | N/A                                                                          | 2,320                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 3,120                                                                   | N/A                                                                          | 3,120                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |



| Viet Nam                        |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 2,230                                                                   | N/A                                                                          | 2,230                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 2,230                                                                   | N/A                                                                          | 2,230                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 2,740                                                                   | N/A                                                                          | 2,740                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 2,740                                                                   | N/A                                                                          | 2,740                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 2,740                                                                   | N/A                                                                          | 2,740                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 2,740                                                                   | N/A                                                                          | 2,740                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 2,840                                                                   | N/A                                                                          | 2,840                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 2,990                                                                   | N/A                                                                          | 2,990                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of <= 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                          | 2,960                                                                   | N/A                                                                          | 2,960                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                    | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                              | 3,090                                                                   | N/A                                                                          | 3,090                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                           | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                    | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 3,090                                                                   | N/A                                                                          | 3,090                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 2,750                                                                   | N/A                                                                          | 2,750                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 2,960                                                                   | N/A                                                                          | 2,960                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 2,410                                                                   | N/A                                                                          | 2,410                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |

| Viet Nam                        |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 2,350                                                                   | N/A                                                                          | 2,350                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 2,330                                                                   | N/A                                                                          | 2,330                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 2,370                                                                   | N/A                                                                          | 2,370                                                                  | (C)                                                   |

| Yemen                           |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                                                                                                  | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                                                                                           | 1,280                                                                   | 0,050                                                                        | 1,330                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                                                                                          | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                                                                                           | 1,240                                                                   | 0,090                                                                        | 1,330                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                                                                                               | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                                                                                         | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                    | 1,180                                                                   | 0,090                                                                        | 1,270                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                | 2,670                                                                   | 0,050                                                                        | 2,720                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                              | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                    | 0,710                                                                   | 0,050                                                                        | 0,760                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                           | 2,170                                                                   | 0,060                                                                        | 2,240                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg) | 0,450                                                                   | 0,030                                                                        | 0,480                                                                  |                                                       |

| Yemen                           |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,740                                                                   | 0,030                                                                        | 0,770                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,350                                                                   | 0,090                                                                        | 1,440                                                                  |                                                       |
| 3102 10 90                      | Urea, whether or not in aqueous<br>solution, containing <= 45 % by weight<br>of nitrogen on the dry anhydrous<br>product (excl. goods of this chapter in<br>tablets or similar forms or in packages<br>of a gross weight of <= 10 kg)                                                                 | 1,320                                                                   | 0,090                                                                        | 1,410                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                                                                                                      | 0,610                                                                   | 0,040                                                                        | 0,660                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of<br>ammonium sulphate and ammonium<br>nitrate                                                                                                                                                                                                                             | 1,370                                                                   | 0,050                                                                        | 1,430                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                                                                                                                                                   | 1,620                                                                   | 0,050                                                                        | 1,670                                                                  |                                                       |

| Yemen                           |                                                                                                                                                                                                                                                          |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                              | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                            | 2,500                                                                   | 0,070                                                                        | 2,570                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing ≤ 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,090                                                                   | 0,060                                                                        | 2,150                                                                  |                                                       |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 2,090                                                                   | 0,060                                                                        | 2,150                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                                                   | 4,170                                                                   | 0,080                                                                        | 4,250                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                               | 2,090                                                                   | 0,060                                                                        | 2,150                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of ≤ 10 kg)                                                                                                                         | 1,560                                                                   | 0,060                                                                        | 1,620                                                                  |                                                       |



| Yemen                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,560                                                                   | 0,080                                                                        | 1,630                                                                  |                                                       |
| 3105                            | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 0,780                                                                   | 0,030                                                                        | 0,810                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,010                                                                   | 0,030                                                                        | 1,040                                                                  |                                                       |

| Yemen                           |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 20 90                      | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content ≤ 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,670                                                                   | 0,020                                                                        | 0,690                                                                  |                                                       |
| 3105 30 00                      | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                              | 0,520                                                                   | 0,040                                                                        | 0,560                                                                  |                                                       |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)        | 0,320                                                                   | 0,020                                                                        | 0,340                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                               | 1,400                                                                   | 0,040                                                                        | 1,440                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                         | 0,540                                                                   | 0,040                                                                        | 0,580                                                                  |                                                       |

| Yemen                           |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,400                                                                   | 0,040                                                                        | 1,440                                                                  |                                                       |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,700                                                                   | 0,020                                                                        | 0,720                                                                  |                                                       |
| <b>Hydrogen</b>                 |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                                                                                                                                                                                                                                                            | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| Zambia                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                                                                                                     | 1,640                                                                   | 0,070                                                                        | 1,710                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                                                                                                   | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Zambia                          |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,610                                                                   | 0,070                                                                        | 0,680                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,460                                                                   | 0,090                                                                        | 1,560                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,450                                                                   | 0,050                                                                        | 0,500                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,750                                                                   | 0,050                                                                        | 0,800                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,360                                                                   | 0,150                                                                        | 1,510                                                                  |                                                       |

| Zambia                          |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,330                                                                   | 0,150                                                                        | 1,480                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,590                                                                   | 0,090                                                                        | 0,680                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,040                                                                   | 0,100                                                                        | 1,150                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,110                                                                   | 0,080                                                                        | 1,200                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,710                                                                   | 0,130                                                                        | 1,840                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,480                                                                   | 0,110                                                                        | 1,590                                                                  |                                                       |

| Zambia                          |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,480                                                                   | 0,110                                                                        | 1,590                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,560                                                                   | 0,110                                                                        | 2,660                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,440                                                                   | 0,110                                                                        | 1,550                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,200                                                                   | 0,110                                                                        | 1,300                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,320                                                                   | 0,130                                                                        | 1,440                                                                  |                                                       |

| Zambia                          |                                                                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                   | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                               | 0,620                                                                   | 0,080                                                                        | 0,700                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)            | 0,750                                                                   | 0,090                                                                        | 0,840                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <=<br>10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,510                                                                   | 0,070                                                                        | 0,580                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                     | 0,480                                                                   | 0,070                                                                        | 0,550                                                                  |                                                       |

| Zambia                          |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,300                                                                   | 0,050                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,010                                                                   | 0,120                                                                        | 1,130                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,550                                                                   | 0,110                                                                        | 0,660                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,980                                                                   | 0,080                                                                        | 1,070                                                                  |                                                       |



| Zambia                          |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,510                                                                   | 0,050                                                                        | 0,560                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,590                                                                   | N/A                                                                          | 0,590                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,810                                                                   | N/A                                                                          | 0,810                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,810                                                                   | N/A                                                                          | 0,810                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 0,810                                                                   | N/A                                                                          | 0,810                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                                                                           | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |

| Zambia                          |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,830                                                                   | N/A                                                                          | 0,830                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 0,810                                                                   | N/A                                                                          | 0,810                                                                  | (L)                                                   |

| Zambia                          |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 0,590                                                                   | N/A                                                                          | 0,590                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 1,270                                                                   | N/A                                                                          | 1,270                                                                  | (L)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                               | 10,820                                                                  | N/A                                                                          | 10,820                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |

| Zimbabwe                        |                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                      |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 10                   | White clinker                        | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 10 00 90                   | Other clinker including grey clinker | 1,240                                                                   | 0,040                                                                        | 1,290                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 29 00                      | Grey Portland cement                 | 1,240                                                                   | 0,070                                                                        | 1,310                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                     | -                                                                       | -                                                                            | -                                                                      |                                                       |
| 2523 90 00 10                   | White hydraulic cement               | -                                                                       | -                                                                            | -                                                                      |                                                       |

| Zimbabwe                        |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                                                                                           | 1,180                                                                   | 0,080                                                                        | 1,250                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 1,650                                                                   | 0,050                                                                        | 1,710                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 2,020                                                                   | 0,160                                                                        | 2,180                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,600                                                                   | 0,050                                                                        | 0,660                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 1,470                                                                   | 0,080                                                                        | 1,550                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,460                                                                   | 0,040                                                                        | 0,500                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 0,760                                                                   | 0,040                                                                        | 0,800                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 1,390                                                                   | 0,120                                                                        | 1,510                                                                  |                                                       |

| Zimbabwe                        |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 1,360                                                                   | 0,120                                                                        | 1,480                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,600                                                                   | 0,090                                                                        | 0,690                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,050                                                                   | 0,100                                                                        | 1,150                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,120                                                                   | 0,080                                                                        | 1,200                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 1,730                                                                   | 0,120                                                                        | 1,850                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 1,500                                                                   | 0,110                                                                        | 1,610                                                                  |                                                       |

| Zimbabwe                        |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 1,500                                                                   | 0,110                                                                        | 1,610                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 2,580                                                                   | 0,080                                                                        | 2,660                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 1,450                                                                   | 0,100                                                                        | 1,550                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,210                                                                   | 0,100                                                                        | 1,310                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 1,340                                                                   | 0,110                                                                        | 1,450                                                                  |                                                       |

| Zimbabwe                        |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,630                                                                   | 0,090                                                                        | 0,720                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 0,760                                                                   | 0,110                                                                        | 0,860                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,520                                                                   | 0,080                                                                        | 0,600                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,480                                                                   | 0,070                                                                        | 0,540                                                                  |                                                       |

| Zimbabwe                        |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,300                                                                   | 0,050                                                                        | 0,360                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,030                                                                   | 0,130                                                                        | 1,160                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,550                                                                   | 0,110                                                                        | 0,660                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 0,990                                                                   | 0,080                                                                        | 1,080                                                                  |                                                       |



| Zimbabwe                        |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,510                                                                   | 0,060                                                                        | 0,570                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 0,360                                                                   | N/A                                                                          | 0,360                                                                  | (L)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 0,480                                                                   | N/A                                                                          | 0,480                                                                  | (L)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                                                                           | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |

| Zimbabwe                        |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 0,720                                                                   | N/A                                                                          | 0,720                                                                  | (L)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 0,700                                                                   | N/A                                                                          | 0,700                                                                  | (L)                                                   |

| Zimbabwe                        |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 0,480                                                                   | N/A                                                                          | 0,480                                                                  | (L)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 1,160                                                                   | N/A                                                                          | 1,160                                                                  | (L)                                                   |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| Other Countries and Territories |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| <b>Cement</b>                   |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2507 00 80 80                   | Calcined clay                                                                                                                                          | 0,210                                                                   | 0,070                                                                        | 0,280                                                                  |                                                       |
| 2523 10 00 10                   | White clinker                                                                                                                                          | 1,320                                                                   | 0,060                                                                        | 1,370                                                                  | (B)                                                   |
| 2523 10 00 90                   | Other clinker including grey clinker                                                                                                                   | 1,370                                                                   | 0,050                                                                        | 1,410                                                                  | (A)                                                   |
| 2523 21 00                      | White Portland cement                                                                                                                                  | 1,300                                                                   | 0,140                                                                        | 1,450                                                                  |                                                       |
| 2523 29 00                      | Grey Portland cement                                                                                                                                   | 1,360                                                                   | 0,080                                                                        | 1,440                                                                  |                                                       |
| 2523 30 00                      | Aluminous cement                                                                                                                                       | 1,890                                                                   | 0,140                                                                        | 2,030                                                                  |                                                       |
| 2523 90 00 10                   | White hydraulic cement                                                                                                                                 | 1,310                                                                   | 0,180                                                                        | 1,490                                                                  | (B)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 2523 90 00 90                   | Other hydraulic cements including grey<br>hydraulic cements                                                                                                                                                                                                                                           | 1,280                                                                   | 0,090                                                                        | 1,370                                                                  | (A)                                                   |
| <b>Fertilisers</b>              |                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
| 2808 00 00                      | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                                       | 2,770                                                                   | 0,040                                                                        | 2,810                                                                  |                                                       |
| 2814 10 00                      | Anhydrous ammonia                                                                                                                                                                                                                                                                                     | 2,970                                                                   | 0,150                                                                        | 3,130                                                                  |                                                       |
| 2814 20 00                      | Ammonia in aqueous solution                                                                                                                                                                                                                                                                           | 0,910                                                                   | 0,050                                                                        | 0,960                                                                  |                                                       |
| 2834 21 00                      | Nitrate of potassium                                                                                                                                                                                                                                                                                  | 2,260                                                                   | 0,070                                                                        | 2,330                                                                  |                                                       |
| 3102                            | Mineral or chemical fertilizers,<br>nitrogenous                                                                                                                                                                                                                                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3102 10 12                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>=>31,8 % but <=33,2 % by weight of<br>urea (excl. that in packages with a gross<br>weight of <= 10 kg)                                                                        | 0,860                                                                   | 0,040                                                                        | 0,900                                                                  |                                                       |
| 3102 10 15                      | Urea in aqueous solution, containing<br>>45% nitrogen in relation to the weight<br>of the dry product and containing<br>>33,2 % but <=55% by weight of urea<br>(excl. that in packages with a gross<br>weight of <= 10 kg)                                                                            | 1,430                                                                   | 0,040                                                                        | 1,470                                                                  |                                                       |
| 3102 10 19                      | Urea, whether or not in aqueous<br>solution, containing >45% nitrogen in<br>relation to the weight of the dry<br>product (excl. that in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg, or in aqueous<br>solution containing =>31,8 % but<br><=55% by weight of urea) | 2,600                                                                   | 0,120                                                                        | 2,720                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 10 90                      | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                     | 2,540                                                                   | 0,120                                                                        | 2,660                                                                  |                                                       |
| 3102 21 00                      | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 0,870                                                                   | 0,100                                                                        | 0,970                                                                  |                                                       |
| 3102 29 00                      | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 1,510                                                                   | 0,110                                                                        | 1,620                                                                  |                                                       |
| 3102 30 10                      | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 1,710                                                                   | 0,080                                                                        | 1,790                                                                  |                                                       |
| 3102 30 90                      | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 2,640                                                                   | 0,110                                                                        | 2,750                                                                  |                                                       |
| 3102 40 10                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,260                                                                   | 0,100                                                                        | 2,360                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3102 40 90                      | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                        | 2,260                                                                   | 0,100                                                                        | 2,360                                                                  |                                                       |
| 3102 50 00                      | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                                          | 4,320                                                                   | 0,070                                                                        | 4,390                                                                  |                                                       |
| 3102 60 00                      | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                      | 2,210                                                                   | 0,100                                                                        | 2,310                                                                  |                                                       |
| 3102 80 00                      | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                                | 1,850                                                                   | 0,100                                                                        | 1,960                                                                  |                                                       |
| 3102 90 00                      | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 2,160                                                                   | 0,110                                                                        | 2,280                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105                            | Mineral or chemical fertilisers<br>containing two or three of the<br>fertilising elements nitrogen,<br>phosphorus and potassium                                                                                                                                | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 3105 10 00                      | Mineral or chemical fertilisers of animal<br>or vegetable origin, in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg                                                                                                            | 0,900                                                                   | 0,100                                                                        | 1,000                                                                  |                                                       |
| 3105 20 10                      | Mineral or chemical fertilisers<br>containing phosphorus and potassium,<br>with a nitrogen content > 10 % by<br>weight on the dry anhydrous product<br>(excl. those in tablets or similar forms,<br>or in packages with a gross weight of<br><= 10 kg)         | 1,100                                                                   | 0,120                                                                        | 1,230                                                                  |                                                       |
| 3105 20 90                      | Mineral or chemical fertilisers<br>containing nitrogen, phosphorus and<br>potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous<br>product (excl. those in tablets or similar<br>forms, or in packages with a gross<br>weight of <= 10 kg) | 0,750                                                                   | 0,090                                                                        | 0,840                                                                  |                                                       |
| 3105 30 00                      | Diammonium<br>hydrogenorthophosphate<br>"diammonium phosphate" (excl. that in<br>tablets or similar forms, or in packages<br>with a gross weight of <= 10 kg)                                                                                                  | 0,710                                                                   | 0,080                                                                        | 0,780                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 40 00                      | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg)                                                                                                                       | 0,450                                                                   | 0,060                                                                        | 0,510                                                                  |                                                       |
| 3105 51 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                              | 1,520                                                                   | 0,150                                                                        | 1,660                                                                  |                                                       |
| 3105 59 00                      | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                        | 0,800                                                                   | 0,130                                                                        | 0,930                                                                  |                                                       |
| 3105 90 20                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of ≤ 10 kg) | 1,500                                                                   | 0,080                                                                        | 1,570                                                                  |                                                       |



| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 3105 90 80                      | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 0,760                                                                   | 0,060                                                                        | 0,820                                                                  |                                                       |
| <b>Aluminium</b>                |                                                                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
| 7601                            | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 2,203                                                                   | N/A                                                                          | 2,203                                                                  | (K)                                                   |
| 7603                            | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 2,945                                                                   | N/A                                                                          | 2,945                                                                  | (K)                                                   |
| 7604 10 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 3,233                                                                   | N/A                                                                          | 3,233                                                                  | (K)                                                   |
| 7604 10 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 3,251                                                                   | N/A                                                                          | 3,251                                                                  | (K)                                                   |
| 7604 21 00                      | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 3,251                                                                   | N/A                                                                          | 3,251                                                                  | (K)                                                   |
| 7604 29 10                      | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 3,233                                                                   | N/A                                                                          | 3,233                                                                  | (K)                                                   |
| 7604 29 90                      | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 3,251                                                                   | N/A                                                                          | 3,251                                                                  | (K)                                                   |
| 7605                            | Aluminium wire                                                                                                                                                                                                                                                                                                                                                                      | 3,184                                                                   | N/A                                                                          | 3,184                                                                  | (K)                                                   |
| 7606                            | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                                                                                                 | 3,717                                                                   | N/A                                                                          | 3,717                                                                  | (K)                                                   |
| 7607                            | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                                                                                         | 3,893                                                                   | N/A                                                                          | 3,893                                                                  | (K)                                                   |
| 7608                            | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                                                                                           | 3,220                                                                   | N/A                                                                          | 3,220                                                                  | (K)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7609 00 00                      | Aluminium tube or pipe fittings (for<br>example, couplings, elbows, sleeves)                                                                                                                                                                                                                                                        | 3,322                                                                   | N/A                                                                          | 3,322                                                                  | (K)                                                   |
| 7610 10 00                      | Doors, windows and their frames and<br>thresholds for doors                                                                                                                                                                                                                                                                         | 3,212                                                                   | N/A                                                                          | 3,212                                                                  | (K)                                                   |
| 7610 90                         | Other                                                                                                                                                                                                                                                                                                                               | 3,212                                                                   | N/A                                                                          | 3,212                                                                  | (K)                                                   |
| 7610 90 10                      | Bridges and bridge-sections, towers and<br>lattice masts                                                                                                                                                                                                                                                                            | 3,212                                                                   | N/A                                                                          | 3,212                                                                  | (K)                                                   |
| 7610 90 90                      | Other                                                                                                                                                                                                                                                                                                                               | 3,212                                                                   | N/A                                                                          | 3,212                                                                  | (K)                                                   |
| 7611 00 00                      | Aluminium reservoirs, tanks, vats and<br>similar containers, for any material<br>(other than compressed or liquefied<br>gas), of a capacity exceeding 300 litres,<br>whether or not lined or heat-insulated,<br>but not fitted with mechanical or<br>thermal equipment                                                              | 4,037                                                                   | N/A                                                                          | 4,037                                                                  | (K)                                                   |
| 7612                            | Aluminium casks, drums, cans, boxes<br>and similar containers (including rigid<br>or collapsible tubular containers), for<br>any material (other than compressed or<br>liquefied gas), of a capacity not<br>exceeding 300 litres, whether or not<br>lined or heat-insulated, but not fitted<br>with mechanical or thermal equipment | 3,944                                                                   | N/A                                                                          | 3,944                                                                  | (K)                                                   |
| 7613 00 00                      | Aluminium containers for compressed<br>or liquefied gas                                                                                                                                                                                                                                                                             | 4,037                                                                   | N/A                                                                          | 4,037                                                                  | (K)                                                   |
| 7614                            | Stranded wire, cables, plaited bands and<br>the like, of aluminium, not electrically<br>insulated                                                                                                                                                                                                                                   | 3,297                                                                   | N/A                                                                          | 3,297                                                                  | (K)                                                   |

| Other Countries and Territories |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7616 10 00                      | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 3,891                                                                   | N/A                                                                          | 3,891                                                                  | (K)                                                   |
| 7616 91 00                      | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 3,891                                                                   | N/A                                                                          | 3,891                                                                  | (K)                                                   |
| 7616 99 10                      | Cast                                                                                                                                                   | 2,953                                                                   | N/A                                                                          | 2,953                                                                  | (K)                                                   |
| 7616 99 90                      | Other                                                                                                                                                  | 3,891                                                                   | N/A                                                                          | 3,891                                                                  | (K)                                                   |
| <b>Hydrogen</b>                 |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2804 10 00                      | Hydrogen                                                                                                                                               | 17,740                                                                  | N/A                                                                          | 17,740                                                                 |                                                       |
| <b>Iron and steel</b>           |                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
| 2601 12 00                      | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                   | 0,617                                                                   | 0,070                                                                        | 0,686                                                                  |                                                       |
| 7201                            | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                      | 3,480                                                                   | N/A                                                                          | 3,480                                                                  |                                                       |
| 7202 11                         | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                                   | N/A                                                                          | 1,690                                                                  |                                                       |
| 7202 19                         | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | 5,590                                                                   | N/A                                                                          | 5,590                                                                  |                                                       |
| 7202 41                         | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                                   | N/A                                                                          | 2,350                                                                  |                                                       |
| 7202 49                         | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                  | 2,870                                                                   | N/A                                                                          | 2,870                                                                  |                                                       |
| 7202 60 00                      | Ferro-nickel                                                                                                                                           | 4,014                                                                   | N/A                                                                          | 4,014                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7203                            | Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms                             | 1,325                                                                   | N/A                                                                          | 1,325                                                                  |                                                       |
| 7205                            | Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings) | 3,715                                                                   | N/A                                                                          | 3,715                                                                  | (C)/(F)                                               |
| 7206                            | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7206 10 00                      | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                  | 3,750                                                                   | N/A                                                                          | 3,750                                                                  | (C)                                                   |
| 7206 90 00                      | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                             | 3,750                                                                   | N/A                                                                          | 3,750                                                                  | (C)                                                   |
| 7207                            | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 11 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 11 14                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 11 16                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel)  | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 11 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                      | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |
| 7207 12 10                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                    | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                   |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                       | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 12 90                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                               | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |
| 7207 19 12                      | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                        | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 19 19                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                           | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |
| 7207 19 80                      | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                        | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 20 11                      | Semi-finished products, of non-alloy free-cutting steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                    |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                        | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 15                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % but < 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 20 17                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)              | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 20 19                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, forged                                                                          | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |
| 7207 20 32                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                  | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 20 39                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of rectangular "other than square" cross-section and the width >= twice the thickness, forged                                                            | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7207 20 52                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7207 20 59                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                    | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |
| 7207 20 80                      | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)         | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7208                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                              | 4,049                                                                   | N/A                                                                          | 4,049                                                                  | (C)                                                   |
| 7209                            | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                           | 4,101                                                                   | N/A                                                                          | 4,101                                                                  | (C)                                                   |
| 7210                            | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                    | 4,101                                                                   | N/A                                                                          | 4,101                                                                  | (C)                                                   |
| 7211                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |



| Other Countries and Territories |                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 13 00                      | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 4,049                                                                   | N/A                                                                          | 4,049                                                                  | (C)                                                   |
| 7211 14 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 4,049                                                                   | N/A                                                                          | 4,049                                                                  | (C)                                                   |
| 7211 19 00                      | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                                                                                                             | 4,049                                                                   | N/A                                                                          | 4,049                                                                  | (C)                                                   |
| 7211 23                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon                                                                                                | 4,101                                                                   | N/A                                                                          | 4,101                                                                  | (C)                                                   |
| 7211 29 00                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon                                                                                               | 4,101                                                                   | N/A                                                                          | 4,101                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7211 90                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 4,101                                                                   | N/A                                                                          | 4,101                                                                  | (C)                                                   |
| 7212                            | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 4,101                                                                   | N/A                                                                          | 4,101                                                                  | (C)                                                   |
| 7213                            | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7214                            | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7214 10 00                      | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |
| 7214 20 00                      | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7214 30 00                      | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7214 91                         | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7214 99                         | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7215                            | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7216                            | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                         | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7217                            | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                        | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7217 10                         | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                         | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7217 20                         | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                            | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7217 30                         | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7217 90                         | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 3,996                                                                   | N/A                                                                          | 3,996                                                                  | (C)                                                   |
| 7218                            | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7218 10 00                      | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 5,006                                                                   | N/A                                                                          | 5,006                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7218 91                         | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                         | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7218 99 11                      | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                        | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7218 99 19                      | Semi-finished products of stainless steel, of square cross-section, forged                                                                                          | 5,006                                                                   | N/A                                                                          | 5,006                                                                  |                                                       |
| 7218 99 20                      | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7218 99 80                      | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                           | 5,006                                                                   | N/A                                                                          | 5,006                                                                  |                                                       |
| 7219                            | Flat-rolled products of stainless steel, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7219 11 00                      | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of > 10 mm                           | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7219 12                         | Flat-rolled products of stainless steel, of a width of >= 600 mm, not further worked than hot-rolled, in coils, of a thickness of >= 4,7 mm and <= 10 mm            | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 13                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7219 14                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7219 21                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7219 22                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7219 23 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7219 24 00                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7219 31 00                      | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 4,75 mm               | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |
| 7219 32                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 3 mm<br>but < 4,75 mm | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |
| 7219 33                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of > 1 mm but<br>< 3 mm     | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |
| 7219 34                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of >= 0,5 mm<br>but <= 1 mm | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |
| 7219 35                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, not further<br>worked than cold-rolled "cold-<br>reduced", of a thickness of < 0,5 mm                 | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |
| 7219 90                         | Flat-rolled products of stainless steel, of<br>a width of >= 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked                                     | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7220                            | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced"                            | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7220 11 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of >= 4,75 mm | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7220 12 00                      | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than hot-rolled, of a thickness<br>of < 4,75 mm  | 4,940                                                                   | N/A                                                                          | 4,940                                                                  |                                                       |
| 7220 20                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, not further<br>worked than cold-rolled "cold-reduced"                  | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |
| 7220 90                         | Flat-rolled products of stainless steel, of<br>a width of < 600 mm, hot-rolled or<br>cold-rolled "cold-reduced" and further<br>worked      | 5,020                                                                   | N/A                                                                          | 5,020                                                                  |                                                       |
| 7221                            | Bars and rods of stainless steel, hot-<br>rolled, in irregularly wound coils                                                               | 4,820                                                                   | N/A                                                                          | 4,820                                                                  |                                                       |
| 7222                            | Other bars and rods of stainless steel;<br>angles, shapes and sections of stainless<br>steel, n.e.s.                                       | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7222 11                         | Bars and rods of stainless steel, only<br>hot-rolled, only hot-drawn or only hot-<br>extruded, of circular cross-section                   | 4,820                                                                   | N/A                                                                          | 4,820                                                                  |                                                       |



| Other Countries and Territories |                                                                                                                                                                                                                     |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                         | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7222 19                         | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 4,820                                                                   | N/A                                                                          | 4,820                                                                  |                                                       |
| 7222 20                         | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 4,820                                                                   | N/A                                                                          | 4,820                                                                  |                                                       |
| 7222 30                         | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 5,006                                                                   | N/A                                                                          | 5,006                                                                  |                                                       |
| 7222 40                         | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 4,820                                                                   | N/A                                                                          | 4,820                                                                  |                                                       |
| 7223                            | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7223 00                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 4,820                                                                   | N/A                                                                          | 4,820                                                                  |                                                       |
| 7224                            | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7224 10                         | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                             | 5,589                                                                   | N/A                                                                          | 5,589                                                                  | (F)                                                   |
| 7224 90 02                      | Semi-finished products of tool steel                                                                                                                                                                                | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 03                      | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7224 90 05                      | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7224 90 07                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7224 90 14                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                       |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7224 90 18                      | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                | 5,589                                                                   | N/A                                                                          | 5,589                                                                  | (F)                                                   |
| 7224 90 31                      | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7224 90 38                      | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7224 90 90                      | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 5,589                                                                   | N/A                                                                          | 5,589                                                                  | (F)                                                   |
| 7225                            | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7225 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 7,100                                                                   | N/A                                                                          | 7,100                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                         |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                             | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 19 10                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, hot-<br>rolled                                                                                                                                            | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (C)                                                   |
| 7225 19 90                      | Flat-rolled products of silicon-electrical<br>steel, of a width of >= 600 mm, cold-<br>rolled "cold-reduced", non-grain-<br>oriented                                                                                                    | 5,588                                                                   | N/A                                                                          | 5,588                                                                  | (C)                                                   |
| 7225 30                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, in coils (excl. products of silicon-<br>electrical steel)                                              | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7225 40                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than hot-<br>rolled, not in coils (excl. products of<br>silicon-electrical steel)                                           | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7225 50                         | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, not further worked than cold-<br>rolled "cold-reduced" (excl. products of<br>silicon-electrical steel)                                         | 5,588                                                                   | N/A                                                                          | 5,588                                                                  | (F)                                                   |
| 7225 91 00                      | Flat-rolled products of alloy steel other<br>than stainless, of a width of >=<br>600 mm, hot-rolled or cold-rolled<br>"cold-reduced" and electrolytically<br>plated or coated with zinc (excl.<br>products of silicon-electrical steel) | 5,588                                                                   | N/A                                                                          | 5,588                                                                  | (F)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7225 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 5,588                                                                   | N/A                                                                          | 5,588                                                                  | (F)                                                   |
| 7225 99 00                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 5,588                                                                   | N/A                                                                          | 5,588                                                                  | (F)                                                   |
| 7226                            | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7226 11 00                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 7,100                                                                   | N/A                                                                          | 7,100                                                                  | (C)                                                   |
| 7226 19 10                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (C)                                                   |
| 7226 19 80                      | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 5,588                                                                   | N/A                                                                          | 5,588                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7226 20 00                      | Flat-rolled products of high-speed steel, of a width of ≤ 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                     | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7226 91                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                          | 5,500                                                                   | N/A                                                                          | 5,500                                                                  | (F)                                                   |
| 7226 92 00                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)          | 5,590                                                                   | N/A                                                                          | 5,590                                                                  | (F)                                                   |
| 7226 99                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel) | 5,588                                                                   | N/A                                                                          | 5,588                                                                  | (F)                                                   |
| 7227                            | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                      | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (C)/(F)                                               |
| 7228                            | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                      | see below                                                               | see below                                                                    | see below                                                              |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                        |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                            | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 10 20                      | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (F)                                                   |
| 7228 10 50                      | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 5,589                                                                   | N/A                                                                          | 5,589                                                                  | (F)                                                   |
| 7228 10 90                      | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (F)                                                   |
| 7228 20                         | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                   | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (F)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                  |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 30                         | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (C)/(F)                                               |
| 7228 40                         | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 5,589                                                                   | N/A                                                                          | 5,589                                                                  | (F)                                                   |
| 7228 50                         | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (C)/(F)                                               |
| 7228 60                         | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (F)                                                   |



| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                                                |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                    | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7228 70                         | Angles, shapes and sections of alloy<br>steel other than stainless, n.e.s.                                                                                                                                                                                                                                                                                                                     | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (F)                                                   |
| 7228 80 00                      | Hollow drill bars and rods, of alloy or<br>non-alloy steel                                                                                                                                                                                                                                                                                                                                     | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (F)                                                   |
| 7229                            | Wire of alloy steel other than stainless,<br>in coils (excl. bars and rods)                                                                                                                                                                                                                                                                                                                    | 5,400                                                                   | N/A                                                                          | 5,400                                                                  | (C)/(F)                                               |
| 7301                            | Sheet piling of iron or steel, whether or<br>not drilled, punched or made from<br>assembled elements; welded angles,<br>shapes and sections, of iron or steel                                                                                                                                                                                                                                  | 4,063                                                                   | N/A                                                                          | 4,063                                                                  | (C)                                                   |
| 7302                            | Railway or tramway track construction<br>material of iron or steel, the following :<br>rails, check-rails and rack rails, switch<br>blades, crossing frogs, point rods and<br>other crossing pieces, sleepers "cross-<br>ties", fish-plates, chairs, chair wedges,<br>sole plates "base plates", rail clips,<br>bedplates, ties and other material<br>specialised for jointing or fixing rails | 4,887                                                                   | N/A                                                                          | 4,887                                                                  | (C)                                                   |
| 7303                            | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7303 00                         | Tubes, pipes and hollow profiles, of cast<br>iron                                                                                                                                                                                                                                                                                                                                              | 4,150                                                                   | N/A                                                                          | 4,150                                                                  |                                                       |
| 7304                            | Tubes, pipes and hollow profiles,<br>seamless, of iron or steel (excl. products<br>of cast iron)                                                                                                                                                                                                                                                                                               | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7304 11 00                      | Line pipe of a kind used for oil or gas<br>pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                                             | 5,184                                                                   | N/A                                                                          | 5,184                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                              |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                  | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 19                         | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                            | 3,981                                                                   | N/A                                                                          | 3,981                                                                  | (C)                                                   |
| 7304 22 00                      | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                          | 5,184                                                                   | N/A                                                                          | 5,184                                                                  |                                                       |
| 7304 23 00                      | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                        | 3,981                                                                   | N/A                                                                          | 3,981                                                                  | (C)                                                   |
| 7304 24 00                      | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                  | 5,184                                                                   | N/A                                                                          | 5,184                                                                  |                                                       |
| 7304 29                         | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                       | 3,981                                                                   | N/A                                                                          | 3,981                                                                  | (C)                                                   |
| 7304 31                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas) | 3,981                                                                   | N/A                                                                          | 3,981                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 39                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 3,981                                                                   | N/A                                                                          | 3,981                                                                  | (C)                                                   |
| 7304 41 00                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 5,184                                                                   | N/A                                                                          | 5,184                                                                  |                                                       |
| 7304 49                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 5,184                                                                   | N/A                                                                          | 5,184                                                                  |                                                       |
| 7304 51                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 3,878                                                                   | N/A                                                                          | 3,878                                                                  | (F)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7304 59                         | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil) | 3,878                                                                   | N/A                                                                          | 3,878                                                                  | (C)/(F)                                               |
| 7304 90 00                      | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                 | 3,981                                                                   | N/A                                                                          | 3,981                                                                  | (C)                                                   |
| 7305                            | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                              | 4,060                                                                   | N/A                                                                          | 4,060                                                                  | (C)                                                   |
| 7306                            | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)          | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7306 11 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                                                                                             | 5,369                                                                   | N/A                                                                          | 5,369                                                                  |                                                       |

| Other Countries and Territories |                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 19 00                      | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron)           | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 21 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of <= 406,4 mm                                                   | 5,369                                                                   | N/A                                                                          | 5,369                                                                  |                                                       |
| 7306 29 00                      | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of <= 406,4 mm (excl. products of stainless steel or of cast iron) | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 30 12                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                  | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 30 18                      | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                          | 4,090                                                                   | N/A                                                                          | 4,090                                                                  | (C)                                                   |
| 7306 30 41                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                        | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                           |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                               | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 30 49                      | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                                                                                        | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 30 72                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                                                                         | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 30 77                      | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")            | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 30 80                      | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe") | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                                      |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 40 20                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 5,369                                                                   | N/A                                                                          | 5,369                                                                  |                                                       |
| 7306 40 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 5,296                                                                   | N/A                                                                          | 5,296                                                                  |                                                       |
| 7306 50 21                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 4,128                                                                   | N/A                                                                          | 4,128                                                                  | (F)                                                   |
| 7306 50 29                      | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 4,056                                                                   | N/A                                                                          | 4,056                                                                  | (F)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 50 80                      | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes) | 4,128                                                                   | N/A                                                                          | 4,128                                                                  | (F)                                                   |
| 7306 61 10                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                       | 5,369                                                                   | N/A                                                                          | 5,369                                                                  |                                                       |
| 7306 61 92                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                            | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 61 99                      | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                             | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |



| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7306 69 10                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 5,369                                                                   | N/A                                                                          | 5,369                                                                  |                                                       |
| 7306 69 90                      | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |
| 7306 90 00                      | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 4,141                                                                   | N/A                                                                          | 4,141                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307                            | Tube or pipe fittings "e.g. couplings,<br>elbows, sleeves", of iron or steel                                                                    | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7307 11                         | Tube or pipe fittings of non-malleable<br>cast iron                                                                                             | 3,929                                                                   | N/A                                                                          | 3,929                                                                  |                                                       |
| 7307 19 10                      | Tube or pipe fittings of cast iron (excl.<br>of non-malleable)                                                                                  | 3,929                                                                   | N/A                                                                          | 3,929                                                                  |                                                       |
| 7307 19 90                      | Cast tube or pipe fittings of steel                                                                                                             | 4,053                                                                   | N/A                                                                          | 4,053                                                                  | (C)                                                   |
| 7307 21 00                      | Flanges of stainless steel (excl. cast<br>products)                                                                                             | 4,498                                                                   | N/A                                                                          | 4,498                                                                  |                                                       |
| 7307 22                         | Threaded elbows, bends and sleeves of<br>stainless steel (excl. cast products)                                                                  | 4,498                                                                   | N/A                                                                          | 4,498                                                                  |                                                       |
| 7307 23                         | Butt welding tube or pipe fittings of<br>stainless steel (excl. cast products)                                                                  | 4,498                                                                   | N/A                                                                          | 4,498                                                                  |                                                       |
| 7307 29                         | Tube or pipe fittings of stainless steel<br>(excl. cast products, flanges, threaded<br>elbows, bends and sleeves and butt<br>weldings fittings) | 4,498                                                                   | N/A                                                                          | 4,498                                                                  |                                                       |
| 7307 91 00                      | Flanges of iron or steel (excl. cast or<br>stainless products)                                                                                  | 4,072                                                                   | N/A                                                                          | 4,072                                                                  | (C)                                                   |
| 7307 92                         | Threaded elbows, bends and sleeves, of<br>stainless steel (excl. cast or stainless<br>products)                                                 | 4,072                                                                   | N/A                                                                          | 4,072                                                                  | (C)                                                   |
| 7307 93                         | Butt welding fittings of iron or steel<br>(excl. cast iron or stainless steel<br>products, and flanges)                                         | 4,072                                                                   | N/A                                                                          | 4,072                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7307 99                         | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 4,072                                                                   | N/A                                                                          | 4,072                                                                  | (C)                                                   |
| 7308                            | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 5,064                                                                   | N/A                                                                          | 5,064                                                                  | (C)                                                   |
| 7309                            | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                     | 5,468                                                                   | N/A                                                                          | 5,468                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                                 |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                     | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7310                            | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s. | 4,228                                                                   | N/A                                                                          | 4,228                                                                  | (C)                                                   |
| 7311                            | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7311 00                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                         | 5,385                                                                   | N/A                                                                          | 5,385                                                                  | (C)                                                   |
| 7318                            | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7318 11 00                      | Coach screws of iron or steel                                                                                                                                                                                                                                   | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |
| 7318 12 10                      | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                             | 5,119                                                                   | N/A                                                                          | 5,119                                                                  |                                                       |
| 7318 12 90                      | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                          | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |
| 7318 13 00                      | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                   | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                                                                                                                                            |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                                                                                                                                | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7318 14 10                      | Self-tapping screws, of stainless steel<br>(excl. wood screws)                                                                                                                                                                                             | 5,119                                                                   | N/A                                                                          | 5,119                                                                  |                                                       |
| 7318 14 91                      | Spaced-thread screws of iron or steel<br>other than stainless                                                                                                                                                                                              | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |
| 7318 14 99                      | Self-tapping screws of iron or steel<br>other than stainless (excl. spaced-thread<br>screws and wood screws)                                                                                                                                               | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |
| 7318 15                         | Threaded screws and bolts, of iron or<br>steel, whether or not with their nuts<br>and washers (excl. coach screws and<br>other wood screws, screw hooks and<br>screw rings, self-tapping screws, lag<br>screws, stoppers, plugs and the like,<br>threaded) | 4,801                                                                   | N/A                                                                          | 4,801                                                                  | (C)                                                   |
| 7318 16                         | Nuts of iron or steel                                                                                                                                                                                                                                      | 4,693                                                                   | N/A                                                                          | 4,693                                                                  | (C)                                                   |
| 7318 19 00                      | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                                                | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |
| 7318 21 00                      | Spring washers and other lock washers,<br>of iron or steel                                                                                                                                                                                                 | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |
| 7318 22 00                      | Washers of iron or steel (excl. spring<br>washers and other lock washers)                                                                                                                                                                                  | 4,322                                                                   | N/A                                                                          | 4,322                                                                  | (C)                                                   |
| 7318 23 00                      | Rivets of iron or steel (excl. tubular and<br>bifurcated rivets for particular uses)                                                                                                                                                                       | 3,963                                                                   | N/A                                                                          | 3,963                                                                  | (C)                                                   |
| 7318 24 00                      | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                                  | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |
| 7318 29 00                      | Non-threaded articles, of iron or steel                                                                                                                                                                                                                    | 3,962                                                                   | N/A                                                                          | 3,962                                                                  | (C)                                                   |

| Other Countries and Territories |                                                                                                                                             |                                                                         |                                                                              |                                                                        |                                                       |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------|
| Product CN Code /<br>TARIC Code | Description                                                                                                                                 | Default Value (direct emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Default Value (indirect<br>emissions) (tCO <sub>2</sub> eq/tonne of<br>good) | Default Value (total emissions)<br>(tCO <sub>2</sub> eq/tonne of good) | Underlying production<br>route determining CBAM<br>BM |
| 7326                            | Articles of iron or steel, n.e.s. (excl. cast<br>articles)                                                                                  | see below                                                               | see below                                                                    | see below                                                              |                                                       |
| 7326 11 00                      | Grinding balls and similar articles for<br>mills, of iron or steel, forged or<br>stamped, but not further worked                            | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (C)                                                   |
| 7326 19                         | Articles of iron or steel, forged or<br>stamped, but not further worked, n.e.s.<br>(excl. grinding balls and similar articles<br>for mills) | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (C)                                                   |
| 7326 20 00                      | Articles of iron or steel wire, n.e.s.                                                                                                      | 4,051                                                                   | N/A                                                                          | 4,051                                                                  | (C)                                                   |
| 7326 90 30                      | Ladders and steps, of iron or steel                                                                                                         | 4,051                                                                   | N/A                                                                          | 4,051                                                                  | (C)                                                   |
| 7326 90 40                      | Pallets and similar platforms for<br>handling goods, of iron or steel                                                                       | 4,051                                                                   | N/A                                                                          | 4,051                                                                  | (C)                                                   |
| 7326 90 50                      | Reels for cables, piping and the like, of<br>iron or steel                                                                                  | 4,051                                                                   | N/A                                                                          | 4,051                                                                  | (C)                                                   |
| 7326 90 60                      | Ventilators, non-mechanical, guttering,<br>hooks and like articles used in the<br>building industry, n.e.s., of iron or steel               | 4,051                                                                   | N/A                                                                          | 4,051                                                                  | (C)                                                   |
| 7326 90 92                      | Articles of iron or steel, open-die<br>forged, n.e.s.                                                                                       | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (C)                                                   |
| 7326 90 94                      | Articles of iron or steel, closed-die<br>forged, n.e.s.                                                                                     | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (C)                                                   |
| 7326 90 96                      | Sintered articles of iron or steel, n.e.s.                                                                                                  | 4,080                                                                   | N/A                                                                          | 4,080                                                                  | (C)                                                   |
| 7326 90 98                      | Articles of iron or steel, n.e.s.                                                                                                           | 4,151                                                                   | N/A                                                                          | 4,151                                                                  | (C)'                                                  |

ANNEX II

‘ANNEX IV

**Default values for precursors for which the country of production cannot be identified**

The ‘highest default values’ in this Annex shall be increased by the mark-ups laid down in the introductory part of Annex I.

Where default values are used to determine the specific embedded emissions of a final good or of a precursor, the specific embedded free allocation shall be based on the corresponding underlying production route determining the CBAM BM as defined in Commission Implementing Regulation (EU) 2025/2620. The meaning of the indicators is as follows:

- (A) grey clinker / cement
- (B) white clinker / cement
- (C) Carbon Steel based on BF/BOF
- (D) Carbon Steel based on DRI/EAF
- (E) Carbon Steel based on Scrap/EAF
- (F) Low alloy Steel based on BF/BOF
- (G) Low alloy Steel based on DRI/EAF
- (H) Low alloy Steel based on scrap/EAF
- (J) High alloy Steel (based on EAF)
- (K) primary Aluminium
- (L) secondary Aluminium

If no production route is indicated for a CN code, the CBAM benchmark (BM) is independent of the production route.

If a production route is indicated for a group of CN codes at HS code level (i.e. with 4 or 6 digits) and the CBAM BM as defined in Implementing Regulation (EU) 2025/2620 for one or more of the CN codes at 8-digit level in that group has no production route, the CBAM BM for the concerned CN code is independent of the production route.

| Product CN Code / TARIC Code | Description                          | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|--------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| <b>Cement</b>                |                                      |                                                           |                                                 |
| 2507 00 80 80                | Calcined clay                        | 0,320                                                     |                                                 |
| 2523 10 00 10                | White clinker                        | 1,410                                                     | (B)                                             |
| 2523 10 00 90                | Other clinker including grey clinker | 1,440                                                     | (A)                                             |
| 2523 21 00                   | White Portland cement                | 1,480                                                     |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                      | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 2523 29 00                   | Grey Portland cement                                                                                                                                                                                                                                                             | 1,490                                                     |                                                 |
| 2523 30 00                   | Aluminous cement                                                                                                                                                                                                                                                                 | 2,290                                                     |                                                 |
| 2523 90 00 10                | White hydraulic cement                                                                                                                                                                                                                                                           | 1,530                                                     | (B)                                             |
| 2523 90 00 90                | Other hydraulic cements including grey hydraulic cements                                                                                                                                                                                                                         | 1,420                                                     | (A)                                             |
| <b>Fertilisers</b>           |                                                                                                                                                                                                                                                                                  |                                                           |                                                 |
| 2808 00 00                   | Nitric acid; sulphonitric acids                                                                                                                                                                                                                                                  | 3,080                                                     |                                                 |
| 2814 10 00                   | Anhydrous ammonia                                                                                                                                                                                                                                                                | 4,360                                                     |                                                 |
| 2814 20 00                   | Ammonia in aqueous solution                                                                                                                                                                                                                                                      | 1,310                                                     |                                                 |
| 2834 21 00                   | Nitrate of potassium                                                                                                                                                                                                                                                             | 2,850                                                     |                                                 |
| 3102                         | Mineral or chemical fertilizers, nitrogenous                                                                                                                                                                                                                                     | see below                                                 |                                                 |
| 3102 10 12                   | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing =>31,8 % but <=33,2 % by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                  | 1,540                                                     |                                                 |
| 3102 10 15                   | Urea in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product and containing >33,2 % but <=55% by weight of urea (excl. that in packages with a gross weight of <= 10 kg)                                                                      | 2,530                                                     |                                                 |
| 3102 10 19                   | Urea, whether or not in aqueous solution, containing >45% nitrogen in relation to the weight of the dry product (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg, or in aqueous solution containing =>31,8 % but <=55% by weight of urea) | 4,640                                                     |                                                 |
| 3102 10 90                   | Urea, whether or not in aqueous solution, containing <= 45 % by weight of nitrogen on the dry anhydrous product (excl. goods of this chapter in tablets or similar forms or in packages of a gross weight of <= 10 kg)                                                           | 4,530                                                     |                                                 |



| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 3102 21 00                   | Ammonium sulphate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                 | 1,290                                                     |                                                 |
| 3102 29 00                   | Double salts and mixtures of ammonium sulphate and ammonium nitrate                                                                                                                                                                                        | 2,130                                                     |                                                 |
| 3102 30 10                   | Ammonium nitrate in aqueous solution (excl. that in packages with a gross weight of <= 10 kg)                                                                                                                                                              | 2,190                                                     |                                                 |
| 3102 30 90                   | Ammonium nitrate (excl. that in aqueous solution, in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                             | 3,370                                                     |                                                 |
| 3102 40 10                   | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing <= 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg) | 2,900                                                     |                                                 |
| 3102 40 90                   | Mixtures of ammonium nitrate with calcium carbonate or other inorganic non-fertilising substances, for use as fertilisers, containing > 28 % nitrogen by weight (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)  | 2,900                                                     |                                                 |
| 3102 50 00                   | Sodium nitrate (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                    | 4,810                                                     |                                                 |
| 3102 60 00                   | Double salts and mixtures of calcium nitrate and ammonium nitrate (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                | 2,830                                                     |                                                 |
| 3102 80 00                   | Mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution (excl. those in packages with a gross weight of <= 10 kg)                                                                                                                          | 2,410                                                     |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                      | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 3102 90 00                   | Mineral or chemical nitrogen fertilisers (excl. urea; ammonium sulphate; ammonium nitrate; sodium nitrate; double salts and mixtures of ammonium nitrate with ammonium sulphate or calcium; mixtures of urea and ammonium nitrate in aqueous or ammoniacal solution; mixtures of ammonium nitrate and calcium carbonate or other non-fertilising inorganic elements; in tablets or similar in packages <= 10 kg) | 3,110                                                     |                                                 |
| 3105                         | Mineral or chemical fertilisers containing two or three of the fertilising elements nitrogen, phosphorus and potassium                                                                                                                                                                                                                                                                                           | see below                                                 |                                                 |
| 3105 10 00                   | Mineral or chemical fertilisers of animal or vegetable origin, in tablets or similar forms, or in packages with a gross weight of <= 10 kg                                                                                                                                                                                                                                                                       | 1,310                                                     |                                                 |
| 3105 20 10                   | Mineral or chemical fertilisers containing phosphorus and potassium, with a nitrogen content > 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                             | 1,530                                                     |                                                 |
| 3105 20 90                   | Mineral or chemical fertilisers containing nitrogen, phosphorus and potassium, with a nitrogen content <= 10 % by weight on the dry anhydrous product (excl. those in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                  | 1,050                                                     |                                                 |
| 3105 30 00                   | Diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                                                                                                                | 1,040                                                     |                                                 |
| 3105 40 00                   | Ammonium dihydrogenorthophosphate "monoammonium phosphate", whether or not mixed with diammonium hydrogenorthophosphate "diammonium phosphate" (excl. that in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                                                                                                                                                                          | 0,670                                                     |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                         | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 3105 51 00                   | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (nitrates and phosphates)                                                                                                                                                                                                                                                     | 2,070                                                     |                                                 |
| 3105 59 00                   | Other mineral or chemical fertilisers containing the two fertilising elements nitrogen and phosphorus (excl. nitrates and phosphates)                                                                                                                                                                                                                                               | 1,240                                                     |                                                 |
| 3105 90 20                   | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one principal fertilising substance only, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, containing > 10 % nitrogen by weight (excl. in tablets or similar forms, or in packages with a gross weight of <= 10 kg)                       | 1,960                                                     |                                                 |
| 3105 90 80                   | Mineral or chemical fertilisers containing the two fertilising elements nitrogen and potassium, or one main fertilising element, incl. mixtures of animal or vegetable fertilisers with chemical or mineral fertilisers, not containing nitrogen or with a nitrogen content, by weight, of <= 10 % (excl. in tablets or similar forms or in packages of a gross weight of <= 10 kg) | 1,020                                                     |                                                 |
| <b>Aluminium</b>             |                                                                                                                                                                                                                                                                                                                                                                                     |                                                           |                                                 |
| 7601                         | Unwrought aluminium                                                                                                                                                                                                                                                                                                                                                                 | 3,198                                                     | (K)                                             |
| 7603                         | Aluminium powders and flakes                                                                                                                                                                                                                                                                                                                                                        | 4,148                                                     | (K)                                             |
| 7604 10 10                   | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 4,881                                                     | (K)                                             |
| 7604 10 90                   | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 4,881                                                     | (K)                                             |
| 7604 21 00                   | Hollow profiles                                                                                                                                                                                                                                                                                                                                                                     | 4,881                                                     | (K)                                             |
| 7604 29 10                   | Bars and rods                                                                                                                                                                                                                                                                                                                                                                       | 4,881                                                     | (K)                                             |
| 7604 29 90                   | Profiles                                                                                                                                                                                                                                                                                                                                                                            | 4,881                                                     | (K)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                    | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7605                         | Aluminium wire                                                                                                                                                                                                                                                                                                 | 4,881                                                     | (K)                                             |
| 7606                         | Aluminium plates, sheets and strip, of a thickness exceeding 0,2 mm                                                                                                                                                                                                                                            | 4,986                                                     | (K)                                             |
| 7607                         | Aluminium foil (whether or not printed or backed with paper, paperboard, plastics or similar backing materials) of a thickness (excluding any backing) not exceeding 0,2 mm                                                                                                                                    | 5,559                                                     | (K)                                             |
| 7608                         | Aluminium tubes and pipes                                                                                                                                                                                                                                                                                      | 4,896                                                     | (K)                                             |
| 7609 00 00                   | Aluminium tube or pipe fittings (for example, couplings, elbows, sleeves)                                                                                                                                                                                                                                      | 4,896                                                     | (K)                                             |
| 7610 10 00                   | Doors, windows and their frames and thresholds for doors                                                                                                                                                                                                                                                       | 4,896                                                     | (K)                                             |
| 7610 90                      | Other                                                                                                                                                                                                                                                                                                          | 4,896                                                     | (K)                                             |
| 7610 90 10                   | Bridges and bridge-sections, towers and lattice masts                                                                                                                                                                                                                                                          | 4,896                                                     | (K)                                             |
| 7610 90 90                   | Other                                                                                                                                                                                                                                                                                                          | 4,896                                                     | (K)                                             |
| 7611 00 00                   | Aluminium reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment                                                           | 5,559                                                     | (K)                                             |
| 7612                         | Aluminium casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 litres, whether or not lined or heat-insulated, but not fitted with mechanical or thermal equipment | 5,559                                                     | (K)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                            | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7613 00 00                   | Aluminium containers for compressed or liquefied gas                                                                                                   | 5,559                                                     | (K)                                             |
| 7614                         | Stranded wire, cables, plaited bands and the like, of aluminium, not electrically insulated                                                            | 4,881                                                     | (K)                                             |
| 7616 10 00                   | Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles | 5,559                                                     | (K)                                             |
| 7616 91 00                   | Cloth, grill, netting and fencing, of aluminium wire                                                                                                   | 5,559                                                     | (K)                                             |
| 7616 99 10                   | Cast                                                                                                                                                   | 4,542                                                     | (K)                                             |
| 7616 99 90                   | Other                                                                                                                                                  | 5,559                                                     | (K)                                             |
| <b>Hydrogen</b>              |                                                                                                                                                        |                                                           |                                                 |
| 2804 10 00                   | Hydrogen                                                                                                                                               | 26,640                                                    |                                                 |
| <b>Iron and steel</b>        |                                                                                                                                                        |                                                           |                                                 |
| 2601 12 00                   | Agglomerated iron ores and concentrates (excl. roasted iron pyrites)                                                                                   | 1,610                                                     |                                                 |
| 7201                         | Pig iron and spiegeleisen, in pigs, blocks or other primary forms                                                                                      | 7,920                                                     |                                                 |
| 7202 11                      | Ferro-manganese, containing by weight > 2 % of carbon                                                                                                  | 1,690                                                     |                                                 |
| 7202 19                      | Ferro-manganese, containing by weight <= 2 % carbon                                                                                                    | 5,590                                                     |                                                 |
| 7202 41                      | Ferro-chromium, containing by weight > 4 % of carbon                                                                                                   | 2,350                                                     |                                                 |
| 7202 49                      | Ferro-chromium, containing by weight <= 4 % of carbon                                                                                                  | 2,870                                                     |                                                 |
| 7202 60 00                   | Ferro-nickel                                                                                                                                           | 6,150                                                     |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                         | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7203                         | Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms                              | 4,200                                                     |                                                 |
| 7205                         | Granules and powders of pig iron, spiegeleisen, iron or steel (excl. granules and powders of ferro-alloys, turnings and filings of iron or steel, radioactive iron powders "isotopes" and certain low-calibre, substandard balls for ballbearings)  | 7,900                                                     | (C)/(F)                                         |
| 7206                         | Iron and non-alloy steel in ingots or other primary forms (excl. remelting scrap ingots, products obtained by continuous casting and iron of heading 7203)                                                                                          | see below                                                 |                                                 |
| 7206 10 00                   | Ingots, of iron and non-alloy steel (excl. remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                                                                   | 8,210                                                     | (C)                                             |
| 7206 90 00                   | Iron and non-alloy steel, in puddled bars or other primary forms (excl. ingots, remelted scrap ingots, continuous cast products, iron of heading 7203)                                                                                              | 8,210                                                     | (C)                                             |
| 7207                         | Semi-finished products of iron or non-alloy steel                                                                                                                                                                                                   | see below                                                 |                                                 |
| 7207 11 11                   | Semi-finished products, of non-alloy free-cutting steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness, rolled or obtained by continuous casting                                    | 8,230                                                     | (C)                                             |
| 7207 11 14                   | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of <= 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 8,230                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                        | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7207 11 16                   | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of square or rectangular cross-section, the width < twice the thickness of > 130 mm, rolled or obtained by continuous casting (excl. free-cutting steel) | 8,230                                                     | (C)                                             |
| 7207 11 90                   | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular cross-section, the width < twice the thickness, forged                                                                                     | 8,210                                                     | (C)                                             |
| 7207 12 10                   | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 of carbon, of rectangular "other than square" cross-section, the width measuring >= twice the thickness, rolled or obtained by continuous casting                   | 8,230                                                     | (C)                                             |
| 7207 12 90                   | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of rectangular "other than square" cross-section, the width >= twice the thickness, forged                                                                | 8,210                                                     | (C)                                             |
| 7207 19 12                   | Semi-finished products, of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                                         | 8,230                                                     | (C)                                             |
| 7207 19 19                   | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon, of circular or polygonal cross-section, forged                                                                                                            | 8,210                                                     | (C)                                             |
| 7207 19 80                   | Semi-finished products of iron or non-alloy steel, containing by weight < 0,25 % carbon (excl. semi-products, of square, rectangular, circular or polygonal cross-section)                                                                         | 8,230                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7207 20 11                   | Semi-finished products, of non-alloy free-cutting steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting                                    | 8,230                                                     | (C)                                             |
| 7207 20 15                   | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % but $< 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel) | 8,230                                                     | (C)                                             |
| 7207 20 17                   | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,6$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, rolled or obtained by continuous casting (excl. free-cutting steel)                | 8,230                                                     | (C)                                             |
| 7207 20 19                   | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of square or rectangular cross-section, the width $<$ twice the thickness, forged                                                                            | 8,210                                                     | (C)                                             |
| 7207 20 32                   | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ of carbon, of rectangular "other than square" cross-section, the width measuring $\geq$ twice the thickness, rolled or obtained by continuous casting                  | 8,230                                                     | (C)                                             |
| 7207 20 39                   | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of rectangular "other than square" cross-section and the width $\geq$ twice the thickness, forged                                                            | 8,210                                                     | (C)                                             |
| 7207 20 52                   | Semi-finished products of iron or non-alloy steel, containing by weight $\geq 0,25$ % carbon, of circular or polygonal cross-section, rolled or obtained by continuous casting                                                                             | 8,230                                                     | (C)                                             |



| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                    | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7207 20 59                   | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,6 % carbon, of circular or polygonal cross-section, forged                                                                                                                                        | 8,210                                                     | (C)                                             |
| 7207 20 80                   | Semi-finished products of iron or non-alloy steel, containing by weight >= 0,25 % carbon (excl. those of square, rectangular, circular or polygonal cross-section)                                                                                                             | 8,230                                                     | (C)                                             |
| 7208                         | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled, not clad, plated or coated                                                                                                                                                                  | 8,230                                                     | (C)                                             |
| 7209                         | Flat-rolled products of iron or non-alloy steel, of a width of >= 600 mm, cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                               | 8,250                                                     | (C)                                             |
| 7210                         | Flat-rolled products of iron or non-alloy steel, of a width >= 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                                                                                                        | 8,250                                                     | (C)                                             |
| 7211                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", not clad, plated or coated                                                                                                                                  | see below                                                 |                                                 |
| 7211 13 00                   | Flat-rolled products of iron or non-alloy steel, simply hot-rolled on four faces or in a closed box pass, not clad, plated or coated, of a width of > 150 mm but < 600 mm and a thickness of >= 4 mm, not in coils, without patterns in relief, commonly known as "wide flats" | 8,230                                                     | (C)                                             |
| 7211 14 00                   | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, not further worked than hot-rolled, not clad, plated or coated, of a thickness of >= 4,75 mm (excl. "wide flats")                                                                                        | 8,230                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7211 19 00                   | Flat-rolled products of iron or non-alloy steel, of a width < 600 mm, simply hot-rolled, not clad, plated or coated, of a thickness < 4,75 mm (excl. "wide flats")                         | 8,230                                                     | (C)                                             |
| 7211 23                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight < 0,25 % of carbon            | 8,250                                                     | (C)                                             |
| 7211 29 00                   | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, simply cold-rolled "cold-reduced", not clad, plated or coated, containing by weight >= 0,25 % of carbon           | 8,250                                                     | (C)                                             |
| 7211 90                      | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked, but not clad, plated or coated                       | 8,250                                                     | (C)                                             |
| 7212                         | Flat-rolled products of iron or non-alloy steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", clad, plated or coated                                                  | 8,250                                                     | (C)                                             |
| 7213                         | Bars and rods of iron or non-alloy steel, hot-rolled, in irregularly wound coils                                                                                                           | 8,230                                                     | (C)                                             |
| 7214                         | Bars and rods, of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but incl. those twisted after rolling (excl. in irregularly wound coils) | see below                                                 |                                                 |
| 7214 10 00                   | Bars and rods, of iron or non-alloy steel, not further worked than forged (excl. in irregularly wound coils)                                                                               | 8,210                                                     | (C)                                             |
| 7214 20 00                   | Bars and rods, of iron or non-alloy steel, with indentations, ribs, groves or other deformations produced during the rolling process                                                       | 8,230                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                     | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7214 30 00                   | Bars and rods, of non-alloy free-cutting steel, not further worked than hot-rolled, hot-drawn or hot-extruded (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling)                                                                                 | 8,230                                                     | (C)                                             |
| 7214 91                      | Bars and rods, of iron or non-alloy steel, not further worked than hot-rolled, hot-drawn or hot-extruded, of rectangular "other than square" cross-section (excl. containing indentations, ribs, grooves or other deformations produced during the rolling process, bars and rods twisted after rolling and free-cutting steel) | 8,230                                                     | (C)                                             |
| 7214 99                      | Bars and rods, of iron or non-alloy steel, only hot-rolled, only hot-drawn or only hot-extruded (excl. of rectangular [other than square] cross-section and those containing indentations, ribs, grooves or other deformations produced during the rolling process, and of non-alloy free-cutting steel)                        | 8,230                                                     | (C)                                             |
| 7215                         | Bars and rods, of iron or non-alloy steel, cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked, n.e.s.                                                                                                                                                                                | 8,230                                                     | (C)                                             |
| 7216                         | Angles, shapes and sections of iron or non-alloy steel, n.e.s.                                                                                                                                                                                                                                                                  | 8,230                                                     | (C)                                             |
| 7217                         | Wire of iron or non-alloy steel, in coils (excl. bars and rods)                                                                                                                                                                                                                                                                 | see below                                                 |                                                 |
| 7217 10                      | Wire of iron or non-alloy steel, in coils, not plated or coated, whether or not polished (excl. bars and rods)                                                                                                                                                                                                                  | 8,230                                                     | (C)                                             |
| 7217 20                      | Wire of iron or non-alloy steel, in coils, plated or coated with zinc (excl. bars and rods)                                                                                                                                                                                                                                     | 8,230                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                            | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7217 30                      | Wire of iron or non-alloy steel, in coils, plated or coated with base metals (excl. plated or coated with zinc, and bars and rods)                                     | 8,230                                                     | (C)                                             |
| 7217 90                      | Wire of iron or non-alloy steel, in coils, plated or coated (excl. plated or coated with base metals, and bars and rods)                                               | 8,230                                                     | (C)                                             |
| 7218                         | Stainless steel in ingots or other primary forms (excl. remelting scrap ingots and products obtained by continuous casting); semi-finished products of stainless steel | see below                                                 |                                                 |
| 7218 10 00                   | Steel, stainless, in ingots and other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                 | 8,630                                                     |                                                 |
| 7218 91                      | Semi-finished products of stainless steel, of rectangular "other than square" cross-section                                                                            | 8,670                                                     |                                                 |
| 7218 99 11                   | Semi-finished products of stainless steel, of square cross-section, rolled or obtained by continuous casting                                                           | 8,670                                                     |                                                 |
| 7218 99 19                   | Semi-finished products of stainless steel, of square cross-section, forged                                                                                             | 8,630                                                     |                                                 |
| 7218 99 20                   | Semi-finished products of stainless steel, of circular cross-section or of cross-section other than square or rectangular, rolled or obtained by continuous casting    | 8,670                                                     |                                                 |
| 7218 99 80                   | Semi-finished products of stainless steel, forged (excl. products of square or rectangular cross-section)                                                              | 8,630                                                     |                                                 |
| 7219                         | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                         | see below                                                 |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                               | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7219 11 00                   | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $> 10$ mm                           | 8,670                                                     |                                                 |
| 7219 12                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 4,7$ mm and $\leq 10$ mm      | 8,670                                                     |                                                 |
| 7219 13                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm         | 8,670                                                     |                                                 |
| 7219 14                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, in coils, of a thickness of $< 3$ mm                            | 8,670                                                     |                                                 |
| 7219 21                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $> 10$ mm                       | 8,670                                                     |                                                 |
| 7219 22                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 4,75$ mm and $\leq 10$ mm | 8,670                                                     |                                                 |
| 7219 23 00                   | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $\geq 3$ mm and $< 4,75$ mm     | 8,670                                                     |                                                 |
| 7219 24 00                   | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than hot-rolled, not in coils, of a thickness of $< 3$ mm                        | 8,670                                                     |                                                 |
| 7219 31 00                   | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 4,75$ mm                | 8,690                                                     |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                               | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7219 32                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 3$ mm but $< 4,75$ mm   | 8,690                                                     |                                                 |
| 7219 33                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $> 1$ mm but $< 3$ mm         | 8,690                                                     |                                                 |
| 7219 34                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $\geq 0,5$ mm but $\leq 1$ mm | 8,690                                                     |                                                 |
| 7219 35                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, not further worked than cold-rolled "cold-reduced", of a thickness of $< 0,5$ mm                    | 8,690                                                     |                                                 |
| 7219 90                      | Flat-rolled products of stainless steel, of a width of $\geq 600$ mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                         | 8,690                                                     |                                                 |
| 7220                         | Flat-rolled products of stainless steel, of a width of $< 600$ mm, hot-rolled or cold-rolled "cold-reduced"                                                               | see below                                                 |                                                 |
| 7220 11 00                   | Flat-rolled products of stainless steel, of a width of $< 600$ mm, not further worked than hot-rolled, of a thickness of $\geq 4,75$ mm                                   | 8,670                                                     |                                                 |
| 7220 12 00                   | Flat-rolled products of stainless steel, of a width of $< 600$ mm, not further worked than hot-rolled, of a thickness of $< 4,75$ mm                                      | 8,670                                                     |                                                 |
| 7220 20                      | Flat-rolled products of stainless steel, of a width of $< 600$ mm, not further worked than cold-rolled "cold-reduced"                                                     | 8,690                                                     |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                         | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7220 90                      | Flat-rolled products of stainless steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked                                                                                        | 8,690                                                     |                                                 |
| 7221                         | Bars and rods of stainless steel, hot-rolled, in irregularly wound coils                                                                                                                                            | 8,690                                                     |                                                 |
| 7222                         | Other bars and rods of stainless steel; angles, shapes and sections of stainless steel, n.e.s.                                                                                                                      | see below                                                 |                                                 |
| 7222 11                      | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only hot-extruded, of circular cross-section                                                                                                   | 8,690                                                     |                                                 |
| 7222 19                      | Bars and rods of stainless steel, only hot-rolled, only hot-drawn or only extruded (excl. of circular cross-section)                                                                                                | 8,690                                                     |                                                 |
| 7222 20                      | Other bars and rods of stainless steel, not further worked than cold-formed or cold-finished                                                                                                                        | 8,690                                                     |                                                 |
| 7222 30                      | Other bars and rods of stainless steel, cold-formed or cold-finished and further worked, or not further worked than forged, or forged, or hot-formed by other means and further worked, n.e.s.                      | 8,630                                                     |                                                 |
| 7222 40                      | Angles, shapes and sections of stainless steel, n.e.s.                                                                                                                                                              | 8,690                                                     |                                                 |
| 7223                         | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | see below                                                 |                                                 |
| 7223 00                      | Wire of stainless steel, in coils (excl. bars and rods)                                                                                                                                                             | 8,690                                                     |                                                 |
| 7224                         | Steel, alloy, other than stainless, in ingots or other primary forms, semi-finished products of alloy steel other than stainless (excl. waste and scrap in ingot form, and products obtained by continuous casting) | see below                                                 |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7224 10                      | Steel, alloy, other than stainless, in ingots or other primary forms (excl. waste and scrap in ingot form, and products obtained by continuous casting)                                                                                                                                                                                                                                                    | 9,960                                                     | (F)                                             |
| 7224 90 02                   | Semi-finished products of tool steel                                                                                                                                                                                                                                                                                                                                                                       | 10,000                                                    | (F)                                             |
| 7224 90 03                   | Semi-finished products of high-speed steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting the width measuring < twice the thickness                                                                                                                                                                                                                                 | 10,000                                                    | (F)                                             |
| 7224 90 05                   | Semi-finished products of steel containing by weight <= 0,7 % of carbon, 0,5 % to 1,2 % of manganese, 0,6 % to 2,3 % of silicon, or of steel containing by weight >= 0,0008 % of boron with any other element < the minimum content referred to in Note 1 f to chapter 72, of square or rectangular cross-section, hot rolled or obtained by continuous casting, the width measuring < twice the thickness | 10,000                                                    | (F)                                             |
| 7224 90 07                   | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring < twice the thickness (excl. of tool steel, high-speed steel and articles of subheading 7224.90.05)                                                                                                                            | 10,000                                                    | (F)                                             |
| 7224 90 14                   | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, hot-rolled or obtained by continuous casting, the width measuring >= twice the thickness (excl. of tool steel)                                                                                                                                                                                   | 10,000                                                    | (F)                                             |
| 7224 90 18                   | Semi-finished products of alloy steel other than stainless steel, of square or rectangular cross-section, forged (excl. of tool steel)                                                                                                                                                                                                                                                                     | 9,960                                                     | (F)                                             |



| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                           | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7224 90 31                   | Semi-finished products of steel containing by weight 0,9 % to 1,15 % carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting                                                                         | 10,000                                                    | (F)                                             |
| 7224 90 38                   | Semi-finished products of alloy steel, other than stainless steel, cut into shapes other than square or rectangular, hot-rolled or obtained by continuous casting (excl. of tool steel and products containing by weight 0,9 % to 1,15 % of carbon, 0,5 % to 2 % of chromium and, if present, <= 0,5 % of molybdenum) | 10,000                                                    | (F)                                             |
| 7224 90 90                   | Semi-finished products of alloy steel, other than stainless steel, forged (excl. of tool steel and products of square or rectangular, circular or polygamol cross-section)                                                                                                                                            | 9,960                                                     | (F)                                             |
| 7225                         | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                                                                           | see below                                                 |                                                 |
| 7225 11 00                   | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, grain-oriented                                                                                                                                                                                                                             | 13,240                                                    | (C)                                             |
| 7225 19 10                   | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, hot-rolled                                                                                                                                                                                                                                 | 10,000                                                    | (C)                                             |
| 7225 19 90                   | Flat-rolled products of silicon-electrical steel, of a width of >= 600 mm, cold-rolled "cold-reduced", non-grain-oriented                                                                                                                                                                                             | 10,020                                                    | (C)                                             |
| 7225 30                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, in coils (excl. products of silicon-electrical steel)                                                                                                                                          | 10,000                                                    | (F)                                             |
| 7225 40                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than hot-rolled, not in coils (excl. products of silicon-electrical steel)                                                                                                                                      | 10,000                                                    | (F)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                   | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7225 50                      | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of silicon-electrical steel)                                                            | 10,020                                                    | (F)                                             |
| 7225 91 00                   | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and electrolytically plated or coated with zinc (excl. products of silicon-electrical steel)                      | 10,020                                                    | (F)                                             |
| 7225 92 00                   | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and plated or coated with zinc (excl. electrolytically plated or coated and products of silicon-electrical steel) | 10,020                                                    | (F)                                             |
| 7225 99 00                   | Flat-rolled products of alloy steel other than stainless, of a width of >= 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. plated or coated with zinc and products of silicon-electrical steel)                    | 10,020                                                    | (F)                                             |
| 7226                         | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                    | see below                                                 |                                                 |
| 7226 11 00                   | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced", grain-oriented                                                                                                            | 13,240                                                    | (C)                                             |
| 7226 19 10                   | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, not further worked than hot-rolled                                                                                                                                  | 10,000                                                    | (C)                                             |
| 7226 19 80                   | Flat-rolled products of silicon-electrical steel, of a width of < 600 mm, cold-rolled "cold-reduced", whether or not further worked, or hot-rolled and further worked, non-grain-oriented                                                     | 10,020                                                    | (C)                                             |
| 7226 20 00                   | Flat-rolled products of high-speed steel, of a width of <= 600 mm, hot-rolled or cold-rolled "cold-reduced"                                                                                                                                   | 10,000                                                    | (F)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                            | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7226 91                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than hot-rolled (excl. products of high-speed steel or silicon-electrical steel)                                                                                                  | 10,000                                                    | (F)                                             |
| 7226 92 00                   | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, not further worked than cold-rolled "cold-reduced" (excl. products of high-speed steel or silicon-electrical steel)                                                                                  | 10,020                                                    | (F)                                             |
| 7226 99                      | Flat-rolled products of alloy steel other than stainless, of a width of < 600 mm, hot-rolled or cold-rolled "cold-reduced" and further worked (excl. products of high-speed steel or silicon-electrical steel)                                                                         | 10,020                                                    | (F)                                             |
| 7227                         | Bars and rods of alloy steel other than stainless, hot-rolled, in irregularly wound coils                                                                                                                                                                                              | 10,020                                                    | (C)/(F)                                         |
| 7228                         | Other bars and rods of alloy steel other than stainless, angles, shapes and sections of alloy steel other than stainless, n.e.s.; hollow drill bars and rods, of alloy or non-alloy steel                                                                                              | see below                                                 |                                                 |
| 7228 10 20                   | Bars and rods of high-speed steel, not further worked than hot-rolled, hot-drawn or extruded, and hot-rolled, hot-drawn or extruded, not further worked than clad (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)         | 10,020                                                    | (F)                                             |
| 7228 10 50                   | Bars and rods of high-speed steel, forged (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                 | 9,960                                                     | (F)                                             |
| 7228 10 90                   | Bars and rods of high-speed steel, not further worked than cold-formed or cold-finished, whether or not further worked, or hot-formed and further worked (excl. forged products, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 10,020                                                    | (F)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                      | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7228 20                      | Bars and rods of silico-manganese steel (excl. semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                                                                                                                             | 10,020                                                    | (F)                                             |
| 7228 30                      | Bars and rods of alloy steel other than stainless, not further worked than hot-rolled, hot-drawn or extruded (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                | 10,020                                                    | (C)/(F)                                         |
| 7228 40                      | Bars and rods of alloy steel other than stainless, not further worked than forged (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                                           | 9,960                                                     | (F)                                             |
| 7228 50                      | Bars and rods of alloy steel other than stainless, not further worked than cold-formed or cold-finished (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils)                                     | 10,020                                                    | (C)/(F)                                         |
| 7228 60                      | Bars and rods of alloy steel other than stainless, cold-formed or cold-finished and further worked or hot-formed and further worked, n.e.s. (excl. products of high-speed steel or silico-manganese steel, semi-finished products, flat-rolled products and hot-rolled bars and rods in irregularly wound coils) | 10,020                                                    | (F)                                             |
| 7228 70                      | Angles, shapes and sections of alloy steel other than stainless, n.e.s.                                                                                                                                                                                                                                          | 10,020                                                    | (F)                                             |
| 7228 80 00                   | Hollow drill bars and rods, of alloy or non-alloy steel                                                                                                                                                                                                                                                          | 10,020                                                    | (F)                                             |
| 7229                         | Wire of alloy steel other than stainless, in coils (excl. bars and rods)                                                                                                                                                                                                                                         | 10,020                                                    | (C)/(F)                                         |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                           | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7301                         | Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel                                                                                                                                                                                                                  | 8,250                                                     | (C)                                             |
| 7302                         | Railway or tramway track construction material of iron or steel, the following : rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers "cross-ties", fish-plates, chairs, chair wedges, sole plates "base plates", rail clips, bedplates, ties and other material specialised for jointing or fixing rails | 8,210                                                     | (C)                                             |
| 7303                         | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | see below                                                 |                                                 |
| 7303 00                      | Tubes, pipes and hollow profiles, of cast iron                                                                                                                                                                                                                                                                                                                        | 7,890                                                     |                                                 |
| 7304                         | Tubes, pipes and hollow profiles, seamless, of iron or steel (excl. products of cast iron)                                                                                                                                                                                                                                                                            | see below                                                 |                                                 |
| 7304 11 00                   | Line pipe of a kind used for oil or gas pipelines, seamless, of stainless steel                                                                                                                                                                                                                                                                                       | 8,630                                                     |                                                 |
| 7304 19                      | Line pipe of a kind used for oil or gas pipelines, seamless, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                     | 8,210                                                     | (C)                                             |
| 7304 22 00                   | Drill pipe, seamless, of stainless steel, of a kind used in drilling for oil or gas                                                                                                                                                                                                                                                                                   | 8,630                                                     |                                                 |
| 7304 23 00                   | Drill pipe, seamless, of a kind used in drilling for oil or gas, of iron or steel (excl. products of stainless steel or of cast iron)                                                                                                                                                                                                                                 | 8,210                                                     | (C)                                             |
| 7304 24 00                   | Casing and tubing, seamless, of a kind used for drilling for oil or gas, of stainless steel                                                                                                                                                                                                                                                                           | 8,630                                                     |                                                 |
| 7304 29                      | Casing and tubing, seamless, of iron or steel, of a kind used in drilling for oil or gas (excl. products of cast iron)                                                                                                                                                                                                                                                | 8,210                                                     | (C)                                             |
| 7304 31                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used for drilling for oil or gas)                                                                          | 8,210                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                 | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7304 39                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of iron or non-alloy steel, not cold-drawn or cold-rolled "cold-reduced" (excl. cast iron products, line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas) | 8,210                                                     | (C)                                             |
| 7304 41 00                   | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil or gas)                                 | 8,630                                                     |                                                 |
| 7304 49                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of stainless steel, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines or of a kind used for drilling for oil or gas)                                             | 8,630                                                     |                                                 |
| 7304 51                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                       | 7,860                                                     | (F)                                             |
| 7304 59                      | Tubes, pipes and hollow profiles, seamless, of circular cross-section, of alloy steel other than stainless, not cold-drawn or cold-rolled "cold-reduced" (excl. line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used for drilling for oil)                   | 7,860                                                     | (C)/(F)                                         |
| 7304 90 00                   | Tubes, pipes and hollow profiles, seamless, of non-circular cross-section, of iron or steel (excl. products of cast iron)                                                                                                                                                                   | 8,210                                                     | (C)                                             |
| 7305                         | Tubes and pipes, having circular cross-sections and an external diameter of > 406,4 mm, of flat-rolled products of iron or steel "e.g., welded, riveted or similarly closed"                                                                                                                | 8,250                                                     | (C)                                             |
| 7306                         | Tubes, pipes and hollow profiles "e.g., open seam or welded, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless tubes and pipes and tubes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                            | see below                                                 |                                                 |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                       | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7306 11 00                   | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of stainless steel, of an external diameter of ≤ 406,4 mm                                                                                                                                                      | 8,690                                                     |                                                 |
| 7306 19 00                   | Line pipe of a kind used for oil or gas pipelines, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron)                                                                                                    | 8,250                                                     | (C)                                             |
| 7306 21 00                   | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of stainless steel, of an external diameter of ≤ 406,4 mm                                                                                                                                            | 8,690                                                     |                                                 |
| 7306 29 00                   | Casing and tubing of a kind used in drilling for oil or gas, welded, of flat-rolled products of iron or steel, of an external diameter of ≤ 406,4 mm (excl. products of stainless steel or of cast iron)                                                                                          | 8,250                                                     | (C)                                             |
| 7306 30 12                   | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                          | 8,250                                                     | (C)                                             |
| 7306 30 18                   | Precision tubes, welded, of circular cross-section, of iron or non-alloy steel (excl. cold-drawn or cold-rolled)                                                                                                                                                                                  | 8,230                                                     | (C)                                             |
| 7306 30 41                   | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel, plated or coated with zinc                                                                                                                                                                | 8,250                                                     | (C)                                             |
| 7306 30 49                   | Threaded or threadable tubes "gas pipe", welded, of circular cross-section, of iron or non-alloy steel (excl. products plated or coated with zinc)                                                                                                                                                | 8,250                                                     | (C)                                             |
| 7306 30 72                   | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel, of an external diameter of ≤ 168,3 mm, plated or coated with zinc (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 8,250                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                          | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7306 30 77                   | Other tubes, pipes and hollow profiles, welded, of circular cross-section, of iron or non-alloy steel of an external diameter of ≤ 168,3 mm (excl. plated or coated with zinc and line pipe of a kind used for oil or gas pipelines, casing and tubing of a kind used in drilling for oil or gas, precision tubes and threaded or threadable tubes "gas pipe")                       | 8,250                                                     | (C)                                             |
| 7306 30 80                   | Tubes, pipes and hollow profiles, welded, having a circular cross-section, of iron or steel, of an external diameter of > 168,3 mm but ≤ 406,4 mm (excl. line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, or precision steel tubes, electrical conduit tubes or threaded or threadable tubes "gas pipe")            | 8,250                                                     | (C)                                             |
| 7306 40 20                   | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel, cold-drawn or cold-rolled "cold-reduced" (excl. products having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas)                 | 8,690                                                     |                                                 |
| 7306 40 80                   | Tubes, pipes and hollow profiles, welded, of circular cross-section, of stainless steel (excl. products cold-drawn or cold-rolled "cold-reduced", tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas) | 8,670                                                     |                                                 |
| 7306 50 21                   | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless, cold-drawn or cold-rolled "cold-reduced"                                                                                                                                                                                                                                              | 7,960                                                     | (F)                                             |
| 7306 50 29                   | Precision steel tubes, welded, of circular cross-section, of alloy steel other than stainless (excl. cold-drawn or cold-rolled)                                                                                                                                                                                                                                                      | 7,940                                                     | (F)                                             |



| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                                | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7306 50 80                   | Tubes, pipes and hollow profiles, welded, of circular cross-section, of alloy steel other than stainless (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, and line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and precision steel tubes)                                                              | 7,960                                                     | (F)                                             |
| 7306 61 10                   | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of stainless steel                                                                                                                                                                                                                                                                                                                                    | 8,690                                                     |                                                 |
| 7306 61 92                   | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of <= 2 mm                                                                                                                                                                                                                                                                         | 8,250                                                     | (C)                                             |
| 7306 61 99                   | Tubes and pipes and hollow profiles, welded, of square or rectangular cross-section, of iron or steel other than stainless steel, with a wall thickness of > 2 mm                                                                                                                                                                                                                                                                          | 8,250                                                     | (C)                                             |
| 7306 69 10                   | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section)                          | 8,690                                                     |                                                 |
| 7306 69 90                   | Tubes, pipes and hollow profiles, welded, of non-circular cross-section, of iron or steel other than stainless steel (excl. tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm, line pipe of a kind used for oil or gas pipelines or casing and tubing of a kind used in drilling for oil or gas, and tubes and pipes and hollow profiles of square or rectangular cross-section) | 8,250                                                     | (C)                                             |
| 7306 90 00                   | Tubes, pipes and hollow profiles "e.g., open seam, riveted or similarly closed", of iron or steel (excl. of cast iron, seamless or welded tubes and pipes and tubes and pipes having internal and external circular cross-sections and an external diameter of > 406,4 mm)                                                                                                                                                                 | 8,250                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7307                         | Tube or pipe fittings "e.g. couplings, elbows, sleeves", of iron or steel                                                                                                                                                                                                                                                                                                                                                     | see below                                                 |                                                 |
| 7307 11                      | Tube or pipe fittings of non-malleable cast iron                                                                                                                                                                                                                                                                                                                                                                              | 7,890                                                     |                                                 |
| 7307 19 10                   | Tube or pipe fittings of cast iron (excl. of non-malleable)                                                                                                                                                                                                                                                                                                                                                                   | 7,890                                                     |                                                 |
| 7307 19 90                   | Cast tube or pipe fittings of steel                                                                                                                                                                                                                                                                                                                                                                                           | 8,210                                                     | (C)                                             |
| 7307 21 00                   | Flanges of stainless steel (excl. cast products)                                                                                                                                                                                                                                                                                                                                                                              | 7,940                                                     |                                                 |
| 7307 22                      | Threaded elbows, bends and sleeves of stainless steel (excl. cast products)                                                                                                                                                                                                                                                                                                                                                   | 7,940                                                     |                                                 |
| 7307 23                      | Butt welding tube or pipe fittings of stainless steel (excl. cast products)                                                                                                                                                                                                                                                                                                                                                   | 7,940                                                     |                                                 |
| 7307 29                      | Tube or pipe fittings of stainless steel (excl. cast products, flanges, threaded elbows, bends and sleeves and butt weldings fittings)                                                                                                                                                                                                                                                                                        | 7,940                                                     |                                                 |
| 7307 91 00                   | Flanges of iron or steel (excl. cast or stainless products)                                                                                                                                                                                                                                                                                                                                                                   | 8,210                                                     | (C)                                             |
| 7307 92                      | Threaded elbows, bends and sleeves, of stainless steel (excl. cast or stainless products)                                                                                                                                                                                                                                                                                                                                     | 8,210                                                     | (C)                                             |
| 7307 93                      | Butt welding fittings of iron or steel (excl. cast iron or stainless steel products, and flanges)                                                                                                                                                                                                                                                                                                                             | 8,210                                                     | (C)                                             |
| 7307 99                      | Tube or pipe fittings, of iron or steel (excl. cast iron or stainless steel products; flanges; threaded elbows, bends and sleeves; butt welding fittings)                                                                                                                                                                                                                                                                     | 8,210                                                     | (C)                                             |
| 7308                         | Structures and parts of structures "e.g., bridges and bridge-sections, lock-gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns", of iron or steel; plates, rods, angles, shapes, sections, tubes and the like, prepared for use in structures, of iron or steel (excl. prefabricated buildings of heading 9406) | 8,250                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                                                                                                                               | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7309                         | Reservoirs, tanks, vats and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of > 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated (excl. containers specifically constructed or equipped for one or more types of transport) | 10,010                                                    | (C)                                             |
| 7310                         | Tanks, casks, drums, cans, boxes and similar containers, of iron or steel, for any material "other than compressed or liquefied gas", of a capacity of ≤ 300 l, not fitted with mechanical or thermal equipment, whether or not lined or heat-insulated, n.e.s.                                                                           | 8,250                                                     | (C)                                             |
| 7311                         | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                                                                                                   | see below                                                 |                                                 |
| 7311 00                      | Containers of iron or steel, for compressed or liquefied gas (excl. containers specifically constructed or equipped for one or more types of transport)                                                                                                                                                                                   | 9,980                                                     | (C)                                             |
| 7318                         | Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers, incl. spring washers, and similar articles, of iron or steel (excl. lag screws, stoppers, plugs and the like, threaded)                                                                                                                            | see below                                                 |                                                 |
| 7318 11 00                   | Coach screws of iron or steel                                                                                                                                                                                                                                                                                                             | 8,230                                                     | (C)                                             |
| 7318 12 10                   | Wood screws of stainless steel (excl. coach screws)                                                                                                                                                                                                                                                                                       | 8,650                                                     |                                                 |
| 7318 12 90                   | Wood screws of iron or steel other than stainless (excl. coach screws)                                                                                                                                                                                                                                                                    | 8,230                                                     | (C)                                             |
| 7318 13 00                   | Screw hooks and screw rings, of iron or steel                                                                                                                                                                                                                                                                                             | 8,230                                                     | (C)                                             |
| 7318 14 10                   | Self-tapping screws, of stainless steel (excl. wood screws)                                                                                                                                                                                                                                                                               | 8,650                                                     |                                                 |
| 7318 14 91                   | Spaced-thread screws of iron or steel other than stainless                                                                                                                                                                                                                                                                                | 8,230                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                                                                                                                                              | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7318 14 99                   | Self-tapping screws of iron or steel other than stainless (excl. spaced-thread screws and wood screws)                                                                                                                                   | 8,230                                                     | (C)                                             |
| 7318 15                      | Threaded screws and bolts, of iron or steel, whether or not with their nuts and washers (excl. coach screws and other wood screws, screw hooks and screw rings, self-tapping screws, lag screws, stoppers, plugs and the like, threaded) | 8,230                                                     | (C)                                             |
| 7318 16                      | Nuts of iron or steel                                                                                                                                                                                                                    | 8,540                                                     | (C)                                             |
| 7318 19 00                   | Threaded articles, of iron or steel, n.e.s.                                                                                                                                                                                              | 8,230                                                     | (C)                                             |
| 7318 21 00                   | Spring washers and other lock washers, of iron or steel                                                                                                                                                                                  | 8,230                                                     | (C)                                             |
| 7318 22 00                   | Washers of iron or steel (excl. spring washers and other lock washers)                                                                                                                                                                   | 8,540                                                     | (C)                                             |
| 7318 23 00                   | Rivets of iron or steel (excl. tubular and bifurcated rivets for particular uses)                                                                                                                                                        | 8,230                                                     | (C)                                             |
| 7318 24 00                   | Cotters and cotter pins, of iron or steel                                                                                                                                                                                                | 8,230                                                     | (C)                                             |
| 7318 29 00                   | Non-threaded articles, of iron or steel                                                                                                                                                                                                  | 8,230                                                     | (C)                                             |
| 7326                         | Articles of iron or steel, n.e.s. (excl. cast articles)                                                                                                                                                                                  | see below                                                 |                                                 |
| 7326 11 00                   | Grinding balls and similar articles for mills, of iron or steel, forged or stamped, but not further worked                                                                                                                               | 8,210                                                     | (C)                                             |
| 7326 19                      | Articles of iron or steel, forged or stamped, but not further worked, n.e.s. (excl. grinding balls and similar articles for mills)                                                                                                       | 8,210                                                     | (C)                                             |
| 7326 20 00                   | Articles of iron or steel wire, n.e.s.                                                                                                                                                                                                   | 8,230                                                     | (C)                                             |
| 7326 90 30                   | Ladders and steps, of iron or steel                                                                                                                                                                                                      | 8,230                                                     | (C)                                             |
| 7326 90 40                   | Pallets and similar platforms for handling goods, of iron or steel                                                                                                                                                                       | 8,230                                                     | (C)                                             |

| Product CN Code / TARIC Code | Description                                                                                                             | Highest default value (tCO <sub>2</sub> eq/tonne of good) | Underlying production route determining CBAM BM |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------|
| 7326 90 50                   | Reels for cables, piping and the like, of iron or steel                                                                 | 8,230                                                     | (C)                                             |
| 7326 90 60                   | Ventilators, non-mechanical, guttering, hooks and like articles used in the building industry, n.e.s., of iron or steel | 8,230                                                     | (C)                                             |
| 7326 90 92                   | Articles of iron or steel, open-die forged, n.e.s.                                                                      | 8,210                                                     | (C)                                             |
| 7326 90 94                   | Articles of iron or steel, closed-die forged, n.e.s.                                                                    | 8,210                                                     | (C)                                             |
| 7326 90 96                   | Sintered articles of iron or steel, n.e.s.                                                                              | 8,210                                                     | (C)                                             |
| 7326 90 98                   | Articles of iron or steel, n.e.s.                                                                                       | 8,250                                                     | (C)'                                            |